



Elddis Touring Caravan Collection 2007

Crusader

Odyssey

AVANTÉ





Eddis 2007 Touring Caravan Collection

Continuous improvement is the key to Explorer Group's 2007 ranges. Never allowing a range to stand still, but to incrementally progress and always offer the latest and best components available.

The ultra-modern aero style graphic design and striking black coach lines of the premium Crusader, have been adopted across all of the 2007 Eddis range to create a new family look and enhance the visual appeal of the Eddis exterior.

Fabric options are now available across all models in the Eddis range. Whatever your taste and layout preference there is something for everyone this season.

With all the improvements we have made and the new layouts we have introduced to the 2007 Eddis range, why look at anything else.

The full specification and optional extras can be found towards the rear of this brochure.





Crusader Hurricane (Option B)

Elddis - What's New for 2007?



Odyssey 484 (Option A)

Removable Front Chest of Drawers & Wraparound Seating Option

The front chest of drawers complete with slide out table extension in all parallel lounges is now removable. By simply loosening the two restraining straps the unit is easily removed to create a wraparound seating area with the addition of the optional upholstered base and backrest cushions.

Fabric Options – All Models

All Avanté, Odyssey and Crusader models now have the option of two stunning interior upholsteries to give you the choice of interior design that best suits your taste and chosen layout.




Balanced Alloy Wheels

The Explorer Group are the first UK manufacturer to introduce balanced alloy wheels to their touring caravans (standard on Crusader, optional extra in lieu of steel wheels on all other models).

Balanced wheels ensure greater tyre contact with the road, less vibration, greater stability and handling, leading to a more enjoyable towing experience.

Jockey Wheel Nose Weight Indicator

For 2007 we've even introduced a clever nose weight indicator built into the top of the jockey wheel (standard on all Crusader models) to help you maintain the perfect nose weight and further reduce the risk of instability when towing.



Crusader Cyclone

I-Pod / MP3 Connectivity

All Elddis now have hard-wired jack sockets to plug your I-Pod or MP3 player directly into your caravan's entertainment system.

Discover all of the new improvements for 2007 in the specification table to the rear of this brochure..







Eddis Avanté 2007

Don't be fooled by its entry-level status and low retail price. Avanté is excellent value for money and easily competes against supposedly higher specification and higher priced vehicles.

The range offers far more than many touring caravans in this category.

In 2007 Avanté receives an external and internal fixture and fittings upgrade along with a choice of two new upholsteries. And with a full range of optional extras you can tailor the specification of any of the 9 models to suit your needs.

2007 also sees the addition of the new 544 fixed bed single axle model to the Avanté range.

Avanté - Exterior Styling

New Eddis family graphic design and vehicle decals, new design high level marker lights and an exterior access locker door with 230v output socket on all models brings more style and practicality to the Avanté range.

At the rear of the caravan is a highly reflective rear visibility panel to aid nighttime safety whilst towing and at the front the gas locker has been modified to take the new BP Light gas bottle as well as traditional steel cylinders.







544 (Option B)



544 (Option B)

Avanté - Interior Living Space

Select from a choice of two new interior designs with fully coordinating upholstery fabrics, pelmets, curtains and loose lay removable carpets.

The solid wood decorative locker doors and internal veneered furniture is made from distinctive Montreal Maple, whilst all worktops are finished with decorative laminate.

New for 2007 is the addition of Montreal Maple veneer wall boards to all living areas with brushed steel effect wall board in the kitchen that combine to give Avanté the look of more expensive caravan interiors.

Drop down bed box doors to the front dinette seating are now standard specification.

An extension to the occasional table top on the front chest of drawers simply slides out from underneath and drops neatly into place. The whole unit can be removed to provide a full wraparound seating area (parallel lounge models only).

The Kitchen

A Spinflo 3 burner hob with large high-speed multi-function burner gives a greater range of options when using larger pans for cooking. Add to this the Prima Mark3 oven and the cooking of any meal is easily accommodated.

Food preparation is also given a helping hand with the space saving single sink, with bespoke silver washing up bowl and removable drainer, freeing up more work surface when you need it the most.

The Thetford N80e 81ltr refrigerator now comes with electronic ignition as standard.



556 (Option A)

Avanté 362

2 Berth
1 x Double
or
2 x Single beds




Avanté 482

2 Berth
1 x Double
or
2 x Single beds



Avanté 505


5 Berth
1 or 2 Doubles
2 x Single
1 x Bunk bed



Option A - Arno


Avanté 534

4 Berth
1 x Fixed bed
1 x Double bed



Avanté 540


4 Berth
1 x Fixed double
2 x Fixed single



aOption B - Mombassa


Avanté 556

6 Berth
1 x Double
4 x Bunk beds
(6 x Singles)



Avanté 524

4 Berth
1 x Double
1 or 3 Singles
1 x Bunk bed



Avanté 544

4 Berth
1 x Fixed double
1 x Double bed



NEW

Avanté 636

6 Berth
1 x Double
2 x Single
2 x Bunk beds



AVANTÉ TECHNICAL SPECIFICATIONS 2007

	362	482	505	524	534	544	540	556	636	
Number of Berths	2	2	5	4	4	4	4	6	6	
Interior Length	3683mm / 121'	4732mm / 15'6"	5034mm / 16'6"	5344mm / 17'6.5"	5486mm / 18'0"	5599mm / 18'5"	5526mm / 18'2"	5436mm / 17'10"	6125mm / 20'1"	
Exterior body length	4504mm / 149.5'	5553mm / 18'3"	5855mm / 19'2"	6165mm / 20'3"	6307mm / 208.5'	6429mm / 21'	6347mm / 20'10"	6257mm / 20'6.5"	6946mm / 229.5'	
Shipping Length	5405mm / 17'9"	6454mm / 21'2"	6756mm / 22'2"	7066mm / 23'2"	7208mm / 23'8"	6985mm / 22'11"	7248mm / 23'9"	7158mm / 23'6"	7847mm / 25'9"	
Overall Width	2148mm / 70.5"	2148mm / 70.5"	2148mm / 70.5"	2148mm / 70.5"	2286mm / 7'6"	2286mm / 7'6"	2286mm / 7'6"	2286mm / 7'6"	2286mm / 7'6"	
Overall Height	2726mm / 8'11"	2726mm / 8'11"	2726mm / 8'11"	2726mm / 8'11"	2726mm / 8'11"	2726mm / 8'11"	2726mm / 8'11"	2726mm / 8'11"	2726mm / 8'11"	
Maximum Headroom	1908mm / 6'3"	1908mm / 6'3"	1908mm / 6'3"	1908mm / 6'3"	1908mm / 6'3"	1908mm / 6'3"	1908mm / 6'3"	1908mm / 6'3"	1908mm / 6'3"	
Wheel Rim	5.5J x 14	5.5J x 14	5.5J x 14	5.5J x 14	5.5J x 14	5.5J x 14	5.5J x 14	5.5J x 14	5.5J x 14	
Tyre Pressure at MTPLM in psi	36psi	40psi	58psi	58psi	62psi	62psi	62psi	62psi	36psi	
Brake Size	200/50	200/50	200/50	200/50	200/50	200/50	200/50	200/50	200/50	
Awning Sizes Ground to Ground	7930mm / 26'0"	8980mm / 29'6"	9280mm / 30'5"	9590mm / 31'5"	9730mm / 31'11"	9950mm / 32'6"	9770mm / 32'1"	9680mm / 31'9"	10370mm / 34'0"	
Bed Sizes	Option 1 1 x Single 1830 x 673mm 6'0" x 2'2.5" 1 x Single 1830 x 673mm 6'0" x 2'2.5"	1 x Single 1830 x 673mm 6'0" x 2'2.5" 1 x Single 1830 x 673mm 6'0" x 2'2.5"	1 x Single 1830 x 673mm 6'0" x 2'2.5" 1 x Single 1830 x 673mm 6'0" x 2'2.5" 1 x Double 1980 x 1135mm 6'6" x 3'9" 1 x Single 1875 x 570mm 6'2" x 1'10.5"	1 x Single 1830 x 673mm 6'0" x 2'2.5" 1 x Single 1830 x 673mm 6'0" x 2'2.5" 1 x Single 1800 x 630mm 5'11" x 2'1" 1 x Single 1665 x 570mm 5'5" x 1'10.5"	1 x Double 2074 x 1332mm 6'10" x 4'4" 1 x Double 1830 x 1290mm 6'0" x 4'3"	1 x Double 2074 x 1200mm 6'10" x 3'11" 1 x Double 1830 x 1290mm 6'0" x 4'3"	1 x Single 2140 x 710mm 7'0" x 2'4" 1 x Single 2113 x 720mm 6'11" x 2'4" 1 x Double 1930 x 1375mm 6'4" x 4'5"	1 x Single 1830 x 720mm 6'0" x 2'4" 1 x Single 1830 x 673mm 6'0" x 2'2.5" 1 x Single 1830 x 720mm 6' x 2'4" 1 x Single 1632 x 570mm 5'4" x 1'10.5" 2 x Single 1830 x 610mm 6'0" x 2'0"	FRONT 2 x Single 1830 x 720mm 6'0" x 2'4" OR 1 x Double 2074 x 1420mm 6'10" x 4'8" AND REAR 2 x Single 1830 x 690mm 6'0" x 2'3" 2 x Single 1680 x 570mm 5'6" x 1'10"	FRONT 2 x Single 1830 x 720mm 6'0" x 2'4" OR 1 x Double 2074 x 1420mm 6'10" x 4'8" AND REAR 1 x Double 2164 x 1420mm 7'1" x 4'8" 2 x Single 1680 x 570mm 5'6" x 1'10"
Option 2	1 x Double 1980 x 1420mm 6'6" x 4'8"	1 x Double 1980 x 1420mm 6'6" x 4'8"	1 x Double 1980 x 1420mm 6'6" x 4'8" 1 x Double 1980 x 1135mm 6'6" x 3'9" 1 x Single 1875 x 570mm 6'2" x 1'10.5"	1 x Double 1980 x 1420mm 6'6" x 4'8" 1 x Single 1800 x 630mm 5'11" x 2'1" 1 x Single 1665 x 570mm 5'5" x 1'10.5"				1 x Double 2074 x 1420mm 6'10" x 4'8" 1 x Single 1800 x 630mm 5'11" x 2'1" 1 x Single 1632 x 570mm 5'4" x 1'10.5" 2 x Single 1830 x 610mm 6'0" x 2'0"		
M.T.P.L.M.	1100kgs / 21.61cwt	1265kgs / 24.48cwt	1380kgs / 27.11cwt	1375kgs / 27cwt	1441kgs / 28.30cwt	1500kgs / 29.46cwt	1450kgs / 28.48cwt	1450kgs / 28.48cwt	1700kgs / 33.39cwt	
Mass in Running Order	921kgs / 18.09cwt	1083kgs / 21.27cwt	1158kgs / 22.74cwt	1162kgs / 22.82cwt	1225kgs / 24.06cwt	1282kgs / 25.18cwt	1233kgs / 24.21cwt	1214kgs / 23.84cwt	1457kgs / 28.62cwt	
Essential Habitation Equipment	53kgs / 1.04cwt	53kgs / 1.04cwt	53kgs / 1.04cwt	53kgs / 1.04cwt	53kgs / 1.04cwt	53kgs / 1.04cwt	53kgs / 1.04cwt	53kgs / 1.04cwt	53kgs / 1.04cwt	
Maximum User Payload	181kgs / 3.96cwt	184kgs / 3.61cwt	224kgs / 4.40cwt	217kgs / 4.26cwt	219kgs / 4.30cwt	220kgs / 4.32cwt	219kgs / 4.3cwt	238kgs / 4.68cwt	245kgs / 4.81cwt	
Maximum Hitch Weight	100kgs / 1.96cwt	100kgs / 1.96cwt	100kgs / 1.96cwt	100kgs / 1.96cwt	100kgs / 1.96cwt	100kgs / 1.96cwt	100kgs / 1.96cwt	100kgs / 1.96cwt	100kgs / 1.96cwt	
Optional Equipment Payload	30kgs / 0.59cwt	30kgs / 0.59cwt	30kgs / 0.59cwt	30kgs / 0.59cwt	30kgs / 0.59cwt	30kgs / 0.59cwt	30kgs / 0.59cwt	30kgs / 0.59cwt	30kgs / 0.59cwt	

A manufacturing tolerance has been added to **Mass in Running Order** before calculating the **Maximum User Payload**.
Maximum User Payload includes **Essential Habitation Equipment**, Personal Effects and Optional Equipment.

Note 1: Please take care to ensure that you have allowed for the masses of all items you intend to carry in the caravan.
Note 2: Warning under no circumstances must the Technical Permissible Laden Mass of the caravan be exceeded.
Note 3: All data is calculated using metric weights and measurements. The Imperial figures quoted are conversions thereof.

Avanté – Model Specific Improvements for 2007

- Separate shower cubicle and improved toilet position in Avanté 534.
- Vanity locker added to 540/505/636 washrooms.





Elddis

524

Odyssey

Odyssey

524

Elddis

Explorer 2007



Elddis Odyssey 2007

The 2007 Odyssey range of 8 touring caravans is the next step up from the Avanté and is packed with a host of improvements that give a truly impressive specification.

In 2007 all Odysseys have been made 7'6" (2286mm) wide giving you plenty of space and superb value for money.

Odyssey also sees the addition of the new single axle 544 rear fixed bed layout complete with a spacious separate shower cubicle.

Odyssey – Exterior Styling

New Elddis family graphics and vehicle decals along with the stunning Seitz privacy side and rear windows give the Odyssey a look that will make your neighbours green with envy.

The Seitz windows not only look fantastic, they also offer a host of benefits including privacy from the neighbours, a cooler caravan interior and additional protection from the sunlight for upholstery and curtain fabrics.

The Odyssey also comes with heavy-duty corner steadies and an exterior access door with 230v output socket as standard.

As with the Avanté the front gas locker has been modified to take the new BP Light gas bottle as well as traditional steel cylinders and at the rear of the caravan is a highly reflective rear visibility panel to aid nighttime safety whilst towing.







544 (Option B)



544

Odyssey - Interior Living Space

A choice of two very different upholsteries gives you the option to select the perfect interior to suit your chosen layout.

Solid wood decorative locker doors and Montreal Maple internal veneered furniture and wallboards give the Odyssey a high-price look without breaking the bank.

The front chest of drawers conceals the slide out occasional table and as with all Eddis models is easily removed to form a u-shaped lounge using the optional infill seat base and backrest cushions (parallel lounge models only).

The 'So Comfortable' domestic quality pocket sprung mattress is new to Odyssey for 2007.

The main entrance door has a handy magazine pouch and also benefits from a Horrex full door fly screen. This is un-tensioned with no spring back and slides easily from any point.

The Kitchen

The new Spinflo 3 burner hob with large high-speed multi-function burner accommodates larger saucepans and even woks. Add to this the Prima Mark3 oven and a 550w microwave oven and cooking on site is as easy as at home.

The Argent stainless steel linen effect sink comes complete with a chopping board and removable drainer that store neatly on top of the bespoke silver washing up bowl.

The space saving sink frees up more work surface making meal preparation even easier.

All worktops and occasional tabletops are finished with decorative laminate.



Eddis



Odyssey

524 (Option A)


Odyssey 482

2 Berth
1 x Double
or
2 x Single beds




Odyssey 484

4 Berth
1 x Fixed double
1 x Double bed




Odyssey 524

4 Berth
1 x Double
1 or 3 Singles
1 x Bunk bed




Odyssey 524L

4 Berth
1 x Double
1 x Single
1 x Bunk bed



Odyssey 505

5 Berth
2 x Doubles
1 x Bunk bed




Odyssey 534

4 Berth
1 x Fixed bed
1 x Double bed



Odyssey 540

4 Berth
1 x Fixed double
2 x Single beds



Odyssey 544

4 Berth
1 x Fixed double
1 x Double bed



NEW





Option A - Picasso



Option B - Millesime



ODYSSEY TECHNICAL SPECIFICATIONS 2007

	482	484	505	524	524L	534	544	540
Number of Berths	2	4	5	4	4	4	4	4
Interior Length	4828mm / 15'10"	4828mm / 15'10"	5344mm / 17'6"	5344mm / 17'6"	5344mm / 17'6"	5486mm / 18'0"	5599mm / 18'5"	5526mm / 18'2"
External body length	5660mm / 18'8"	5660mm / 18'8"	6176mm / 20'3"	6176mm / 20'3"	6176mm / 20'3"	6318mm / 20'9"	6429mm / 21'	6347mm / 20'10"
Shipping Length	6550mm / 21'6"	6550mm / 21'6"	7066mm / 23'2"	7066mm / 23'2"	7066mm / 23'2"	7208mm / 23'8"	6985mm / 22'11"	7248mm / 23'9"
Overall Width	2286mm / 7'6"	2286mm / 7'6"	2286mm / 7'6"	2286mm / 7'6"	2286mm / 7'6"	2286mm / 7'6"	2286mm / 7'6"	2286mm / 7'6"
Overall Height	2726mm / 8'11"	2726mm / 8'11"	2726mm / 8'11"	2726mm / 8'11"	2726mm / 8'11"	2726mm / 8'11"	2726mm / 8'11"	2726mm / 8'11"
Maximum Headroom	1908mm / 6'3"	1908mm / 6'3"	1908mm / 6'3"	1908mm / 6'3"	1908mm / 6'3"	1908mm / 6'3"	1908mm / 6'3"	1908mm / 6'3"
Wheel Rim	5.5J x 14	5.5J x 14	5.5J x 14	5.5J x 14	5.5J x 14	5.5J x 14	5.5J x 14	5.5J x 14
Tyre Pressure at MTPLM in psi	58psi	62psi	58psi	58psi	58psi	62psi	62psi	62psi
Brake Size	200/50	200/50	200/50	200/50	200/50	250/40	250/40	250/40
Awning Sizes Ground to Ground	9075mm / 29'9"	9075mm / 29'9"	9590mm / 31'5"	9590mm / 31'5"	9590mm / 31'5"	9730mm / 31'11"	9950mm / 32'6"	9770mm / 32'1"
Bed Sizes	Option 1 1 x Single 1880 x 675mm 6'2" x 2'2" 1 x Single 1880 x 675mm 6'2" x 2'2"	1 x Double 2074 x 988mm 6'10" x 3'3" 1 x Double 1830 x 1290mm 6'0" x 4'3"	1 x Double 1230 x 1344mm 7'0" x 4'5" 1 x Double 2074 x 1195mm 6'10" x 3'11" 1 x Single 1960 x 570mm 6'5" x 1'10"	1 x Single 1880 x 675mm 6'2" x 2'2" 1 x Single 1880 x 675mm 6'2" x 2'2" 1 x Single 1800 x 635mm 5'11" x 2'1" 1 x Single 1655 x 570mm 5'5" x 1'10"	1 x Double 2007 x 1334mm 6'7" x 4'4" 1 x Single 1800 x 635mm 5'11" x 2'1" 1 x Single 1655 x 570mm 5'5" x 1'10.5"	1 x Double 2074 x 1342mm 6'10" x 4'5" 1 x Double 1830 x 1290mm 6'0" x 4'3"	1 x Double 2074 x 1200mm 6'10" x 3'11" 1 x Double 1830 x 1290mm 6'0" x 4'3"	1 x Single 2140 x 710mm 7'0" x 2'4" 1 x Single 2113 x 720mm 6'11" x 2'4" 1 x Double 1930 x 1375mm 6'4" x 4'5"
Bed Sizes	Option 2 1 x Double 1984 x 1480mm 6'6" x 4'10"			1 x Double 1984 x 1480mm 6'6" x 4'10" 1 x Single 1800 x 635mm 5'11" x 2'1" 1 x Single 1655 x 570mm 5'5" x 1'10"				
M.T.P.L.M.	1368kgs / 26.87cwt	1425kgs / 27.99cwt	1475kgs / 28.97cwt	1495kgs / 29.36cwt	1475kgs / 28.97cwt	1560kgs / 30.64cwt	1560kgs / 30.64cwt	1560kgs / 30.64cwt
Mass in Running Order	1200kgs / 23.57cwt	1237kgs / 24.29cwt	1275kgs / 25.04cwt	1302kgs / 25.57cwt	1282kgs / 25.18cwt	1365kgs / 26.81cwt	1364kgs / 26.79cwt	1365kgs / 26.81cwt
Essential Habitation Equipment	53kgs / 1.04cwt	53kgs / 1.04cwt	53kgs / 1.04cwt	53kgs / 1.04cwt	53kgs / 1.04cwt	53kgs / 1.04cwt	53kgs / 1.04cwt	53kgs / 1.04cwt
Maximum User Payload	168kgs / 3.30cwt	188kgs / 3.69cwt	203kgs / 3.98cwt	194kgs / 3.81cwt	193kgs / 3.79cwt	195kgs / 3.83cwt	196kgs / 3.85cwt	195kgs / 3.83cwt
Maximum Hitch Weight	100kgs / 1.96cwt	100kgs / 1.96cwt	100kgs / 1.96cwt	100kgs / 1.96cwt	100kgs / 1.96cwt	100kgs / 1.96cwt	100kgs / 1.96cwt	100kgs / 1.96cwt
Optional Equipment Payload	8kgs / 0.15cwt	8kgs / 0.15cwt	8kgs / 0.15cwt	8kgs / 0.15cwt	8kgs / 0.15cwt	8kgs / 0.15cwt	8kgs / 0.15cwt	8kgs / 0.15cwt

A manufacturing tolerance has been added to **Mass in Running Order** before calculating the **Maximum User Payload**. **Maximum User Payload** includes **Essential Habitation Equipment**, Personal Effects and Optional Equipment.

Note 1: Please take care to ensure that you have allowed for the masses of all items you intend to carry in the caravan.
Note 2: Warning under no circumstances must the Technical Permissible Laden Mass of the caravan be exceeded.
Note 3: All data is calculated using metric weights and measurements. The imperial figures quoted are conversions thereof.

Odyssey – Model Specific Improvements for 2007

- Separate shower cubicle and improved toilet position in 484 & 534.
- External storage locker on 482, 524 & 524L models.
- 2nd Heki in 505 models + pleated blinds.
- Feature end panel in 540 washrooms.







Elddis Crusader 2007

The top of the range Crusader is the best equipped and luxurious of the Elddis range.

Despite the premium status, superb looks and striking new Interior makeover, the Elddis Crusader continues to provide outstanding value for money.

We've even added a superb new Cyclone island double bed twin axle model to the impressive 9-model line-up for 2007.

Crusader – Exterior Styling

Black coach lines with chrome edged decals, enhanced silver and black aero style graphics and the simply stunning Seitz privacy windows make the Crusader stand out from the crowd.

The stunning Seitz side and rear flush fitting privacy windows, exclusive to The Explorer Group in the UK, allow you to see out, but prevent your neighbours from seeing in. The tint helps to reflect rays from the sun that damage upholstery and can assist in keeping the interior cooler on the sunniest of days. Glare from the sun is also substantially reduced with minimal effect on the amount of actual light entering the vehicle.

All Crusader are built on the impressive BPW Swing V-Tech chassis with a Winterhoff WS3000 stabiliser and easy action handbrake, balanced alloy wheels and a clever nose weight indicator as standard.

Outside you will also find a highly reflective rear visibility panel, heavy-duty corner steadies, an awning warmer and an exterior gas barbecue point.

The new Ellbee one-piece exterior locker door features a slide-opening window with integral fly screen and storage compartment.

The exterior access door opens to reveal a handy 230v output socket, ideal for when you want to watch TV in your awning.

The front gas locker has been modified to take the new BP Light gas bottle as well as traditional steel cylinders.





Cyclone (Option A)



Hurricane



Hurricane (Option B)

Crusader - Interior Living Space

Crusader has been given a full make over with a choice of two striking new upholsteries and coordinating soft furnishings to choose from. Both offer superb styling, practicality and excellent value for money.

The front chest of drawers in parallel lounge models is easily removed to form a wraparound seating arrangement using the optional infill seat base and backrest cushions.

Montreal Maple veneer furniture and wallboard give the interior appearance real warmth. Whilst all worktops and occasional table tops, are finished with decorative laminate.

The 2007 Elddis Crusader is packed with a host of special features including Explorer's exclusive 'So Comfortable' domestic quality pocket sprung mattress to fixed bed models. As the name implies this mattress is 'So Comfortable', you are assured of the best night sleep you may ever have had in a caravan.

Colour coordinated Horrex folding doors provide lightweight privacy.

The Sony CD/Radio now features I-Pod/MP3 connectivity via a hard-wired jack plug socket.

The Kitchen

The Spinflo 3 burner hob with high speed multifunction burner can accommodate large sauce pans up to 25cm, round and flat bottom woks up to 36cm and frying pans up to 24cm. Add to this the Prima Mark3 oven and 550w microwave oven supplied as standard and a simple cooked breakfast to a full evening meal are easily catered for.

The Argent stainless steel linen effect sink comes complete with a chopping board and removable drainer. All store neatly on top of the bespoke silver washing up bowl underneath the Chinchilla glass sink cover.

The space saving sink frees up more work surface making meal preparation even easier.


Dometic's elegantly styled RM7291L 93ltr power fridge with its curved Montreal Maple veneer door is standard in all single axle models. The 150ltr Dometic 7651L fridge freezer is provided with all fixed bed twin axle Crusader. All refrigerators feature Electronic ignition.





Hurricane

2 Berth
1 x Double
or 2 x Single beds




Typhoon

4 Berth
1 x Double
1 or 3 Singles
1 x Bunk bed



Aurora

4 Berth
1 x Fixed double
2 x Single beds



CRUSADER TECHNICAL SPECIFICATIONS 2007

	Hurricane	Typhoon	Aurora	Super Sirocco	Sirocco	Super Storm	Storm	Cyclone	Super Cyclone	
Number of Berths	2	4	4	4	5	6	4	4	4	
Interior Length	4828mm / 15'10"	5344mm / 17'6"	5528mm / 18'2"	6325mm / 20'9"	6325mm / 20'9"	6325mm / 20'9"	6325mm / 20'9"	6325mm / 20'9"	6325mm / 20'9"	
Exterior body length	5660mm / 18'8"	6176mm / 20'3"	6347mm / 20'8"	6998mm / 23'	6998mm / 23'	6998mm / 23'	6998mm / 23'	6998mm / 23'	6998mm / 23'	
Shipping Length	6550mm / 21'6"	7066mm / 23'2"	7248mm / 23'9"	8049mm / 26'5"	8049mm / 26'5"	8049mm / 26'5"	8049mm / 26'5"	8049mm / 26'5"	8049mm / 26'5"	
Overall Width	2286mm / 7'6"	2286mm / 7'6"	2286mm / 7'6"	2286mm / 7'6"	2286mm / 7'6"	2286mm / 7'6"	2286mm / 7'6"	2286mm / 7'6"	2286mm / 7'6"	
Overall Height	2726mm / 8'11"	2726mm / 8'11"	2600mm / 8'6.5"	2600mm / 8'6.5"	2600mm / 8'6.5"	2600mm / 8'6.5"	2600mm / 8'6.5"	2600mm / 8'6.5"	2600mm / 8'6.5"	
Maximum Headroom	1908mm / 6'3"	1908mm / 6'3"	1908mm / 6'3"	1908mm / 6'3"	1908mm / 6'3"	1908mm / 6'3"	1908mm / 6'3"	1908mm / 6'3"	1908mm / 6'3"	
Wheel Rim	5.5J x 14	5.5J x 14	5.5J x 14	5.5J x 14	5.5J x 14	5.5J x 14	5.5J x 14	5.5J x 14	5.5J x 14	
Tyre Pressure at MTPLM in psi	58psi	58psi	62psi	44psi	44psi	44psi	44psi	44psi	44psi	
Brake Size	200/50	200/50	250/40	200/50	200/50	200/50	200/50	200/50	200/50	
Awning Sizes Ground to Ground	9075mm / 29'9"	9590mm / 31'5"	9660mm / 31'8"	10570mm / 34'8"	10570mm / 34'8"	10570mm / 34'8"	10570mm / 34'8"	10570mm / 34'8"	10570mm / 34'8"	
Bed Sizes	Option 1 1 x Single 1880 x 720mm 6'2" x 2'4" 1 x Single 1880 x 720mm 6'2" x 2'4" 1 x Single 1800 x 635mm 5'11" x 2'1" 1 x Single 1655 x 570mm 5'5" x 1'10"	1 x Single 1880 x 720mm 6'2" x 2'4" 1 x Single 1880 x 720mm 6'2" x 2'4" 1 x Single 1800 x 635mm 5'11" x 2'1" 1 x Single 1655 x 570mm 5'5" x 1'10"	1 x Single 2140 x 720mm 7'0" x 2'4" 1 x Single 2113 x 720mm 6'11" x 2'4" 1 x Double 1930 x 1375mm 6'4" x 4'5"	1 x Double 2140 x 1344mm 7'0" x 4'4" 1 x Double 1830 x 1290mm 6'0" x 4'3"	1 x Single 1880 x 720mm 6'2" x 2'4" 1 x Single 1880 x 720mm 6'2" x 2'4" 1 x Double 2074 x 1325mm 6'10" x 4'4" 1 x Single 1962 x 570mm 6'5.5" x 1'10.5"	1 x Double 2140 x 1344mm 7'0" x 4'4" AND 2 x Single 1830 x 690mm 6'0" x 2'3" 2 x Single 1705 x 570mm 5'7" x 1'10.5" OR 1 x Double 2014 x 1430mm 6'7" x 4'8" 2 x Single 1705 x 570mm 5'7" x 1'10.5"	1 x Single 1830 x 720mm 6'0" x 2'4" 1 x Single 1830 x 720mm 6'0" x 2'4" 1 x Double 1906 x 1360mm 6'3" x 4'5"	1 x Single 1830 x 720mm 6'0" x 2'4" 1 x Double 1843 x 1382mm 6'1" x 4'6"	1 x Double 1830 x 720mm 6'0" x 2'4" 1 x Double 1843 x 1382mm 6'1" x 4'6"	1 x Double 2140 x 1334mm / 7'0" x 4'4" 2 x Singles 1906 x 790mm / 6'4" x 2'7"
Bed Sizes	Option 2 1 x Double 2074 x 1480mm 6'8" x 4'10"	1 x Double 2074 x 1480mm 6'8" x 4'10" 1 x Single 1800 x 635mm 5'11" x 2'1" 1 x Single 1655 x 570mm 5'5" x 1'10"			1 x Double 2014 x 1480mm 6'7" x 4'10" 1 x Double 2074 x 1325mm 6'10" x 4'4" 1 x Single 1962 x 570mm 6'5.5" x 1'10.5"		1 x Double 2074 x 1430mm 6'8" x 4'8" 1 x Double 1906 x 1360mm 6'3" x 4'5"	1 x Double 2074 x 1430mm 6'8" x 4'8" 1 x Double 1843 x 1382mm 6'1" x 4'6"		
M.T.P.L.M.	1400kgs / 27.50cwt	1527kgs / 29.94cwt	1600kgs / 31.42cwt	1900kgs / 37.32cwt	1900kgs / 37.32cwt	1900kgs / 37.32cwt	1900kgs / 37.32cwt	1900kgs / 37.32cwt	1900kgs / 37.32cwt	
Mass in Running Order	1240kgs / 24.36cwt	1342kgs / 26.36cwt	1413kgs / 27.75cwt	1630kgs / 32.1cwt	1620kgs / 31.82cwt	1610kgs / 31.62cwt	1630kgs / 32.01cwt	1630kgs / 32.01cwt	1630kgs / 32.01cwt	
Essential Habitation Equipment	53kgs / 1.04cwt	53kgs / 1.04cwt	53kgs / 1.04cwt	102kgs / 2.00cwt	102kgs / 2.00cwt	102kgs / 2.00cwt	102kgs / 2.00cwt	102kgs / 2.00cwt	102kgs / 2.00cwt	
Maximum User Payload	160kgs / 31.42cwt	185kgs / 3.63cwt	187kgs / 3.37cwt	270kgs / 5.30cwt	280kgs / 5.50cwt	290kgs / 5.69cwt	270kgs / 5.30cwt	270kgs / 5.30cwt	270kgs / 5.30cwt	
Maximum Hitch Weight	100kgs / 1.96cwt	100kgs / 1.96cwt	100kgs / 1.96cwt	100kgs / 1.96cwt	100kgs / 1.96cwt	100kgs / 1.96cwt	100kgs / 1.96cwt	100kgs / 1.96cwt	100kgs / 1.96cwt	
Optional Equipment Payload	0	0	28kgs / 0.55cwt	28kgs / 0.55cwt	28kgs / 0.55cwt	28kgs / 0.55cwt	28kgs / 0.55cwt	28kgs / 0.55cwt	28kgs / 0.55cwt	

A manufacturing tolerance has been added to **Mass in Running Order** before calculating the **Maximum User Payload**. **Maximum User Payload** includes **Essential Habitation Equipment**, Personal Effects and Optional Equipment.

Note 1: Please take care to ensure that you have allowed for the masses of all items you intend to carry in the caravan.
Note 2: Warning under no circumstances must the **Technical Permissible Laden Mass** of the caravan be exceeded.
Note 3: All data is calculated using metric weights and measurements. The imperial figures quoted are conversions thereof.

Crusader – Model Specific Improvements for 2007

- Large 150ltr fridge freezer new to Super Sirocco and Cyclone.
- Feature end panel in 540 washroom.





Crusader

Elddis

Crusader

supercyclone

Elddis


Storm

4 Berth
1 x Fixed bed
1 x Double bed




Sirocco

5 Berth
1 or 2 Doubles
1 or 2 Singles
1 x Bunk bed




Super Storm

6 Berth
1 or 2 Doubles
2 or 4 Singles
2 x Bunks beds



Super Sirocco

4 Berth
1 x Fixed double
1 x Double bed
or
2 x Single beds



Cyclone


4 Berth
1 x Fixed double
1 x Double bed or
2 x Single



NEW

Super Cyclone

4 Berth
2 x Fixed single
1 x Double bed



Option A - Mildred



Option B - Classico & River



Crusader

Elddis Security Systems

Theft Deterrent, Prevention and Security of Your Touring Caravan

This is taken very seriously with Elddis. That is why we have provided a combination of features designed to deter and prevent thieves from stealing your property. And in the unlikely event that they should succeed, aid the identification and speedy recovery of your investment and assist in the prosecution of the thief.



Robstop WS3000 Hitchlock



*padlock not supplied

Anti-Wind Corner Steadies



Microtag©

Supplied as standard with every Elddis touring caravan, MicroTag© is an innovative and technologically advanced property tracing system that can be easily applied to all your valuables. Marking your property with Microdots not only deters theft, but will also help lead to the successful prosecution of the thief and the recovery of your stolen valuables.

Why Use Microdots? - In order for the Police to successfully prosecute, it is necessary to identify the true owner of stolen property. Marking your property with Microdots is the easiest way to ensure your valuables are quickly identified. You can Microdot all kinds of property against theft including your touring caravan, motor vehicles, televisions, bicycles, jewellery, in fact anything of value to you, that will also be of value to a thief.

In the event of theft or loss the police can locate the MicroDot by using an ultra violet light. The MicroDots are then read using a MicroDot reader, or a conventional microscope. Each MicroDot is laser etched with a free phone help line and your own unique number which is registered on the International Security Register, manned 24 hours a day, 365 days a year.

Robstop WS3000 Hitchlock

The Robstop WS3000 Hitchlock is made of high-grade steel alloy with a cylinder lock. It is very simple to operate and prevents unauthorised coupling and disconnection. It also prevents dismantling of the coupling itself. The safety ball covers the ball headroom of the WS3000 creating an additional means of protection – Available from your retailer.

Anti-Wind Corner Steadies

The rear corner steadies on all Elddis have a special cowling that allows for the precise positioning of a security bolt. Once the corner steadies are down, the bolt is put in place and padlocked*. This prevents the potential thief from being able to lift the corner steadies making it extremely difficult to tow the vehicle away..

Electronic Tagging

In conjunction with the CRiS registration scheme, all Elddis touring caravans are electronically tagged during manufacture for added security and ease of vehicle identification.



CRiS - The Caravan Registration and Identification Scheme

CRiS is the national register of UK manufactured touring caravans and was established by the National Caravan Council (NCC) in conjunction with HPI Ltd.


All Eddis caravans are recorded on the CRiS database by their unique 17 digit Vehicle Identity Number (VIN). This VIN and the caravan description are recorded on the Touring Caravan Registration Document, which is sent by CRiS to the caravan's registered keeper.

CRiS issues Touring Caravan Registration Documents that are the equivalent of the log books issued by the DVLA for cars – the Touring Caravan Registration Document confirms the name of the registered keeper, the VIN and full vehicle description.

Window Etching & Chassis Marking

The VIN number is stamped onto the chassis of the touring caravan and etched onto all of the windows acting as a further deterrent.

Explorer Protect - Autowatch Alarm system



The Explorer Protect system is fitted as standard on the Eddis range.

Manufactured by Autowatch, The Explorer Protect system is designed to give years of trouble free operation. Made with only the highest quality components and using state of the art technology you can be assured that your caravan has the best electronic protection available.

Each caravan alarm is installed with a Passive Infrared Detector (PIR), a wireless sensor that detects movement in the caravan and transmits a radio signal to the alarm module. If the alarm is on the siren will sound. A leg sensor, fully sealed against dust and water, detects if the corner stabilising leg is being raised or lowered and transmits a coded radio signal to the alarm. Additional sensors can be purchased from your retailer to enhance security.





Highspeed test track

BPW Swing V-Tec Chassis

The 2007 Elddis range of touring caravans features the advanced Swing V-Tec axle-chassis system from BPW, quite simply because we believe it to be the best available. Our rigorous testing at UK and European proving ground & vehicle test track facilities has proven

It's superior reliability & stability over other chassis makes available.

BPW are the European market leader with over 10 million axles sold world wide, & an enviable reputation for producing high quality equipment. BPW axle & suspension systems are designed for high performance, reliability and low maintenance.

The main advantages of the Swing V-Tec are:

- Improved ride stability due to a dynamic self-steering effect (un-noticeable in normal towing conditions), reducing the risk of swaying, sideways movement and side wind sensitivity.
- Greater stability even with sudden steering manoeuvres giving a wider margin of safety in an emergency situation.
- Excellent cornering ability due to increased tyre contact with the road, minimising body roll.
- Safer at high speed.

Product Development

Continuous Improvement, Product Development & Testing

The construction methods & the running gear and axles used in our touring caravans need to satisfy exacting requirements. All new touring caravans need to be as safe as possible & have the best build quality, issues that are taken very seriously with Elddis.

The large surface areas of the front & side walls of a caravan are fully exposed to head & side winds. These factors, combined with the weight of the vehicle & the higher centres of gravity present special challenges to our engineers.

Every new & ongoing development is accompanied by extensive studies & driving tests, many conducted jointly with or by our supply partners.

Stability and handling of a high performance car may rely on firm suspension, but not many cars have cupboards full of crockery! Driving tests conducted by Explorer &

BPW at the DAF Vehicle test centre in Eindhoven & the Dutch Safety Inspectorate in Lelystad, were used to establish the current touring caravan designs. During these tests every possible influence on the damping of caravan movement whilst being towed was painstakingly examined.

On the test track manoeuvres were undertaken in all driving conditions & on a variety of road surfaces. This included endurance tests on the notorious Belgium pavé road that proved the strength; build quality & reliability of our caravans over the equivalent of 13,500km. We have even undertaken a 24-hour high speed endurance trial around BMW's performance centre track, the purpose built Rockingham Raceway, as a means of testing both high speed stability & vehicle reliability in a way that far exceeds normal conditions experienced by our customers.

The information and data obtained in all of these tests is used to develop the caravan and running chassis to the highest standards, as in the case of our braking system that achieves deceleration values far in excess of statutory regulations.

Winterhoff Stabiliser

The Winterhoff WS3000 is a convenient single lever system for easy coupling and stabilising. The special friction pads in the coupling are pressed against the tow ball of the towing vehicle under high spring pressure, thus suppressing dangerous snaking and pitching motions of the touring caravan before they build up.

The main advantages of the WS3000 Stabiliser are:

- Dampens snaking and pitching of the touring caravan.
- Allows more space between rear door mounted spare wheels, common on 4x4 tow vehicles and the open stabilizer.
- Easy to read wear indicator.
- Clip system for easy replacement of the friction pads.
- Ease of engagement and disengagement.

When combined with the Swing V-Tec chassis, the WS3000 offers the ultimate towing experience, but don't just take our word for it... The RWTÜV Essen, as an objective, independent organisation carried out detailed comparative tests of all towing ball couplings and stabilising gear on the market.*

These tests included criteria such as safety during towing, construction type related limited values, handling and maintenance of each system with a variety of weights. The comparative investigations were carried out at the Institute for Vehicle Technology in Essen, Germany and on the test area at Trier-Föhren Airfield. The test winner was the Winterhoff WS3000.

Balanced Alloy Wheels

The Explorer Group are the first UK manufacturer to introduce balanced alloy wheels to their touring caravans.

Wheel balancing refers to the proper distribution of weight around a revolving tyre and wheel assembly.

Unbalanced wheels are prone to vibration that can shake the caravan structure and its contents. An out-of-balance wheel literally bounces down the road rather than spinning smoothly. This can affect your speed and handling and may even reduce the mileage of your car.



Proper wheel balance ensures that the wheels, while spinning, do not have a heavy spot that can cause vibration and premature wear of tyres, struts, shocks and other suspension components. When combined with proper wheel alignment, balanced wheels ensure a smooth ride and a more enjoyable towing experience.

Hand Brake, A-Frame and Jockey Wheel

The easy action handbrake could not be simpler to operate and the central position of the jockey wheel aids manoeuvrability. When retracted it is concealed neatly beneath the A-frame to provide a more aerodynamic look to the front of the caravan.

When not in use, the hitch cable plugs fit snugly into the bespoke recessed mouldings in the A-frame cover, and drain holes help to protect the pins from the elements.

For 2007 we've even introduced a clever nose weight indicator built into the top of the jockey wheel to help you maintain the perfect nose weight and further reduce the risk of instability when towing (supplied as standard on Crusader only).



Thermal Insulation and Heating Classification

All Elddis touring caravans are classified as Grade 2, in accordance with British Standard BSEN 1645 part 1, for thermal insulation and heating. This standard allows for the interior temperature to be maintained at 20°C when the exterior ambient temperature is 0°C.





Elddis Owners Club

As an Elddis owner, you are eligible to join the Elddis Owners Club. With a huge number of rallies and wide range of activities to take part in, membership adds a whole new dimension to the fun you can have and the friends you can make whilst enjoying your touring caravan.

For more information about the Elddis Owners Club follow the link on the Explorer Group website, visit the owners' club site, or contact:

Mr J Harrison, General Secretary, Elddis Owners Club,
9 Brookside Avenue, Bedale, North Yorkshire DL8 2DP

www.elddisowners.co.uk



Standard Features and Optional Extras:

	Avanté	Odyssey	Crusader
One piece Full Height GRP front panel	X	X	✓
One piece 3/4 Height GRP front panel	✓	✓	X
Full height ABS rear panel	✓	✓	✓
Maximum width 7'6" (2286mm) wide (excludes Avante 362 / 482 / 505 / 524)	✓	NEW	✓
NEW Exterior graphics (enhanced on Crusader)	NEW	NEW	✓
Exterior high level brake light	✓	✓	✓
Round Jokon rear light clusters	✓	✓	✓
NEW High level marker Light	NEW	NEW	NEW
Jokon awning light	✓	✓	✓
Stainless steel grab handles front and rear	✓	✓	✓
BPW Swing V-Tec chassis	✓	✓	✓
NEW Jockey wheel noseweight indicator	X	X	NEW
ABS hitch cover	✓	✓	✓
Easy action handbrake	✓	✓	✓
Winterhoff WS3000 stabiliser (Standard Fit)	✓	✓	✓
Standard corner steadies	✓	X	X
Heavy duty corner steadies	X	✓	✓
Big Feet for corner steadies	X	X	✓
14" steel wheels with silver wheel trims	✓	✓	X
High Powered Silver alloy wheels with distinctive branded wheel centres	○	○	NEW
NEW Balanced Alloy wheels (Standard on Crusader - optional on all other models)	○	○	NEW
Steel spare wheel complete with carrier	○	✓	✓
Anti-wind locking bolts to rear corner steadies	✓	✓	✓
Autowatch security alarm system	○	○	✓
Single key operation to all exterior lockers and doors	✓	✓	✓
Awning warmer system	X	✓	✓
NEW Gas bottle storage - Designed to take the new BP Gas Light bottle and steel containers	NEW	NEW	NEW
Exterior gas barbecue point	X	✓	✓
NEW Hartal 2 piece exterior door	X	NEW	X
NEW Elbbee exterior door with waste bin	NEW	X	X
NEW Elbbee one-piece exterior door with opening window, integral blind and flyscreen	X	X	NEW
Horrex easy slide full door flyscreen	✓	✓	X
Montreal Maple furniture	✓	✓	✓
Montreal Maple wallboard	NEW	✓	✓
Stainless Steel effect kitchen wallboard	NEW	✓	✓
Dometic RM7291 L 93ltr power fridge with curved door	X	X	✓
NEW Dometic RM7271 81ltr power fridge with curved door	X	NEW	X

	Avanté	Odyssey	Crusader
Dometic 7651 L 150ltr Fridge Freezer (Storm / Super Sirocco / Cyclone / Super Cyclone Only)	X	X	✓
Thetford N80e 81ltr fridge	✓	X	X
Electronic ignition on all fridges	NEW	NEW	✓
Curved doors on all fridges	X	NEW	✓
Truma Ultraheat Auto fire	X	✓	✓
Truma Ultraheat Piezo fire	✓	X	X
NEW Truma Rapid blown air heating system	NEW	NEW	NEW
Truma Ultrastore water heater	✓	✓	✓
NEW Truma Ultraflow water filter, pump and waterline (Submersible pump on twin axle Crusader)	X	X	NEW
NEW Truma Ultraflow water filter and pump	NEW	NEW	X
Thetford rotatable cassette toilet with electronic flush	X	X	✓
Thetford rotatable cassette toilet (all models)	NEW	✓	X
Spinflo Midi Prima Oven Unit	✓	✓	X
Spinflo Midi Prima Oven Unit with illumination and 2 shelves	X	X	✓
Spinflo 3 burner hob with large high-speed multi-function burner	✓	✓	✓
Space saving Argent stainless steel sink	✓	✓	✓
Reich Trend chrome faucets	✓	✓	✓
Chinchilla glass sink & hob covers (can be used as a cutting surface)	✓	✓	✓
Bespoke silver wash bowl c/w removable drainer & chopping board	X	✓	✓
Bespoke silver wash bowl c/w removable drainer	✓	X	X
NEW CBE control panels with brand specific frame	X	NEW	NEW
Microwave oven 230v	X	NEW	✓
Zoe eyeball 12v reading lights	✓	✓	✓
BCA mains 230v wall lights	✓	✓	✓
12v Lumo and Crown Ice ceiling and locker lights	✓	✓	✓
Status directional TV/FM aerial	X	X	✓
Status omni-directional TV aerial	✓	✓	X
NEW Sony CD Radio Tuner (option pre-wired) with I-Pod/MP3 player connectivity with AM antenna	(○)	(○)	NEW
Sony stereo speakers (option pre-wired)	(○)	✓	✓
Roman blind to end washroom models	✓	✓	✓
Nemplas twin curtain track	✓	✓	✓
NEW Timber washroom doors on all models (except tambour on Storm)	NEW	NEW	NEW
NEW Lever lock on toilet doors	NEW	NEW	NEW
Lined shower cubicles on all models	X	NEW	✓
NEW shower cubicle and WC layout improvement (Avante 534 / Odyssey 484/534)	NEW	NEW	NEW

	Avanté	Odyssey	Crusader
Vanity locker in 540/505/636 washrooms	NEW	✓	✓
Feature end panel in 540 washrooms	X	NEW	NEW
Contemporary brushed steel effect washroom fittings	✓	✓	✓
Reich chrome shower and vanity taps	X	✓	✓
Whale white shower and vanity taps	✓	X	X
Laundry bag for smalls to rear washrooms (482 / 524 / 524L / Hurricane / Typhoon)	X	✓	✓
Hanging collapsible wardrobe shelving (Avante 472 / 534 / 636 Odyssey 484 / 534 Sirocco)	✓	✓	✓
Anti-bacterial non-slip shower mat	✓	✓	✓
Omnivent 12v 2-way fan	○	✓	✓
2 x Large Heki II rooflights with NEW pleated blind (1 only in 482 / 524 / 524L / Hurricane / Typhoon)	X	✓	✓
Midi-Heki rooflight (x2 on fixed bed models)	✓	X	X
Mini Heki rooflight to washroom	X	✓	✓
Polyplastic 4.26 double glazed flush fit front windows	✓	✓	✓
Polyplastic series 4.28 side and rear windows	✓	X	X
Seitz series S6.4 privacy glass side and rear windows c/w cassette blinds and flyscreens	X	✓	✓
NEW Optional Upholstery	NEW	NEW	NEW
NEW Upholstery	NEW	NEW	X
Loose lay removable carpet	NEW	✓	✓
NEW Black door mat and tray with Elddis inset decal	NEW	NEW	NEW
NEW Horrex folding doors	NEW	NEW	NEW
NEW style furniture doors	NEW	NEW	X
NEW roof locker profiles	X	NEW	NEW
Upholstered drinks cabinet	X	✓	✓
Upholstered key station	X	✓	✓
Drop down bed box doors to front dinette	NEW	✓	✓
Exterior access door with 230v output socket on all models	NEW	✓	✓
Large rear exterior underbed access door with 230v output socket (All fixed bed models)	NEW	NEW	NEW
10 gallon onboard water tank (twin axles only)	X	X	✓
Micro switch in onboard tank to automatically switch off external water pump (twin axle Crusader only)	X	X	✓
Full height exterior storage locker (482 & 524 / 524L / Hurricane & Typhoon)	X	✓	✓
Exclusive 'So Comfortable' pocket sprung domestic quality fixed bed mattress	X	NEW	✓
One piece upholstered double bed sprung mattress (fixed double beds only)	✓	X	X
One piece metal (fixed doubles only) bed frame c/w easy lift gas struts	✓	✓	✓

	Avanté	Odyssey	Crusader
Rear bedroom TV shelf c/w 12v, 230v & aerial sockets in Aurora / 540 layout	✓	✓	✓
Blown air heating outlet in bedroom in Aurora / 540 layout	✓	✓	✓
NEW Removable front chest of drawers with slide out table extension (not in L shaped lounges)	NEW	NEW	NEW
NEW Wraparound seating option in lieu of front chest of drawers (Option to suit above only)	○	○	○
Decorative laminate to all furniture work tops and tables	NEW	NEW	NEW
Lift up kitchen worktop extension on 484 / 534 / Super Sirocco models	✓	✓	✓
NEW Cutlery tray	NEW	NEW	X
NEW Silver cup and plate rack	NEW	NEW	X
NEW Chrome cup and plate rack (Additional cup rack on 5/6 berth)	X	X	NEW
NEW Lounge position for spaceheater (Storm layout only)	X	X	NEW

ACCESSORIES SUPPLIED FREE OF CHARGE WITH RANGE

Owners Information Pack (Contains Owners Handbook and appliance manufacturers user manuals, boiler fuses, regulatory certificates and forms)	✓	✓	✓
Large plastic step	✓	✓	✓
Wheel brace and corner steady handle	✓	✓	✓
Wheel locating pins (easy assist to wheel change)	✓	✓	✓
25m 230v hook up lead	✓	✓	✓
Truma Ultraflow pump	✓	✓	✓
Truma Ultraflow water filter	X	✓	✓
Truma Ultraflow water line	X	X	✓
Thetford Aqua Kem pack	✓	✓	✓
Status aerial customer pack	✓	✓	✓
Battery tray	✓	✓	✓
2 x Corner steady locking pins	✓	✓	✓
Male coaxial plug and 12v plug	✓	✓	✓
Sink plugs, washing up bowl, drainer	✓	✓	✓
Grill pan	✓	✓	✓
Microtag security marking kit	✓	✓	✓
Entrance door mat	✓	X	✓
Big Feet corner steady pads	X	X	✓
Shower curtain (Avante 362, 505, 556 and 636)	✓	X	X
Wastemaster (twin axles only)	X	X	✓
Hanging wardrobe shelves (Odyssey 484 and 534 / Avante 534)	✓	✓	X
NEW = Completely for 2007		NEW = Design or to this model	
○ = Optional Extra		X = Not available	



The Elddis Promise

For over 42 years value for money has been central to the design and development of Elddis touring caravans.

Through the building and rigorous testing of prototypes, to construction, fitting and finishing, the wide range of products we currently offer embraces every imaginable lifestyle.

All of The Explorer Group's touring caravans comply with relevant European standards and UK Road Vehicle Regulations.

Peace of Mind

We recognise the value that peace of mind affords on the open road. So in addition to using the latest materials, components and manufacturing techniques, we offer a range of warranties: 5 Year Water Ingress Guarantee and 3 Year Comprehensive Factory Backed Warranty.

An exceptional package of warranty cover designed to give you long-term peace of mind, and enhance the resale value of your investment.





NATIONAL CARAVAN
COUNCIL LIMITED

Dometic
Created by Electrolux



north east
england



Elddis on the Web

Details of your nearest retailer, latest news and useful downloads, as well as 360° interior tours of all Elddis vehicles can be found on our fully detailed website at:

www.elddis-caravans.com

Proud of our heritage - Pride in our products

This brochure does not constitute an offer by The Explorer Group Limited (Explorer). Explorer reserves the right to, and does alter from time to time, technical specifications, prices and model ranges as materials, model improvements and conditions require, and can accept no responsibility for discrepancies between these and subsequent models shown. This brochure and the photographs used are for guidance purposes only. Please be sure to check full current and technical specifications with your retailer, or on our website, before ordering your new touring caravan. All household items illustrated in the brochure are used to enhance photography and are for display purposes only. They are not supplied with your touring caravan. Please note that Approved Retailers are not the agents of The Explorer Group Limited. Accordingly they have no authority to bind Explorer or to make any representation or undertaking whatsoever on behalf of Explorer.

* The stabilizer tests conducted by RWTÜV Essen were carried out during July and August 2004.

The Explorer Group Limited

Manufacturers of Touring Caravans & Motorhomes

Explorer House, Delves Lane, Consett, Co.Durham DH8 7PE

Tel: 01207 699 000 Fax: 01207 699 001

www.explorer-group.co.uk