### Abbey warranty cover for your peace of mind

Complete customer satisfaction is always a top priority at Abbey and the quality ethos extends to the after sales service and market-leading manufacturer's warranty package that comes with every new Abbey caravan. This is designed to give owners confidence in the latest generation of touring caravans.

#### Six-year bodyshell integrity guarantee

The guarantee extends to the following items: Body leaks and delamination: water ingress through any permanently sealed seam joints or delamination of panels and floor, being part of the original manufacturer's construction. The manufacturer will honour the guarantee for 72 months from the date of purchase, provided that the caravan has had an Annual Service including a damp meter test, within 90 days before or 60 days after each anniversary of the original date of purchase (or hire purchase). The sixth Annual Service must, however, be carried out before the expiry of the 72 month period from the original date of purchase (or hire purchase).

#### Three-year SuperSure manufacturer's warranty

The manufacturer will honour the warranty for 36 months from the date of purchase (or hire purchase), provided that the caravan has had an Annual Service within 90 days before or 60 days after each anniversary of the original date of purchase (or hire purchase). The third Annual Service must, however, be carried out before the expiry of the 36 month period from the original date of purchase (or hire purchase).



All Abbey models have been certified by the National Caravan Council for compliance with stringent European Standards, British Legislation and industry set Codes of Practice specifically relating to health and safety issues. The approval process covers the testing and inspection of critical areas of the product from fire safety, weights and dimensions, to gas, electrics and ventilation. Every Abbey caravan carries the 'NCC Approved Caravan' badge. The NCC also conducts unannounced inspections at the Swift Group factory to ensure continued compliance. NCC Approval gives you peace of mind that your caravan is legal and safe.

Your local dealer



#### Leaders in Leisure

Abbey Caravans, Dunswell Road, Cottingham, East Yorkshire HU16 4JX. Tel: 01482 847332 Fax: 01482 841042 email: enquiry@swiftgroup.co.uk

(Swift). Swift reserves the right to alter specifications and prices at any time as materials and conditions demand. Distributors and dealers sell Abbey products on their own account and not as agents of Swift. Accordingly, they have no authority to bind Swift or to make any representation or undertaking whatsoever on behalf

All props are for photographic purposes only and are not included in

Issued September 2008





In the first 12 months the warranty will cover:

Faults arising from a manufacturing defect but not those which are a result of normal wear and tear or those which relate to

replacement light bulbs. Also not covered under the first year are

faults resulting from accidental damage or damage caused by

- permanently fitted equipment forming part of the manufacturer's original specification.\*
- 2. Water ingress and body delamination.

misuse of any component part of the caravan.

\* There are certain exclusions. For the full terms and conditions of these warranties please refer to the warranty section in the Owner's, Service and Warranty Handbook, or check the details on our website.

Details of your nearest authorised Abbey Service Centre can be obtained by contacting the Swift Group Customer Care Department on 01482 875740 or enquiring on our website: www.abbeycaravans.co.uk









## Spectrum



This luxurious single and twin-axle range offers everything you need for life in the great outdoors. The high standards set by the Spectrum's distinctive exterior with its refined badging and graphics are easily matched within. New energy efficient lighting, that uses mainly LEDs combined with ambient overlocker lighting, saves 50% of full lighting power consumption. This leads to a longer battery life, giving greater independence and makes solar power a real option.



LED lighting Detail lighting by high output, soft white LEDs



Alloy wheels Stylish alloy wheels with receiver for AL-KO Secure portable wheel lock



# Spectrum

With all models being 7'6" wide and offering class leading headroom there is more useful space inside. Contemporary soft furnishing and classic 'Ferrara' light oak woodgrain create a calm interior which is made more comfortable with thick luxury carpet. Spaceframe technology ensures seats and lockers are strong and precision-built.



Shock absorbers Shock absorbers give more



'Ultra comfort' mattress A high quality interior sprung a really comfortable nights sleep

Fully fitted luxury washrooms with separate models, with end washroom layouts having a spacious walk-in shower with separate drying area. Security features have been improved with the first tracking system for the leisure industry that is Thatcham approved, 'HAL Locate', with Europe-wide cover. Additional features include AL-KO Secure wheel lock (two on twin axles, one on single axle) an intruder alarm and high security exterior door lock.



Pleated Heki blind Easy action pleated blind provides shade for day or night



**Quality carpet** weight (a 70% increase) looks good longer



## Spectrum

comfort' luxury deep sprung mattress, an aluminium bed frame to maximise strength and storage space and the option of a beige leather furnishing scheme. Kitchens are spacious and well equipped with all the standard features you would expect including a microwave oven, dual fuel hob and large fridge with salad drawer and full width freezer compartment. Twin axle models have the added luxury of a 175-litre fridge/freezer and Alde radiator central heating with 24/7 timer.




Positive door catches





Awning light LED awning light provides energy efficient lighting




## Specification











215	416	418	535	540
2	4	4	4	4
1	1	1	2	2
4.74m/15'7"	5.50m/18'1"	5.50m/18'1"	6.27m/20'7"	6.27m/20'7"
2.29m/7'6"	2.29m/7'6"	2.29m/7'6"	2.29m/7'6"	2.29m/7'6"
1.95m/6'5"	1.95m/6'5"	1.95m/6'5"	1.95m/6'5"	1.95m/6'5"
2.61m/8'7"	2.61m/8'7"	2.61m/8'7"	2.61m/8'7"	2.61m/8'7"
6.42m/21'1"	7.18m/23'7"	7.18m/23'7"	7.95m/26'1"	7.95m/26'1"
1235kg/24.3cwt	1388kg/27.3cwt	1358kg/26.7cwt	1545kg/30.4cwt	1545kg/30.4cwt
105kg/2.1cwt	105kg/2.1cwt	105kg/2.1cwt	104kg/2.0cwt	104kg/2.0cwt
105kg/2.1cwt	133kg/2.6cwt	133kg/2.6cwt	141kg/2.8cwt	141kg/2.8cwt
10kg/0.2cwt	4kg/0.1cwt	4kg/0.1cwt	40kg/0.8cwt	40kg/0.8cwt
1455kg/28.6cwt	1630kg/32.1cwt	1600kg/31.5cwt	1830kg/36.0cwt	1830kg/36.0cwt
9.11m/29'11"	9.87m/32'5"	9.87m/32'5"	10.64m/34'11"	10.64m/34'11"
185 R14 102	195/70 R15 104	195/70 R15 104	175/65 R14 86	175/65 R14 86
	2 1 4.74m/15'7" 2.29m/7'6" 1.95m/6'5" 2.61m/8'7" 6.42m/21'1" 1235kg/24.3cwt 105kg/2.1cwt 105kg/2.1cwt 105kg/2.1cwt 105kg/2.1cwt 105kg/2.8ccvt 9.11m/29'11"	2         4           1         1           4.74m/15'7"         5.50m/18'1"           2.29m/7'6"         2.29m/7'6"           1.95m/6'5"         1.95m/6'5"           1.95m/6'5"         1.95m/6'5"           2.61m/8'7"         2.61m/8'7"           6.42m/21'1"         7.18m/23'7"           1235kg/24.3cwt         1388kg/27.3cwt           105kg/2.1cwt         105kg/2.1cwt           105kg/2.1cwt         133kg/2.6cwt           10kg/0.2cwt         4kg/0.1cwt           1455kg/28.6cwt         1630kg/32.1cwt           9.11m/29'11"         9.87m/32'5"	2         4         4           1         1         1           4.74m/15'7"         5.50m/18'1"         5.50m/18'1"           2.29m/7'6"         2.29m/7'6"         2.29m/7'6"           1.95m/6'5"         1.95m/6'5"         1.95m/6'5"           1.95m/6'5"         1.95m/6'5"         1.95m/6'5"           2.61m/8'7"         2.61m/8'7"         2.61m/8'7"           6.42m/21'1"         7.18m/23'7"         7.18m/23'7"           1235kg/24.3cwt         1388kg/27.3cwt         1358kg/26.7cwt           105kg/2.1cwt         105kg/2.1cwt         105kg/2.1cwt           105kg/2.1cwt         133kg/2.6cwt         133kg/2.6cwt           10kg/0.2cwt         4kg/0.1cwt         4kg/0.1cwt           1455kg/28.6cwt         1630kg/32.1cwt         1600kg/31.5cwt           9.11m/29'11"         9.87m/32'5"         9.87m/32'5"	2         4         4         4           1         1         1         2           4.74m/15'7"         5.50m/18'1"         5.50m/18'1"         6.27m/20'7"           2.29m/7'6"         2.29m/7'6"         2.29m/7'6"         2.29m/7'6"           1.95m/6'5"         1.95m/6'5"         1.95m/6'5"         1.95m/6'5"           1.95m/6'5"         1.95m/6'5"         1.95m/6'5"         1.95m/6'5"           2.61m/8'7"         2.61m/8'7"         2.61m/8'7"         2.61m/8'7"           6.42m/21'1"         7.18m/23'7"         7.95m/26'1"         7.95m/26'1"           1235kg/24.3cwt         1388kg/27.3cwt         1358kg/26.7cwt         1545kg/30.4cwt           105kg/2.1cwt         105kg/2.1cwt         104kg/2.0cwt         104kg/2.0cwt           105kg/2.1cwt         133kg/2.6cwt         133kg/2.6cwt         141kg/2.8cwt           10kg/0.2cwt         4kg/0.1cwt         4kg/0.1cwt         40kg/0.8cwt           1455kg/28.6cwt         1630kg/32.1cwt         1600kg/31.5cwt         1830kg/36.0cwt           1455kg/28.6cwt         1630kg/32.1cwt         1600kg/31.5cwt         1830kg/36.0cwt           9.11m/29'11"         9.87m/32'5"         9.87m/32'5"         10.64m/34'11"

#### **Bed Sizes**

Front Double	2.13m x 1.90m/7'0" x 6'3"	2.13m x 1.80m/7'0" x 5'11"	2.13m x 1.59m/7'0" x 5'3"	2.06m x 1.63m/6'9" x 5'4"	2.06m x 1.55m/6'9" x 5'1"	
Front Nearside Single	1.90m x 0.72m/6'3" x 2'4"	1.80m x 0.72m/5'11" x 2'4"	1.67m x 0.72m/5'6" x 2'4"	1.63m x 0.70m/5'4" x 2'4"	1.63m x 0.70m/5'4" x 2'4"	
Front Offside Single	1.90m x 0.72m/6'3" x 2'4"	1.90m x 0.72m/6'3" x 2'4"	1.59m x 0.72m/5'3" x 2'4"	1.86m x 0.70m/6'1" x 2'4"	1.55m x 0.70m/5'1" x 2'4"	
Rear Double			1.92m x 1.38m/6'4" x 4'6"	1.84m x 1.33m/6'0" x 4'4"	1.90m x 1.34m/6'3" x 4'5"	
Offside Single		1.80m x 0.70m/5'11" x 2'4"				
Side Bunk		1.76m x 0.59m/5'9" x 1'11"				

Bed sizes: Please note that double bed sizes are guoted with wrap round seating

Awning sizes: Due to the varying awning designs and sizes the awning sizes given are approximate only.

Specific awning sizes must be confirmed by your dealer or the awning manufacturer prior to purchase.

### Features

#### Kev features

- 2.29m (7'6") wide bodyshell
- 1.95m (6'5") headroom
- One-piece, thick gauge, high
- gloss aluminium sidewalls • NEW shaped windows with
- top-down operated pleated blinds • NEW shock absorbers for a
- smoother more stable ride • NEW higher tyre ratings for
- greater safety margin
- AL-KO side mountable jack Gas BBQ point
- 45mm (2") wider and 80mm (3")
- taller entrance door NEW LED spot lighting giving
- 50% reduction in total lighting power consumption Over-locker fluorescent
- ambient lighting
- NEW positive overhead locker catches for secure loading
- NEW Heki Deluxe pleated rooflight blind
- NEW carpet with 45oz pile weight (70% increase)
- NEW radio/CD/MP3 player with iPod/MP3 player connection

- NEW five 230V sockets
- AL-KO Secure portable wheel lock (two for twin-axle models) NEW 'HAL Locate' Thatcham
- approved Europe-wide tracking system
- Alarm system
- NEW 'autofill' control system for underfloor 40 litre insulated water tank

#### In twin-axle models only • Alde Hydronic Compact 3010

- programmable radiator heating system with combined water heating
- 175 litre two door fridge/freezer

#### Additional features Exterior

- AL-KO galvanised steel chassis with Euro-Axle(s)
- AL-KO Euro overrun device with two-way assisted handbrake • AL-KO AKS 3004 stabiliser
- Heavy duty corner steadies,
- lockable at rear
- NEW 13-pin 'Jaeger' 12V car connector

- Exclusive alloy wheels
- Spare wheel (steel) and underslung carrier
- Exterior two-part door, 45mm (2") wider and 80mm (3") taller, with interior moulded liner, window, blind and waste bin
- Exterior access battery box with satellite aerial inlet and mains electric inlet (battery not included)
- External access door (Spectrum 418 and 540)
- NEW LED awning light • Gas regulator for Propane and
- Butane mounted on front bulkhead
- Entrance step
- 25mm 'sandwich' sidewalls with HD polystyrene insulation core
- 32mm semi-'sandwich' roof with HD polystyrene insulation core
- 44mm 'sandwich' floor with styrofoam insulation core

#### Interior

• Cassette flyscreens and pleated blinds on all windows

- Door flyscreen with easy concertina action
- Multi-position 'Mini-Heki' or 'Midi-Heki' clear rooflight with flyscreen
- and blind (model specific) Large overhead lockers with patented, injection-moulded spaceframe construction and
- curved doors Seat bases with spaceframe construction, full front access and space for larger items
- Fixed beds with aluminium frames to maximise strength and storage space • Hinged seat and bed tops
- supported in open position for easy access • Mattresses and seat cushions
- supported by beech slats for extra comfort • 'Ultra Comfort' luxury deep
- sprung mattress (in fixed bed models)
- Sprung interior seat and backrest cushions
- Seat and backrest ventilation boards

- Chest of drawers with occasional table
- Free-standing table with dedicated storage location
- 2 x scatter cushions • Twin curtain track for improved hanging and ease of use
- Removable carpets over woodblock effect vinyl flooring
- Removable drainer with
- dedicated storage • Food grade nylon chopping board with dedicated storage
- Slide-out storage rack • Moulded cutlery drawer on smooth steel runners
- Spacious 'walk-in' showers in end washroom models; lined cubicles in other models
- Non-slip shower mat
- Chrome finish brass mixer taps, separate shower taps
- 32mm thick lightweight washroom door with metal domestic style handle

#### Equipment

- 175 litre fridge and freezer in twin-axle models with electronic ignition and digital controls for energy selection and temperature
- 107 litre fridge in single-axle models with electronic ignition and digital controls for energy selection and temperature
- 700W built-in microwave oven • Thermostatic oven and separate arill
- Dual fuel hob with 800W electric hotplate and 3 gas burners with electronic ignition and flame failure protection
- Glass hob lid with safety cut-out feature
- In Twin-axle models: - Alde Hydronic Compact 3010 radiator heating system with
- combined water heating
- Dual fuel 6.4kW gas and 2kW
- electric power sources - Programmable 24 hour,
- 7 day timer In Single-axle models:
- Dual fuel gas and 800W mains electric storage water heater

- Blown air system ducted to living, sleeping and washroom areas Grade 2 classification for heating and thermal insulation
- Inboard semi-rigid fresh
- water pipes
- Underfloor 40L insulated water tank with 'Autofill' control system and waste water container
- · High capacity in-board water pump with self priming and pressure regulating accumulator

- Large bore underslung rigid waste pipes



Radio/CD/MP3 player Radio/Cd/MP3 player with iPod/MP3 player connection



Alde heating Twin axle models have Alde radiator central heating with 24/7 timer



Leather furnishing An optional beige leather furnishing scheme is available on fixed bed models



700W microwave oven built in to a ventilated compartment



Tyre rating Higher tyre rating allows a greater safety margin for sustained higher speeds



Auto tank fill The water tank is automatically topped up from the chosen external source. The system condition is shown on the control panel

- Dual fuel 3kW gas and 2kW
- electric space heater

- Isolation taps for gas appliances • 20 amp switchmode charger/ transformer
- 12V LCD/touch control panel with battery selection, battery state meter, clock, lighting and water pump circuit controls
- Solar panel connection provision • Two TV positions with 230V, 12V and coax aerial sockets
- External coax connection point for aerial or satellite dish

- Status 530 directional TV/FM aerial and booster
- Flush finish mains lights in front locker corner panels
- Feature panel with down-light and digital clock in front locker
- Fluorescent light in kitchen
- NEW adjustable LED spot lighting in lounge and sleeping areas
- Wardrobe light
- 25 metre mains hook-up cable

#### Safety and Security

- NEW higher tyre ratings
   10% load margin at 130kph (law permitting)
- Passive infra-red alarm system with tilt sensor and key fob operation
- Smoke alarm
- CRiS identity number etched to windows and caravan chassis
- Concealed security data chip within caravan construction
- High security entrance lock with flipper key.
- All models comply with British and European safety standards