

Guide

To technical specifications
and equipment

2009



RAPIDO
CAMPING-CARS

Your next stage in the art of travelling

RAPIDO BODYWORK MAKES ALL THE DIFFERENCE

An exclusive manufacturing method



AMERICAN GEL-COAT : REINFORCED PROTECTION

For some years RAPIDO has been using, exclusively and in secret, the " American " gel-coat. This " high technology " material protects the bodywork of your camping-car from climatic aggressions and in particular from UV.

The quality of this white resin (gel-coat) is essential. It gives your camping-car its long life, its watertightness and its smooth, brilliant look.

POLYGLACE® POLYESTER : UNEQUALLED BRILLIANCE

The Polyglace® polyester which clads the panels of RAPIDO camping-cars results from an exclusive technique. Its manual manufacturing process guarantees a perfectly smooth bodywork appearance of unequalled brilliance. This quality results from a greater thickness of resin.

POLYESTER PANELS : INCREASED STRENGTH

Panels coated with polyester possess good resistance to the impact of hail, scratching by branches and other small impacts. They are easy to repair.

ALU-FIBER® :

Available only for the Serie 70+

Rapido is expanding its technological choices by offering Alu-fiber®. This technology is based on our know-how in polyester materials and creates an innovation by adding a sheet of aluminium affixed to a polyester coating.

Alu-fiber® combines the qualities:

- of polyester, with its capability of withstanding impacts,
- of aluminium, which represents an excellent supporting medium for metallic paint, which lends depth to the particular hue.

Alu-fiber® is a variation in style for the RAPIDO range, a new aesthetic, in the purest traditions of RAPIDO quality.





Safety

ABS (Antilock Brake System)

This prevents the wheels from locking during braking, optimises stopping distances and, above all, ensures that the motor home can continue to steer.

ASR (Anti Slip Regulation)

When there is loss of traction, this anti-skid system brakes the drive wheels to restore traction.

ESP (Electronic Stability Program)

ESP is an anti-slide system capable of braking one or more wheels to return the vehicle to its centreline.

(Standard on 9M, option on 7 and 9F)

SECUMOTION

Developed by Truma, the Secumotion system enables gas to be used while travelling to heat the living area or the water circuit. It is equipped with Duoconfort, which automatically switches over the gas bottles when one is empty.

Safety belts integrated on all the seats in the A-class series

RAPIDO has chosen to fit all the cab seats in the A-class series with retractable safety belts with the receiver built into the seat. This enables the belt to adapt better to everyone's shape.

Belts for the rear passengers

The models with seats facing the road, including several side benches, are fitted with belts in the rear.

Driver's airbag

A driver's airbag is available as standard on all the models in the range.



RAPIDO
CAMPING-CARS

TECHNICAL INFO



Elegance furniture

New "Elegance" furniture with a warm, highly coloured "Indian Summer" maple wood hue.

Where does this term "Indian Summer" come from? It is a region of the world, Canada, from which our maple wood comes, which provides a highly coloured end of September late season. The forests are decked in magnificent, orangey-red colours... This period is very often accompanied by exceptional luminosity and a return of the heat.

This warm period perfectly describes the sensation and the emotions triggered by the new Elegance furniture "Indian Summer" hue.


ALDE heating system

Tested by us in the Scandinavian countries and developed in collaboration with the ALDE team, RAPIDO offers a new mode of heating, which provides heat harmoniously distributed throughout the living area, creating a genuine sense of well-being.

It consists of a central heating unit comprising a gas boiler and a heat exchanger. The boiler heats a liquid composed of 60% water and 40% glycol. The water/glycol mixture circulates in the system through the pipes and the convectors by means of a 12V circulation pump.

The convectors, placed along the exterior walls, heat the air, which rises, heating the furniture units and partitions. Because warm air rises, a barrier of air is formed, which insulates the windows from the cold. The temperature inside the living area is regulated by means of an air thermostat:

- Available as an option on 9086dF and 9090dF models.



Reversing camera

The whole Rapido range has the advantage of a reversing camera (except for Series 7 and 9F, where it is an option). The camera is connected to a 6,5-inch screen with built-in speaker, built into the dash board. The driver can therefore hear the instructions being given by someone behind the vehicle! Manoeuvring has never been so easy!




Modular seats

To comply with our customers' wishes, Rapido has developed new bench seats with modular seats.

From the "Living room" position around the table, you can reconfigure the seats so that they can be used facing the road with a seat belt during a trip.

A set of sliding or opening panels makes it easy for you to modify your bench seat to your requirements.



Autoradio



FIAT low-profiled and A-Class models

PIONEER - RDS MP3 /CD – DEH 1000 E

The DEH-1000E is equipped with exclusive Pioneer D4Q, "Digital for Quality" technology, improving radio reception by more than 150% and considerably reducing distortion and interference. Because it follows the RDS system perfectly, this system provides exceptionally stable reception from your favourite stations.

You can also listen to your favourite tracks in your vehicle. The DEH-1000E has an auxiliary input on the front (jack type), enabling you to connect your digital music directly to the car radio.

Serie 9M MERCEDES A-class

IXIT - RX 87

This high technology product has a high-definition LCD colour screen built into the dashboard, enabling you to:

- Play DVDs via its "DVD player" function,
- Listen to the radio,
- Listen to your own selection of music by connecting it to an IPOD or MP3 player by means of an USB or SD card.



Navigation + DVD player

Offered as an option across the range, the Pioneer AVIC-F900BT navigation system enables you, through a single colour screen built- into the dashboard, to:

- Follow your route through the European roads; with the SD card (supplied), you have all the maps of Europe and all the service areas in Europe,
- Enjoy a rear view when manoeuvring thanks to the reversing camera,
- Play DVDs via its "DVD player" function,
- Listen to the radio,
- Listen to your own selection of music by connecting it to an IPOD or MP3 player by means of an USB or SD card.

Fuel cell



Have all the power you need, wherever you are.

The fuel cell is a power source located upstream of the battery.

It constantly monitors the status of the battery charge and automatically starts to recharge it as soon as the charge falls below a given threshold. Once the battery has been recharged, the fuel cell automatically returns to standby mode. You no longer need to keep an eye on the battery voltage indicator.

The model offered by RAPIDO is the EFOY 1600.

No mechanical parts are involved in converting the liquid fuel (methanol) to electrical power, which provides silent operation.

Your distributor can provide you with the supply of methanol.

The fuel cell is offered:

- As standard on the 9MH and 9009dFH series,
- As an option, on the 70+ and 9M series.

Symphonie audio pack*



Experience your emotions to the full while listening to your preferred music with XXL acoustic comfort.

This pack consists of:

- 1 Pioneer subwoofer, combining together a cast aluminium heat sink, a woofer with an oval aluminium cone and a built-in 150W amplifier, providing very powerful bass. It also contains a cabled remote control for refining your settings,
- 2 additional speakers in the living room,
- And a further two speakers in the bedroom.

The sound is therefore harmoniously distributed throughout the living area and provides true listening quality.

•Available only on factory order.

Double pre-cabing for DVD player

RAPIDO keeps pace with innovation. Nowadays, some sophisticated car radios* can play DVD films ; RAPIDO has run an audio/video cable from the dashboard to the TV set especially for this purpose. A second audio/video cable allows to connect a DVD player near the TV cupboard.





*Available as an accessory from your distributor.



CHARACTERISTICS
AND CARRIERS BY MODEL**REMEMBER**

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of camping-cars is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75kg), the gas bottle, fresh water and fuel tanks up to 90 % of their capacity with a tolerance of +/- 5 % (in accordance with European Directive EC 92/21).

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



**703****707****746****783**

ENGINE EQUIPMENT/CHASSIS	FIAT 2,3*	FIAT 2,3*	FIAT 2,3*	FIAT 2,3*
Number of cylinders	4	4	4	4
Cubic capacity (cm ³)	2287	2287	2287	2287
Maximum power (kw CEE)	95,5	95,5	95,5	95,5
DIN power (HP)	130	130	130	130
At RPM	3600	3600	3600	3600
Maximum torque (Nm)	330	330	330	330
Maximum torque rate (RPM)	2000	2000	2000	2000
Wheelbase (m)	3,450	3,450	3,800	4,035
Gross vehicle weight	3300/3500**	3300/3500**	3500	3500/4000***
Unladen weight (+/- 5%)	2920	2870	2980	3040
Overall length (m)	5,99	5,99	6,49	6,99
Overall width (m)	2,31	2,31	2,31	2,31
Overall "garage" width (m) with rear view mirrors open	2,76	2,76	2,76	2,76
Overall height (m) - (Tolerance +/- 3%) ^a	2,76	2,76	2,76	2,76 ^a
Capacity of fresh water tank (litres)	120	120	120	120
Number of seatbelts	4	4	4	4
Number of seats (vehicle certificate)	4	4	4	4
Number of dining seats	4	4	4	5
Anti-pollution standard	Euro IV	Euro IV	Euro IV	Euro IV
Possible sleeping spaces	2+1	2+1	2+1	2+1
Bodywork (Polyester or Alufiber)	P	P	P	P
Type of heating (make and model)	Truma Combi 4	Truma Combi 4	Truma Combi 4	Truma Combi 4
Refrigerator capacity (litres)	97	97	150	150
Battery capacity (Ah)	90	90	90	90
BED SIZES (MM)				
Rear bed	2030 x 1300	1980 x 1350	1980 x 1350	2100 x 1410
Dinette bed	Child's occasional bed 1600 x 800	1900 x 800	2100 x 750	2100 x 690

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers' OPTION : Fiat 3,0 - Cubic capacity (cm³) : 2999, Maximum power (kw CEE) : 116, DIN power : 160, Maximum torque (Nm) : 400, Standard EURO IV.

** 130 hp = GVW 3300 kg / 160 hp (additional charge) = 3500 kg

*** Heavy chassis: GVW = 4000kg (option at additional cost) with FIAT non-exemptable 160hp engine

CHARACTERISTICS
AND CARRIERS BY MODEL**7086****7090****7097****7099**

ENGINE EQUIPMENT/CHASSIS	FIAT 2,3*	FIAT 2,3*	FIAT 2,3*	FIAT 2,3*
Number of cylinders	4	4	4	4
Cubic capacity (cm ³)	2287	2287	2287	2287
Maximum power (kw CEE)	95,5	95,5	95,5	95,5
DIN power (HP)	130	130	130	130
At RPM	3600	3600	3600	3600
Maximum torque (Nm)	330	330	330	330
Maximum torque rate (RPM)	2000	2000	2000	2000
Wheelbase (m)	4,040	4,305	4,305	4,305
Gross vehicle weight	3500/3700 4250 on 40H chassis**	3500/3700 4250 on 40H chassis**	3500/3700 4250 on 40H chassis**	3500/3700 4250 on 40H chassis**
Unladen weight (+/- 5%)	3070	3080	3100	3100
Overall length (m)	6,99	7,39	7,39	7,39
Overall width (m)	2,31	2,31	2,31	2,31
Overall "garage" width (m) with rear view mirrors open	2,76	2,76	2,76	2,76
Overall height (m) - (Tolerance +/- 3 %) ^a	2,74	2,79	2,79	2,79
Capacity of fresh water tank (litres)	100	100	100	100
Number of seatbelts	4	4	4	4
Number of seats (vehicle certificate)	4	4 (3)***	4 (3)***	4 (3)***
Number of dining seats	6	5	6	5
Anti-pollution standard	Euro IV	Euro IV	Euro IV	Euro IV
Possible sleeping spaces	2+2	2+1	2+2	2+1
Bodywork (Polyester or Alufiber)	P	P	P	P
Type of heating (make and model)	Truma Combi 6	Truma Combi 6	Truma Combi 6	Truma Combi 6
Refrigerator capacity (litres)	150	150	150	150
Battery capacity (Ah)	90	90	90	90
BED SIZES (MM)				
Rear bed	1980 x 1350	1900 x 1400	2100 x 1410	1980 x 1350
Dinette bed	2100 x 1400	2100 x 1100	2100 x 1300	2100 x 1200

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers

* OPTION : Fiat 3,0 - Cubic capacity (cm³) : 2999, Maximum power (kw CEE) : 116, DIN power : 160, Maximum torque (Nm) : 400, Standard EURO IV.

** If 40H chassis = additional charge

*** With option 160 hp and towing capability = 3 registered seats (3500kg) / without towing capability = 4 registered seats / With automatic gearbox MTA = 3 registered seats (3500 kg)

^a Overall height = +50mm with 16" wheels (40 Heavy)

If GVV 3700 kg = 4 registered seats

The optionally installed accessories are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

LOW PROFILE

	7 Series FIAT				70 Series FIAT AL-KO			
	703	707	746	783	7086	7090	7097	7099
BODYWORK AND OPENINGS								
Panels all reinforced polyester with gutter	•	•	•	•	•	•	•	•
Double glazing bays with "blind / fly-screen" combination	•	•	•	•	•	•	•	•
Cab door(s) with electric windows	•	•	•	•	•	•	•	•
Transparent skylights with fly-screen and blind	•	•	•	•	•	•	•	•
Bay on living area entrance door	•	•	•	•	•	•	•	•
Panoramic bay in the bedroom (800 x 1000)	-	-	-	-	-	•	-	-
Rear end bay	0	0	0	0	•	•	•	•
HEKI 3 skylight double fold blind with interior wood trim	-	-	-	-	•	•	•	•
Midi HEKI skylight double fold blind with interior wood trim	•	•	•	•	-	-	-	-
LIVING SPACE								
Permanent bed with slat bed-frame and BULTEX® foam mattress	•	•	•	•	•	•	•	•
Permanent bed manually height-adjustable (occasionally)(+ 20cm)	•	-	-	-	-	-	-	-
Permanent bed with tilt-adjustable head sections	-	-	-	-	-	•	-	-
Curtains and netting on the bays (except kitchen and toilet)	•	•	•	•	•	•	•	•
Rigid partition	-	-	-	-	-	•	-	•
Flexible partition	-	-	•	•	•	-	•	-
Walls 30 mm thick with styrofoam insulation (walls + roof), floor 40 mm	•	•	•	•	•	•	•	•
3-point safety belt(s) in the living space	2	2	2	2	2	2	2	2
15-inch flat screen TV unit (TV not supplied)	•	•	•	•	•	•	•	•
ELEGANCE furniture	-	-	-	-	•	•	•	•
KITCHEN								
Embossed stainless steel sink	•	•	•	•	•	•	•	•
Embossed stainless steel 2-burner cooking hob with cover and piezzo ignition	•	•	-	-	-	-	-	-
New embossed stainless steel 3-burner cooking hob with 2 covers and piezzo ignition	-	-	•	•	•	•	•	•
2 nd sink with waste bin and drainer	-	-	•	•	•	•	•	•
Laminated work top	•	•	•	•	•	•	•	•
Large storage space under kitchen unit (only if variant without oven)	-	-	-	-	•	•	•	•
Refrigerator (97 litres AES)	•	•	•	•	•	•	•	•
Refrigerator with freezer compartment (150 litres AES)	-	-	•	•	•	•	•	•
Back-lit glass-holder bar (glasses not supplied)	-	-	•	•	•	•	•	•
Extraction hood above the kitchen	•	•	•	•	•	•	•	•
External refrigerator grill	•	•	•	•	•	•	•	•
Refrigerator grill covers (for winter use)	•	•	•	•	•	•	•	•
External boiler inspection hatch (drain access, maintenance)	-	-	•	•	•	•	•	•
BATHROOM								
Bathroom with wooden furnishings	•	•	•	•	•	•	•	•
Rectangular shower, separate from WC and sink, with rigid door (shower screen) (707 with wooden grating)	-	•	•	-	•	-	-	•
Circular shower (703 with wooden grating)	•	-	-	•	-	-	-	-
Separate shower with circular door	-	-	-	-	-	•	-	-
Telescopic clothes rack in the toilets	-	-	•	-	•	-	-	-
Chrome finish bathroom accessories	•	•	•	•	•	•	•	•
Stainless steel basin	•	-	•	-	•	•	-	-
White basin	-	•	-	•	-	-	•	•
Camping toilet with removable tank	•	•	•	•	•	•	•	•
WATER								
Capacity of freshwater tank (litres)	120	120	120	120	100	100	100	100
Capacity of waste water tank (litres)	90	90	90	90	100	100	100	100
Electric water pump	•	•	•	•	•	•	•	•
External shower with hot and cold water and mixer tap	•	•	•	•	•	•	•	•
HEATING								
TRUMATIC Combi 6 combined water - air heating (UK Pack : Gas + Electric)	-	-	-	-	•	•	•	•
TRUMATIC Combi 4 combined water - air heating (UK Pack : Combi 6 Gas + Electric)	•	•	•	•	-	-	-	-

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

0 = Original, - = Not available

The optionally installed accessories are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

LOW PROFILE

	7 Series FIAT				70 Series FIAT AL-KO			
	703	707	746	783	7086	7090	7097	7099
ENERGY								
Semi-stationary auxiliary battery with coupler and separator (90 Ah)	•	•	•	•	•	•	•	•
Cutting transformer - charger	16A	16A	16A	16A	16A	16A	16A	16A
Two-pole magneto - thermal circuit breaker	•	•	•	•	•	•	•	•
Control panel with instant consumption measuring	•	•	•	•	•	•	•	•
Centralised Fuse box with protected "accessories" exits	•	•	•	•	•	•	•	•
External 230 V connection - internal 230 V plug	•	•	•	•	•	•	•	•
Flat screen TV space with 12 V - 230 V - coaxial pre-cabling+ satellite and video	•	•	•	•	•	•	•	•
Speakers in the living area	•	•	•	•	•	•	•	•
External lighting with gutter above the living area door	•	•	•	•	•	•	•	•
Halogen lamp with protective glass cover	•	•	•	•	•	•	•	•
Lighting inside the wardrobe	•	•	•	•	•	•	•	•
Automatic DUOCOMFORT inverter	•	•	•	•	•	•	•	•
SECUMOTION, enabling you to travel with the heating on	•	•	•	•	•	•	•	•
CARRIER AND CAB EQUIPMENT								
Engine cold start assistance (Blow-by)	•	•	•	•	•	•	•	•
Engine immobiliser	•	•	•	•	•	•	•	•
Driver's air bag	•	•	•	•	•	•	•	•
ABS braking + ASR	•	•	•	•	•	•	•	•
Original Cab seats with upholstery to match the living area	•	•	•	•	•	•	•	•
Cab air-conditioning	•	•	•	•	•	•	•	•
Tinted windows	•	•	•	•	•	•	•	•
Cab door(s) with electric windows	•	•	•	•	•	•	•	•
Reversing camera control screen built into dashboard	0	0	0	0	•	•	•	•
MP3 car radio / CD player (Pioneer)	•	•	•	•	•	•	•	•
Carpeted floor in cab	•	•	•	•	•	•	•	•
Electric de-frosting side mirrors	•	•	•	•	•	•	•	•
Inside rear mirror	•	•	•	•	•	•	•	•
Heat-insulating cab bay blinds	•	•	•	•	-	-	-	-
Heat-insulating blind, leaf-type for bays and on rails in front cab (DUETT SEITZ)	0	0	0	0	•	•	•	•
Wheel repair kit	•	•	•	•	•	•	•	•
LIVING AREA EQUIPMENT								
Reversing camera	0	0	0	0	•	•	•	•
Insulated, ventilated step built into the floor	•	•	•	•	•	•	•	•
Stabilising jacks at the back or in the wheelbase	•	•	•	•	•	•	•	•
Remote control locking and unlocking of doors (2 PLIP)	•	•	•	•	•	•	•	•
UK PACK 2009								
	WEIGHT (kg)							
28-litre oven with grill	14,5	PACK	PACK	PACK	PACK	PACK	PACK	PACK
Living area carpet kit	9	PACK	PACK	PACK	PACK	PACK	PACK	PACK
TRUMA Combi 6 "E-H" (electrical resistance hot water and heating)	0,6	PACK	PACK	PACK	PACK	PACK	PACK	PACK
LIVING AREA OPTIONS								
	WEIGHT (kg)							
Reversing camera with control screen built into dashboard	2,6	0	0	0	•	•	•	•
Compartment and cabling for 3rd battery (battery not supplied)	2	0	-	0	0	0	0	0
Living area door mosquito screen	4	0	0	0	0	0	0	0
Ladder and cross-beams for roof rack	10	0	0	0	0	0	0	0
GPS navigation	4	0	0	0	0	0	0	0
Rear end bay	-	0	0	0	•	-	•	•
Heat-insulating blind, leaf-type for bays and on rails in front cab (DUETT SEITZ)	4,6	0	0	0	0	•	•	•
Winter exterior insulation	5	0	0	0	0	0	0	0
Dashboard with walnut burr effect	-	0	0	0	0	0	0	0
CANNES ambiance (Alcantara® mixed fabric)	-	0	0	0	0	0	0	0
GENEVA ambiance (Alcantara®)	-	0	0	0	0	0	0	0
BOSTON (leather /TEP, beige colour) and CHICAGO, ambiance (leather / TEP, brown colour / beige Amaretta)	-	0	0	0	0	0	0	0
CARRIER OPTIONS								
	WEIGHT (kg)							
Cruise control	2	0	0	0	0	0	0	0
Passenger air bag	6	0	0	0	0	0	0	0
ESP	-	0	0	0	-	-	-	-
Particle filter	10	0	0	0	0	0	0	0
3,0-litre 160 hp engine*	50	0	0	0	0	0	0	0
Fiat automatic gearbox* (only with 3,0-litre engine)	17	0	0	0	0	0	0	0
Fog lights	1,1	-	-	-	0	0	0	0
Motorcycle carrier* (option weight +- 5kg)	-	85	85	85	85	53	73	73
Tow bar* (S7= 1 500 kg / S70, S70dF, S70+ = 2 000 kg) (option weight +- 5kg)	-	70	70	70	70	33	61	61
Motorcycle carrier + Tow bar* (option weight +- 5kg)	-	111	111	111	111	83	103	103

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

*Please note : possible reduction in registered seats




0 = Option, • = Original, - = Not available

The optionally installed accessories are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

CHARACTERISTICS
AND CARRIERS BY MODEL**REMEMBER**

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of camping-cars is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75kg), the gas bottle, fresh water and fuel tanks up to 90 % of their capacity with a tolerance of + / - 5 % (in accordance with European Directive EC 92/21).

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the payload and the weight of any additional equipment he installed or has had installed in the vehicle.

**7066dF****7083dF****7092dF****7095dF**

ENGINE EQUIPMENT/CHASSIS	2,3*	2,3*	2,3*	2,3*
Number of cylinders	4	4	4	4
Cubic capacity (cm ³)	2287	2287	2287	2287
Maximum power (kw CEE)	95,5	95,5	95,5	95,5
DIN power (HP)	130	130	130	130
At RPM	3600	3600	3600	3600
Maximum torque (Nm)	330	330	330	330
Maximum torque rate (RPM)	2000	2000	2000	2000
Wheelbase (m)	4,305	4,040	4,305	4,305
Gross vehicle weight	3500/3700 4250 on 40H chassis*	3500/3700 4250 on 40H chassis**	3500/3700 4250 on 40H chassis**	3500/3700 4250 on 40H chassis**
Unladen weight (+/- 5%)	3100	3070	3100	3100
Overall length (m)	7,39	6,99	7,39	7,39
Overall width (m)	2,35	2,35	2,35	2,35
Overall "garage" width (m) with rear view mirrors open	2,76	2,76	2,76	2,76
Overall height (m) - (Tolerance +/- 3 %)a	2,84	2,84	2,84	2,84
Capacity of fresh water tank (litres)	100	100	100	100
Number of seatbelts	4	4	4	4
Number of seats (vehicle certificate)	4 (3)***	4	4 (3)***	4 (3)***
Number of dining seats	5	5	5	5
Anti-pollution standard	Euro IV	Euro IV	Euro IV	Euro IV
Possible sleeping spaces	2+1	2+1	2+1	2+2
Bodywork (Polyester or Alufiber)	P	P	P	P
Type of heating (make and model)	Truma Combi 6	Truma Combi 6	Truma Combi 6	Truma Combi 6
Refrigerator capacity (litres)	150	150	150	150
Battery capacity (Ah)	90	90	90	90
BED SIZES (MM)				
Rear bed	(1980 x 800) + (1885 x 800)	2100 x 1410	1900 x 1400	1900 x 1400
Dinette bed	2100 x 950	2100 x 800	2100 x 950	2100 x 1230

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers

* OPTION : Fiat 3,0 - Cubic capacity (cm³) : 2999, Maximum power (kw CEE) : 116, DIN power : 160, Maximum torque (Nm) : 400, Standard EURO IV.



** If 40H chassis = additional charge

*** With option 160 hp and towing capability = 3 registered seats (3500kg) / without towing capability = 4 registered seats / With automatic gearbox MTA = 3 registered seats (3500 kg)

a Overall height g+50mm with 16" wheels (40 Heavy)

If GVV 3700 kg g4 registered seats

CHARACTERISTICS AND CARRIERS BY MODEL

**7065⁺****7090⁺****7096⁺****7099⁺**

ENGINE EQUIPMENT/CHASSIS	2,3*	2,3*	2,3*	2,3*
Number of cylinders	4	4	4	4
Cubic capacity (cm ³)	2287	2287	2287	2287
Maximum power (kw CEE)	95,5	95,5	95,5	95,5
DIN power (HP)	130	130	130	130
At RPM	3600	3600	3600	3600
Maximum torque (Nm)	330	330	330	330
Maximum torque rate (RPM)	2000	2000	2000	2000
Wheelbase (m)	4,305	4,305	4,305	4,305
Gross vehicle weight	3500/3700 4250 on 40H chassis**	3500/3700 4250 on 40H chassis**	3500/3700 4250 on 40H chassis**	3500/3700 4250 on 40H chassis**
Unladen weight (+/- 5%)	3100	3100	3100	3100
Overall length (m)	7,39	7,39	7,39	7,39
Overall width (m)	2,31	2,31	2,31	2,31
Overall "garage" width (m) with rear view mirrors open	2,76	2,76	2,76	2,76
Overall height (m) - (Tolerance +/- 3%) ^a	2,79	2,79	2,79	2,79
Capacity of fresh water tank (litres)	100	100	100	100
Number of seatbelts	4	4	4	4
Number of seats (vehicle certificate)	4 (3)***	4 (3)***	4 (3)***	4 (3)***
Number of dining seats	5	5	6	5
Anti-pollution standard	Euro IV	Euro IV	Euro IV	Euro IV
Possible sleeping spaces	2+1	2+1	2+2	2+2
Bodywork (Polyester or Alufiber)	A	A	A	A
Type of heating (make and model)	Truma Combi 6	Truma Combi 6	Truma Combi 6	Truma Combi 6
Refrigerator capacity (litres)	150	150	150	150
Battery capacity (Ah)	90	90	90	90
BED SIZES (MM)				
Rear bed	2x (1980 x 800)	1900 x 1400	2100 x 1410	1980 x 1350
Dinette bed	2100 x 1200	2100 x 1100	2100 x 1150	2100 x 1200

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers

*OPTION : Fiat 3,0 - Cubic capacity (cm³) : 2999, Maximum power (kw CEE) : 116, DIN power : 160, Maximum torque (Nm) : 400, Standard EURO IV.

** If 40H chassis = additional charge

*** With option 160 hp and towing capability = 3 registered seats (3500kg) / without towing capability = 4 registered seats / With automatic gearbox MTA = 3 registered seats (3500 kg)

^a Overall height g+50mm with 16" wheels (40 Heavy)

If GVV 3700 kg g4 registered seats

The optionally installed accessories are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

LOW PROFILE

	70 dF Series FIAT AL-KO				70 ⁺ Series FIAT AL-KO			
	7066	7083	7092	7095	7065 ⁺	7090 ⁺	7096 ⁺	7097 ⁺
BODYWORK AND OPENINGS								
Panels all reinforced polyester with gutter	•	•	•	•	•	•	•	•
Panels all Alufiber with gutter	-	-	-	-	•	•	•	•
Metallic paint, except for skirts (ABS/PMMA); gutter rail (aluminium) ; roof	-	-	-	-	•	•	•	•
Double glazed opening panoramic roof "SKYVIEW"	•	•	•	•	•	•	•	•
Storage locker with outside access	•	•	•	•	•	•	•	•
Double glazing bays with "blind / fly-screen" combination	•	•	•	•	•	•	•	•
Panoramic bay in the bedroom (800x1000)	-	-	-	-	-	-	-	-
Rear end bay	•	•	•	•	•	•	•	•
Cab doors with electric windows	•	•	•	•	•	•	•	•
Transparent skylights with fly-screen and blind	•	•	•	•	•	•	•	•
Bay on living area entrance door, fixed (S 70 dF)/ opening (S 70 ⁺)	•	•	•	•	•	•	•	•
Central locking of opening bays (except bays 800x1000)	•	•	•	•	-	-	-	-
Midi HEKI skylight with double-fold blind	•	•	•	•	•	•	•	•
LIVING SPACE								
Permanent bed(s) with slat bed-frame and BULTEX® foam mattress	•	•	•	•	•	•	•	•
Permanent bed(s) with tilt-adjustable head sections	•	-	•	•	•	•	-	-
Curtains and netting on the bays (except kitchen and toilet)	•	•	•	•	•	•	•	•
Rigid partition	-	-	•	•	•	•	-	-
Flexible partition	•	•	-	-	-	-	•	•
Walls 30 mm thick with styrofoam insulation (walls + roof), floor 40 mm	•	•	•	•	•	•	•	•
3-point safety belt(s) in the living space	2	2	2	2	2	2	2	2
Flat screen TV unit for 15" screen (TV not supplied)	•	•	•	•	•	•	•	•
ELEGANCE furniture	•	•	•	•	•	•	•	•
New "Indian Summer" colour for ELEGANCE furniture	-	-	-	-	-	-	•	•
DOUBLE FLOOR WITH INTERIOR AND EXTERIOR ACCESS								
3 rd level locker	•	•	•	•	-	-	-	-
KITCHEN								
Embossed stainless steel sink	•	•	•	•	•	•	•	•
New embossed stainless steel 3-burner cooking hob with 2 covers and piezzo ignition	•	•	•	•	•	•	•	•
2 nd sink with waste bin and drainer	•	•	•	•	•	•	•	•
Laminated work top	•	•	•	•	•	•	•	•
Large storage space under kitchen unit (only if variant without oven)	•	•	•	•	•	•	•	•
Refrigerator with freezer compartment (150 litres AES)	•	•	•	•	•	•	•	•
Back-lit glass-holder bar (glasses not supplied)	•	•	•	•	•	•	•	•
Extraction hood above the kitchen	•	•	•	•	•	•	•	•
External refrigerator grill	•	•	•	•	•	•	•	•
Refrigerator grill covers (for winter use)	•	•	•	•	•	•	•	•
External boiler inspection hatch (drain access, maintenance)	•	•	•	•	•	•	•	•
BATHROOM								
Bathroom with wooden furnishings	•	•	•	•	•	•	•	•
Rectangular shower, separate from WC and sink, with rigid door (shower screen)	-	-	-	•	•	-	-	•
Circular shower (70 ⁺ and 7092 dF with wooden grating)	-	•	•	-	-	-	-	-
Separate shower with circular door	•	-	-	-	-	-	•	-
Telescopic clothes rack in the toilets	-	-	-	-	-	-	-	-
Chrome finish bathroom accessories	•	•	•	•	•	•	•	•
Back-lit Frosted mirror	-	-	-	-	•	•	•	•
Back-lit soap holder	-	-	-	-	•	•	•	•
Stainless steel basin	•	•	•	•	•	•	-	-
White basin	-	-	-	-	-	-	•	-
Camping toilet with removable tank	•	•	•	•	•	•	•	•
WATER								
Capacity of freshwater tank (litres)	100	100	100	100	100	100	100	100
Capacity of waste water tank (litres)	100	100	100	100	100	100	100	100
Electric water pump	•	•	•	•	•	•	•	•
External shower with hot and cold water and mixer tap	•	•	•	•	•	•	•	•
HEATING								
TRUMATIC Combi 6 combined water - air heating (UK Pack : Gas + Electric)	•	•	•	•	•	•	•	•

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

• = Original, - = Not available

The optionally installed accessories are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

LOW PROFILE

	70 dF Series FIAT AL-KO				70 ⁺ Series FIAT AL-KO				
	7066	7083	7092	7095	7065 [†]	7090 [†]	7096 [†]	7099 [†]	
ENERGY									
Semi-stationary auxiliary battery with coupler and separator (90 Ah)	•	•	•	•	•	•	•	•	
Cutting transformer - charger	16A	16A	16A	16A	22A	22A	22A	22A	
Two-pole magneto - thermal circuit breaker	•	•	•	•	•	•	•	•	
Control panel with instant consumption measuring	•	•	•	•	•	•	•	•	
Centralised Fuse box with protected "accessories" exits	•	•	•	•	•	•	•	•	
External 230 V connection - internal 230 V plug	•	•	•	•	•	•	•	•	
Flat screen TV space with 12 V - 230 V - coaxial pre-cabling+ satellite and video	•	•	•	•	•	•	•	•	
Speakers in the living area	•	•	•	•	•	•	•	•	
External lighting with gutter above the living area door	•	•	•	•	•	•	•	•	
Halogen lamp with protective glass cover	•	•	•	•	•	•	•	•	
Ambiance lighting	-	-	-	-	•	•	•	•	
Lighting inside the wardrobe	•	•	•	•	•	•	•	•	
Automatic DUOCOMFORT inverter	•	•	•	•	•	•	•	•	
ECUMOTION, enabling you to travel with the heating on	•	•	•	•	•	•	•	•	
EQUIPMENT OF THE CARRIER AND CAB									
Engine cold start assistance (Blow-by)	•	•	•	•	•	•	•	•	
Engine immobiliser	•	•	•	•	•	•	•	•	
Driver's air bag	•	•	•	•	•	•	•	•	
ABS braking + ASR	•	•	•	•	•	•	•	•	
Original Cab seats with upholstery to match the living area	•	•	•	•	•	•	•	•	
Dashboard with walnut burr effect	0	0	0	0	•	•	•	•	
Cab air-conditioning	•	•	•	•	•	•	•	•	
Tinted windows	•	•	•	•	•	•	•	•	
Cab doors with electric windows	•	•	•	•	•	•	•	•	
Reversing camera control screen built into dashboard	•	•	•	•	•	•	•	•	
IP3 car Pioneer radio / CD player	•	•	•	•	•	•	•	•	
Carpeted floor in cab	•	•	•	•	•	•	•	•	
Electric de-frosting side mirrors	•	•	•	•	•	•	•	•	
Inside rear mirror	•	•	•	•	•	•	•	•	
Eat-insulating blind, leaf type for bays and on rails in front cab (DUETT SEITZ)	•	•	•	•	•	•	•	•	
Wheel repair kit	•	•	•	•	•	•	•	•	
Log lights	0	0	0	0	•	•	•	•	
LIVING AREA EQUIPMENT									
Reversing camera	•	•	•	•	•	•	•	•	
Insulated, ventilated step built into the floor	•	•	•	•	•	•	•	•	
Stabilising jacks at the back or in the wheelbase	•	•	•	•	•	•	•	•	
Remote control locking and unlocking of doors (2 PLIP)	•	•	•	•	•	•	•	•	
PACK									
3-litre oven with grill	WEIGHT (kg)								
Living area carpet kit	14,5	PACK	PACK	PACK	PACK	PACK	PACK	PACK	
Living area carpet kit	9	PACK	PACK	PACK	PACK	PACK	PACK	PACK	
RUMA Combi 6 "E-H" (electrical resistance hot water and heating)	0,6	PACK	PACK	PACK	PACK	PACK	PACK	PACK	
LIVING AREA OPTIONS									
WEIGHT (kg)									
Compartment and cabling for 3rd battery (battery not supplied)	2	0	0	0	0	0	0	0	
Living area door mosquito screen	4	0	0	0	0	0	0	0	
Ladder and cross-beams for roof rack	10	0	0	0	0	0	0	0	
GPS navigation	3,5	0	0	0	0	0	0	0	
Interior exterior insulation	5	0	0	0	0	0	0	0	
Dashboard with walnut burr effect	-	0	0	0	•	•	•	•	
ANNES ambiance (Alcantara® mixed fabric)	-	0	0	0	0	0	0	0	
GENEVA ambiance (Alcantara®)	-	0	0	0	0	0	0	0	
STON (Leather /TEP, beige colour) and CHICAGO, ambiance (leather / TEP, brown colour / beige Amaretta)	-	0	0	0	0	0	0	0	
Battery cell (+ methanol 10 litres)	9 (+8,4)	-	-	-	-	0	0	0	
CARRIER OPTIONS									
WEIGHT (kg)									
Cruise control	2	0	0	0	0	0	0	0	
Passenger air bag	6	0	0	0	0	0	0	0	
AP	-	-	-	-	-	-	-	-	
Particle filter	10	0	0	0	0	0	0	0	
10-litre 160 hp engine*	50	0	0	0	0	0	0	0	
Automatic gearbox* (only with 3,0-litre engine)	17	0	0	0	0	0	0	0	
Log lights	1,1	0	0	0	•	•	•	•	
Motorcycle carrier* (option weight +- 5kg)	-	65	65	65	65	73	73	73	
Tow bar* (S7= 1 500 kg / S70, S70dF, S70+ = 2 000 kg) (option weight +- 5kg)	-	53	53	53	53	61	61	61	
Motorcycle carrier + Tow bar* (option weight +- 5kg)	-	95	95	95	95	103	103	103	

*AT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

Please note: possible reduction in registered seats

• Option, ● = Original, - = Not available


The optionally installed accessories are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

CHARACTERISTICS
AND CARRIERS BY MODEL**REMEMBER**

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment.

The unladen weight of camping-cars is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75kg), the gas bottle, fresh water and fuel tanks up to 90 % of their capacity with a tolerance of +/- 5 % (in accordance with European Directive EC 92/21).

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the payload and the weight of any additional equipment he installed or has had installed in the vehicle.

**903F****983F**

ENGINE EQUIPMENT/CHASSIS	2,3'	2,3'
Number of cylinders	4	4
Cubic capacity (cm ³)	2287	2287
Maximum power (kw CEE)	95,5	95,5
DIN power (HP)	130	130
At RPM	3600	3600
Maximum torque (Nm)	330	330
Maximum torque rate (RPM)	2000	2000
Wheelbase (m)	3,450	4,035
Wider rear track (m)	1,980	1,980
Gross vehicle weight	3500	3500/ 4000**
Unladen weight (+/- 5%)	2990	3100
Overall length (m)	5,99	6,99
Overall width (m)	2,35	2,35
Overall "garage" width (m) with rear view mirrors open	2,7	2,7
Overall height (m) - (Tolerance +/- 3 %)	2,84	2,84*
Capacity of fresh water tank (litres)	100	100
Number of seatbelts	4	4
Number of seats (vehicle certificate)	4	4(3)***
Number of dining seats	4	5
Anti-pollution standard	Euro IV	Euro IV
Possible sleeping spaces	2+2	2+2
Bodywork (Polyester or Alufiber)	P	P
Type of heating (make and model)	Truma C6002	Truma Combi 6
Refrigerator capacity (litres)	97	150
Battery capacity (Ah)	90	90
BED SIZES (MM)		
Rear bed	2030 x 1300	2100 x 1410
Fold-away cab bed	1900 x 1350	1900 x 1350

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

* OPTION: Fiat 3,0 - Cubic capacity (cm³): 2999, Maximum power (kw CEE): 116, DIN power: 160, Maximum torque (Nm): 400, Standard EURO IV.

** Heavy chassis: GVW = 4000kg (option at additional cost) with FIAT non-exemptable 160hp engine

*** 4 registered seats without towing capability / 3 registered seats with towing capability

* Overall height g+50mm with 16" wheels (40 Heavy)




Serie 90dF - dFH

CHARACTERISTICS AND CARRIERS BY MODEL


REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of camping-cars is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75kg), the gas bottle, fresh water and fuel tanks up to 90 % of their capacity with a tolerance of +/- 5 % (in accordance with European Directive EC 92/21).


It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the payload and the weight of any additional equipment he installed or has had installed in the vehicle.




9010dF




9048dF



9065dF



9083dF



9086dF


ENGINE EQUIPMENT/CHASSIS	2,3'	2,3'	2,3'	2,3'	2,3'
Number of cylinders	4	4	4	4	4
Cubic capacity (cm ³)	2287	2287	2287	2287	2287
Maximum power (kw CEE)	95,5	95,5	95,5	95,5	95,5
DIN power (HP)	130	130	130	130	130
At RPM	3600	3600	3600	3600	3600
Maximum torque (Nm)	330	330	330	330	330
Maximum torque rate (RPM)	2000	2000	2000	2000	2000
Wheelbase (m)	3,800	3,800	4,300	4,035	4,035
Gross vehicle weight	3500/3700 4250 on 40H chassis**	3500/3700 4250 on 40H chassis**	3500/3700 4250 on 40H chassis**	3500/3700 4250 on 40H chassis**	3500/3700 4250 on 40H chassis**
Unladen weight (+/- 5%)	3030	3080	3190	3140	3100
Overall length (m)	6,49	6,49	7,39	6,99	6,99
Overall width (m)	2,35	2,35	2,35	2,35	2,35
Overall "garage" width (m) with rear view mirrors open	2,7	2,7	2,7	2,7	2,7
Overall height (m) - (Tolerance +/- 3 %) *	2,84	2,84	2,84	2,84	2,84
Capacity of fresh water tank (litres)	100	100	100	100	100
Number of seatbelts	4	4	4	4	4
Number of seats (vehicle certificate)	4 (3) ^a	4 (3) ^a	3 (2) ^b	4 (2) ^c	4 (3) ^d
Number of dining seats	8	8	5	5	6
Anti-pollution standard	Euro IV	Euro IV	Euro IV	Euro IV	Euro IV
Possible sleeping spaces	2+2	2+2	2+2	2+2	2+2
Bodywork (Polyester or Alufiber)	P	P	P	P	P
Type of heating (make and model)	Truma Combi 6	Truma Combi 6	Truma Combi 6	Truma Combi 6	Truma Combi 6
Refrigerator capacity (litres)	97	150	150	150	150
Battery capacity (Ah)	90	90	90	90	90
BED SIZES (MM)					
Rear bed		-	(1980 x 800) + (1980 x 800)	2100 x 1410	1980 x 1350
Dinette bed	2100 x 1350	2100 x 1600	-	-	-
Fold-away cab bed	1900x1350	1900x1350	1900x1350	1900x1350	1900x1350

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

If GVV 3700 kg g4 registered seats

Serie 90dF - dFH

CHARACTERISTICS AND CARRIERS BY MODEL



9090dF **9092dF** **9095dF** **9096dF** **9097dF** **9099dF** **9009dFH**

2,3'	2,3'	2,3'	2,3'	2,3'	2,3'	3,0
4	4	4	4	4	4	4
2287	2287	2287	2287	2287	2287	2999
95,5	95,5	95,5	95,5	95,5	95,5	116
130	130	130	130	130	130	160
3600	3600	3600	3600	3600	3600	3500
330	330	330	330	330	330	400
2000	2000	2000	2000	2000	2000	1700
4,300	4,300	4,300	4,300	4,300	4,300	4,700
3500/3700 4250 on 40H chassis**	3500/3700 4250 on 40H chassis**	3500/3700 4250 on 40H chassis**	3500/3700 4250 on 40H chassis**	3500/3700 4250 on 40H chassis**	3500/3700 4250 on 40H chassis**	4250
3190	3190	3190	3220	3220	3190	3550
7,39	7,39	7,39	7,39	7,39	7,39	7,99
2,35	2,35	2,35	2,35	2,35	2,35	2,35
2,7	2,7	2,7	2,7	2,7	2,7	2,7
2,84	2,84	2,84	2,84	2,84	2,84	2,89
100	100	100	100	100	100	190
4	4	4	4	4	4	4
3 (2) ^b	3 (2) ^b	3 (2) ^b	3 (2) ^e	3 (2) ^e	3 (2) ^b	4
5	5	5	6	6	5	6
Euro IV	Euro IV	Euro IV	Euro IV	Euro IV	Euro IV	Euro IV
2+2	2+2	2+2	2+2	2+2	2+2	2+2
P	P	P	P	P	P	P
Truma Combi 6	Truma Combi 6	Truma Combi 6	Truma Combi 6	Truma Combi 6	Truma Combi 6	Truma Combi 6
150	150	150	150	150	150	150
90	90	90	90	90	90	2x90
1900 x 1400	1900 x 1400	1900 x 1400	2100 x 1410	2100 x 1410	1980 x 1350	2000 x 1400
-	-	-	-	-	-	-
1900 x 1350	1900 x 1350	1900 x 1350	1900 x 1350	1900 x 1350	1900 x 1350	1900 x 1350

OPTION : Fiat 3,0 - Cubic capacity (cm³) : 2999, Maximum power (kw CEE) : 116, DIN power : 160, Maximum torque (Nm) : 400, Standard EURO IV.
If 40H chassis = additional charge

Overall height +50mm with 16" wheels (40 Heavy)

0101/9048 : 160 hp and towing capability + automatic gearbox MTA = 3 registered seats

0065/9090/9092/9095/9099 : 130 hp = 3 registered seats / 160 hp without towing capability = 3 registered seats / 160 hp with towing capability

or Automatic gearbox MTA with towing capability = 2 registered seats

0083 : 130 hp with towing capability = 3 registered seats / 160 hp = 3 registered seats / Automatic gearbox MTA = 3 registered seats without towing capability, 2 registered seats with towing capability

0086 : 160 hp and towing capability = 3 registered seats

0096/9097 : 130 hp or 160 hp without towing capability = 3 registered seats / 130 hp with towing capability = 2 registered seats / 160 hp with towing capability and/or automatic gearbox MTA = 2 registered seats and 70 L fresh water

A-CLASS

	9F Series		Serie 90dF AL-KO double floor											
	903	903	9010	9048	9065	9083	9086	9090	9092	9095	9096	9097	9099	9009dFH
BODYWORK AND OPENINGS														
Panels all reinforced polyester with gutter	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Storage drawer(s) integrated in the skirts	•	•	-	-	-	-	-	-	-	-	-	-	-	-
Double glazing bays with "blind / fly-screen" combination	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Panoramic bay in the bedroom (800x1000)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rear end bay	-	•	•	-	•	•	•	-	-	•	•	•	•	•
Central locking of opening bays (except bay 800x1000)	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Cab door(s) with electric windows	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Transparent skylights with fly-screen and blind	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Fixed bay on living area entrance door	•	•	•	•	•	•	•	•	•	•	•	•	•	•
HEKI skylight double fold blind with interior wood trim	•	•	-	•	•	•	•	•	•	•	•	•	•	•
HEKI 3 skylight double fold blind	-	-	•	-	-	-	-	-	-	-	-	-	-	-
LIVING SPACE														
Permanent bed(s) with slat bed-frame and BULTEX® foam mattress	•	•	-	-	•	•	•	•	•	•	•	•	•	•
Jack-assisted foldaway cab bed with slatted frame and Bultex foam mattress	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Permanent bed manually height-adjustable (occasionally)(+/- 20cm)	•	-	-	-	-	-	-	-	-	-	-	-	-	-
Permanent bed with tilt-adjustable head sections	-	-	-	-	•	-	-	-	-	-	-	-	-	-
Curtains and netting on the bays (except kitchen and toilet)	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Rigid partition	-	-	-	-	•	-	-	•	•	•	•	•	•	•
Flexible partition	•	•	-	-	-	•	•	-	-	-	-	-	-	-
Removable living room table with possibility of converting to a bed	-	-	•	-	-	-	-	-	-	-	-	-	-	-
Walls 30 mm thick with styrofoam insulation (walls + roof), floor 40 mm	•	•	•	•	•	•	•	•	•	•	•	•	•	•
3-point safety belt(s) in the living space	2	2	2	2	2	2	2	2	2	2	2	2	2	2
15"-inch flat screen TV unit (TV not supplied)	•	•	•	•	•	•	•	•	•	•	•	•	•	•
ELEGANCE furniture														
DOUBLE FLOOR WITH INTERIOR AND EXTERIOR ACCESS														
3rd level locker	-	-	•	•	•	•	•	•	•	•	•	•	•	•
KITCHEN														
Embossed stainless steel sink	•	•	•	•	•	•	•	•	•	•	•	•	•	•
New embossed stainless steel 3-burner cooking hob with 2 covers and piezzo ignition	-	•	•	•	•	•	•	•	•	•	•	•	•	•
2-burner stove	•	-	-	-	-	-	-	-	-	-	-	-	-	-
2nd sink with waste bin and drainer	-	•	-	•	•	•	•	•	•	•	•	•	•	•
Laminated work top	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Large storage space under kitchen unit (only if variant without oven)	-	•	-	•	•	•	•	•	•	•	•	•	•	•
Refrigerator (97 litres AES)	•	-	•	-	-	-	-	-	-	-	-	-	-	-
Refrigerator with freezer compartment (150 litres AES)	-	-	-	•	•	•	•	•	•	•	•	•	•	•
Back-lit glass-holder bar (glasses not supplied)	-	•	-	•	•	•	•	•	•	•	•	•	•	•
Extraction hood above the kitchen	•	•	•	•	•	•	•	•	•	•	•	•	•	•
External refrigerator grill	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Refrigerator grill covers (for winter use)	•	•	•	•	•	•	•	•	•	•	•	•	•	•
External boiler inspection hatch (drain access, maintenance)	-	•	-	•	•	•	•	•	•	•	•	•	•	•
BATHROOM														
Bathroom with wooden furnishings	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Rectangular shower, separate from WC and sink, with rigid door (shower screen)	-	-	-	•	•	-	•	-	-	•	-	-	•	•
Rigid circular shower, 903 and 9092 with wooden grating	•	•	•	-	-	-	-	-	-	-	-	-	-	-
Separate shower with circular door	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Telescopic clothes rack in the toilets	-	-	-	•	-	-	-	-	-	-	-	-	-	-
Chrome finish bathroom accessories	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Stainless steel basin	•	-	-	•	•	-	•	•	•	•	•	•	-	-
White basin	-	•	•	-	-	-	-	-	-	-	-	-	-	-
Camping toilet with removable tank	•	•	•	•	•	•	•	•	•	•	•	•	•	•
WATER														
Capacity of freshwater tank (litres)	100	100	100	100	100	100	100	100	100	100	100	100	100	190
Capacity of waste water tank (litres)	120	120	100	100	100	100	100	100	100	100	100	100	100	100
Electric water pump	•	•	•	•	•	•	•	•	•	•	•	•	•	•
External shower with hot and cold water and mixer tap	•	•	•	•	•	•	•	•	•	•	•	•	•	•
HEATING														
TRUMATIC Combi 6 combined water - air heating (UK Pack : Gas + Electric) (903 = C6002)	-	•	•	•	•	•	•	•	•	•	•	•	•	•

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

O = Option, ● = Original, - = Not available

The optionally installed accessories are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

A-CLASS

	9F Series		Serie 90dF AL-KO double floor												
	903	983	9010	9048	9065	9083	9086	9090	9095	9095	9096	9097	9095	9095	
ENERGY															
Semi-stationary auxiliary battery with coupler and separator (90 Ah)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Compartment and 3rd battery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
Fuel cell	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
Cutting transformer - charger	16A	16A	16A	16A	16A	16A	16A	16A	16A	16A	16A	16A	16A	16A	16A
Two-pole magneto - thermal circuit breaker	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Control panel with instant consumption measuring	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Centralised Fuse box with protected "accessories" exits	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
External 230 V connection - internal 230 V plug	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Flat screen TV space with 12 V - 230 V - coaxial pre-cabling+ satellite and video	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Speakers in the living area	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
External lighting with gutter above the living area door	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Halogen lamp with protective glass cover	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Lighting inside the wardrobe	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Automatic DUOCOMFORT inverter	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
SECUMOTION, enabling you to travel with the heating on	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
CARRIER AND CAB EQUIPMENT															
Engine cold start assistance (Blow-by)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Engine immobiliser	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Driver's air bag	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
ABS braking	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
"Grand Comfort" cab seats with fabric to match the living area and built-in seat belts	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Cab door with automobile lock	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Cab door with electric windows	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Cab air-conditioning	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Tinted windows	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Reversing camera control screen built into dashboard	0	0	•	•	•	•	•	•	•	•	•	•	•	•	•
MP3 Pioneer car radio / CD player	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Carpeted floor in cab	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Electric defrosting side mirrors	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Internal rear view mirror	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Wheat-insulating blind on rails in front cab (DUETT SEITZ)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Wheel-repair kit	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
LIVING AREA EQUIPMENT															
Reversing camera	0	0	•	•	•	•	•	•	•	•	•	•	•	•	•
Electric retractable step	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insulated, ventilated step built into the floor	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Rear stabilising jacks	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Remote control locking and unlocking of doors (2 PLIPS)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
UK PACK															
28-litre oven with grill	14,5	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK
Living area carpet kit	9	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK
TRUMA Combi 6 "EH" (electrical resistance hot water and heating)	0,6	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK
LIVING AREA OPTIONS															
Reversing camera with control screen built into dashboard	2,6	0	0	•	•	•	•	•	•	•	•	•	•	•	•
Compartment and cabling for 3rd battery (battery not supplied)	2	0	0	0	0	0	0	0	0	0	0	0	0	0	-
Living area door mosquito screen	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ladder and cross-beams for roof rack	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A-class without cab bed, with table leg retractable for bed position	-2	-	-	-	-	0	0	0	0	0	0	0	0	0	0
GPS navigation	3,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Double-glazed side bays in cab	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Alde heating	22	-	-	-	-	-	-	0	0	-	-	-	-	-	-
Additional cab heating	6,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Floor heating in living area	7	-	-	-	-	-	-	0	0	-	-	-	-	-	-
Winter exterior insulation	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Dashboard with walnut burr effect	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CANNES ambiance (Alcantara® mixed fabric)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GENEVA ambiance (Alcantara®)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BOSTON (Leather /TEP, beige colour) and CHICAGO, ambiance (leather / TEP, brown colour / beige Amaretta)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CARRIER OPTIONS															
Cruise control	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Passenger air bag	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESP	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-
Particle filter	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3,0-litre 160 hp engine*	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FIAT MTA robotised automatic gearbox (with 3,0-l engine only)	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Fog lights	1,1	-	-	0	0	0	0	0	0	0	0	0	0	0	0
Motorcycle carrier* (weight option +- 5kg)	-	85	85	45	45	65	65	65	65	65	65	65	65	65	65
Tow bar* (1800 kg) (S 9 = 1500 kg / S 90dF = 2000kg) (weight option +- 5kg)	-	70	70	33	33	53	53	53	53	53	53	53	53	53	53
Motorcycle carrier + Tow bar* (weight option +- 5kg)	-	111	111	75	75	95	95	95	95	95	95	95	95	95	95

*Please note : possible reduction in registered seats






0 = Option, ● = Original, - = Not available

The optionally installed accessories are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

CHARACTERISTICS
AND CARRIERS BY MODEL**REMEMBER**

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of camping-cars is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75kg), the gas bottle, fresh water and fuel tanks up to 90 % of their capacity with a tolerance of + / - 5 % (in accordance with European Directive EC 92/21).

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the payload and the weight of any additional equipment he installed or has had installed in the vehicle.

**966M****983M****986M****990M****991M**

ENGINE EQUIPMENT/CHASSIS	2,2'	2,2'	2,2'	2,2'	2,2'
Number of cylinders	4	4	4	4	4
Cubic capacity (cm ³)	2148	2148	2148	2148	2148
Maximum power (kw CEE)	110	110	110	110	110
DIN power (HP)	150	150	150	150	150
At RPM	3800	3800	3800	3800	3800
Maximum torque (Nm)	330	330	330	330	330
Maximum torque rate (RPM)	1400 - 2400	1400 - 2400	1400 - 2400	1400 - 2400	1400 - 2400
Wheelbase (m)	4,325	3,665	3,665	4,325	4,325
Gross vehicle weight	3500 / 3880**	3500 / 3880**	3500 / 3880**	3500 / 3880**	3500 / 3880**
Unladen weight (+/- 5%)	3230	3105	3105	3230	3230
Overall length (m)	7,4	6,85	6,85	7,4	7,4
Overall width (m)	2,32	2,32	2,32	2,32	2,32
Overall "garage" width (m) with rear view mirrors open	2,7	2,7	2,7	2,7	2,7
Overall height (m) - (Tolerance +/- 3 %)	2,86	2,86	2,86	2,86	2,86
Capacity of fresh water tank (litres)	100/70***	100	100	100/70***	100/70***
Number of seatbelts	4	4	4	4	3
Number of seats (vehicle certificate)	3 (2) ^a	4 (3) ^b	4 (3) ^b	3 (2) ^a	3 (2) ^a
Number of dining seats	5	4	5	5	5
Anti-pollution standard	Euro IV	Euro IV	Euro IV	Euro IV	Euro IV
Possible sleeping spaces	2+2	2+2	2+2	2+2	2+2
Bodywork (Polyester or Alufiber)	P	P	P	P	P
Type of heating (make and model)	Truma Combi 6	Truma Combi 6	Truma Combi 6	Truma Combi 6	Truma Combi 6
Refrigerator capacity (litres)	150	150	175	150	175
Battery capacity (Ah)	90	90	90	90	90
BED SIZES (MM)					
Rear bed	(1980 x 800) + (1885 x 800)	2100 x 1410	2100 x 1350	1900 x 1400	1900 x 1400
Fold-away cab bed	1900 x 1350	1900 x 1350	1900 x 1350	1900 x 1350	1900 x 1350

Mercedes chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

* OPTION : MERCEDES 3,0 I - V6 - 184 HP

** Additional charge, registered seats = 4


*** Option 184 HP and/or automatic gearbox MTA = 70 L fresh water and requires reinforced rear suspension units

^a 966M/990M/991M/992M/966M/997M/999M : Towing capability = 2 registered seats / Option 184 HP + automatic gearbox = 2 registered seats (with option 184 HP, and/or automatic gearbox = 70 L fresh water)

^b 983M/986M : Option 184 HP = 3 registered seats / Automatic gearbox with towing capability = 3 registered seats

Serie 9M - MH

CHARACTERISTICS AND CARRIERS BY MODEL



992M	996M	997M	999M	966MH	992MH	996MH
2,2'	2,2'	2,2'	2,2'	2,2'	2,2'	2,2'
4	4	4	4	4	4	4
2148	2148	2148	2148	2148	2148	2148
110	110	110	110	110	110	110
150	150	150	150	150	150	150
3800	3800	3800	3800	3800	3800	3800
330	330	330	330	330	330	330
1400 - 2400	1400 - 2400	1400 - 2400	1400 - 2400	1400 - 2400	1400 - 2400	1400 - 2400
4,325	4,325	4,325	4,325	4,325	4,325	4,325
3500 / 3880**	3500 / 3880**	3500 / 3880**	3500 / 3880**	4600	4600	4600
3230	3225	3230	3245	3700	3700	3695
7,4	7,4	7,4	7,4	7,4	7,4	7,4
2,32	2,32	2,32	2,32	2,32	2,32	2,32
2,7	2,7	2,7	2,7	2,7	2,7	2,7
2,86	2,86	2,86	2,86	2,96	2,96	2,96
100/70***	90/70***	100/70***	100/70***	200	200	170****
4	4	4	4	4	4	4
3 (2) ^a	3 (2) ^a	3 (2) ^a	3 (2) ^a	4	4	4
5	6	6	5	5	5	6
Euro IV	Euro IV	Euro IV	Euro IV	Euro IV	Euro IV	Euro IV
2+2	2+2	2+2	2+2	2+2	2+2	2+2
P	P	P	P	P	P	P
Truma Combi 6	Truma Combi 6	Truma Combi 6	Truma Combi 6	Truma Combi 6	Truma Combi 6	Truma Combi 6
150	175	150	150	150	150	175
90	90	90	90	2 x 90	2 x 90	2 x 90
1900 x 1400	2100 x 1410	2100 x 1410	1980 x 1350	(1980 x 800)+(1885 x 800)	1900 x 1400	2100 x 1410
1900 x 1350	1900 x 1350	1900 x 1350	1900 x 1350	1900 x 1350	1900 x 1350	1900 x 1350

Mercedes chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

^a OPTION : MERCEDES 3,0I - V6 - 184 HP

** Additional charge, registered seats = 4

*** Option 184 HP and/or automatic gearbox MTA = 70 L fresh water and requires reinforced rear suspension units

**** Fresh water 996MH : emptying through gravity and pump

^a 966M/990M/991M/992M/966M/997M/999M : Towing capability = 2 registered seats / Option 184 HP + automatic gearbox = 2 registered seats (with option 184 HP, and/or automatic gearbox = 70 L fresh water)

^a 983M/986M : Option 184 HP = 3 registered seats / Automatic gearbox with towing capability = 3 registered seats

A CLASS

9 Serie MERCEDES

	966M	963M	965M	990M	991M	992M	995M	997M	999M	966MH	992MH	996MH
BODYWORK AND OPENINGS												
Panels all reinforced polyester with gutter	•	•	•	•	•	•	•	•	•	•	•	•
Storage drawer(s) integrated in the skirts	•	•	•	•	•	•	•	•	•	•	•	•
Double glazing bays with "blind / fly-screen" combination	•	•	•	•	•	•	•	•	•	•	•	•
Panoramic bay in the bedroom (800x1000)	-	-	-	•	•	-	-	-	-	-	-	-
Central locking of opening bays (except for bay 800 x 100)	•	•	•	•	•	•	•	•	•	•	•	•
Cab door(s) with electric windows	•	•	•	•	•	•	•	•	•	•	•	•
Transparent skylights with fly-screen and blind	•	•	•	•	•	•	•	•	•	•	•	•
Bay on living space door	•	•	•	•	•	•	•	•	•	•	•	•
HEKI 3 skylight double fold blind with interior wood trim	•	•	•	•	•	•	•	•	•	•	•	•
LIVING SPACE												
Permanent bed(s) with slat bed-frame and BULTEX® foam mattress	•	•	•	•	•	•	•	•	•	•	•	•
Jack-assisted foldaway cab bed with slatted frame and Bultex foam mattress	•	•	•	•	•	•	•	•	•	•	•	•
Permanent bed(s) with tilt-adjustable head sections	•	-	-	•	•	•	-	-	-	•	•	-
Curtains and netting on the bays (except kitchen and toilet)	•	•	•	•	•	•	•	•	•	•	•	•
Rigid partition	-	-	-	•	•	•	•	•	•	-	•	•
Flexible partition	•	•	•	-	-	-	-	-	-	•	-	-
Walls 30 mm thick with styrofoam insulation (walls + roof), floor 40 mm	•	•	•	•	•	•	•	•	•	•	•	•
3-point safety belt(s) in the living space	2	2	2	2	1	2	2	2	2	2	2	2
15"-inch flat screen TV unit (TV not supplied)	•	•	•	•	•	•	•	•	•	•	•	•
New "Indian Summer" colour for Elegance furniture	•	•	•	•	•	•	•	•	•	•	•	•
KITCHEN												
Embossed stainless steel sink	•	•	•	•	•	•	•	•	•	•	•	•
New embossed stainless steel 3-burner cooking hob with 2 covers and piezzo ignition	•	•	•	•	•	•	•	•	•	•	•	•
2 nd sink with waste bin and drainer	•	•	•	•	•	•	•	•	•	•	•	•
Laminated work top	•	•	•	•	•	•	•	•	•	•	•	•
Large storage space under kitchen unit (only if variant without oven)	•	•	•	•	•	•	•	•	•	•	•	•
Refrigerator with freezer compartment (150 litres AES)	•	•	-	•	-	•	-	•	•	•	•	-
Refrigerator with freezer compartment (175 litres AES)	-	-	•	-	•	-	•	-	-	-	-	•
Back-lit glass-holder bar (glasses not supplied)	•	•	•	•	•	•	•	•	•	•	•	•
Extraction hood above the kitchen	•	•	•	•	•	•	•	•	•	•	•	•
External refrigerator grill	•	•	•	•	•	•	•	•	•	•	•	•
Refrigerator grill covers (for winter use)	•	•	•	•	•	•	•	•	•	•	•	•
External boiler inspection hatch (drain access, maintenance)	•	•	•	•	•	•	•	•	•	•	•	•
BATHROOM												
Bathroom with wooden furnishings	•	•	•	•	•	•	•	•	•	•	•	•
Rectangular shower, separate from WC and sink, with rigid door (shower screen) and wooden grating	-	-	•	-	•	-	-	-	•	-	-	-
Rigid circular shower and wooden grating	-	•	-	-	-	•	-	-	-	-	•	-
Separate shower with circular door and wooden grating	•	-	-	•	-	-	•	-	•	-	-	•
Telescopic clothes rack in the toilets	-	-	•	-	-	-	-	-	-	-	-	-
Chrome finish bathroom accessories	•	•	•	•	•	•	•	•	•	•	•	•
Frosted glass in the bathroom	•	•	•	•	•	•	•	•	•	•	•	•
Back-lit frosted mirror	•	-	-	-	-	•	•	•	-	•	•	•
Back-lit soap holder	•	•	•	•	•	•	•	•	•	•	•	•
Stainless steel basin	•	-	•	•	-	•	•	•	-	•	•	•
White basin	-	•	-	-	•	-	-	-	•	-	-	-
Camping toilet with removable tank	•	•	•	•	•	•	•	•	•	•	-	•
Camping style WC with suction	-	-	-	-	-	-	-	-	-	-	•	-
WATER												
Capacity of freshwater tank (litres)	100/70*	100	100	100/70*	100/70*	100/70*	90/70*	100/70*	100/70*	200	200	170
Capacity of waste water tank (litres)	100	100	100	100	100	100	100	100	100	100	100	100
Electric water pump	•	•	•	•	•	•	•	•	•	•	•	•
External shower with hot and cold water and mixer tap	•	•	•	•	•	•	•	•	•	•	•	•
HEATING												
TRUMATIC Combi 6 combined water - air heating (UK Pack : Gas + Electric)	•	•	•	•	•	•	•	•	•	•	•	•

Mercedes chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.
 *Option 184 hp, and/or auto transmission = 70 L fresh water

0 = Option, ● = Original, - = Not available

The optionally installed accessories are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

A CLASS

9 Serie MERCEDES

		966M	983M	986M	990M	991M	992M	996M	997M	999M	966MH	992MH	996MH
ENERGY													
Semi-stationary auxiliary battery with coupler and separator (90 Ah)		•	•	•	•	•	•	•	•	•	•	•	•
Compartment and 3rd battery		-	-	-	-	-	-	-	-	-	•	•	•
Battery cut-out		•	•	•	•	•	•	•	•	•	•	•	•
Fuel cell		0	0	0	0	0	0	0	0	0	•	•	•
Cutting transformer - charger		20A	20A	20A	20A	20A	20A	20A	20A	20A	20A	20A	20A
Two-pole magneto - thermal circuit breaker		•	•	•	•	•	•	•	•	•	•	•	•
Control panel with instant consumption measuring		•	•	•	•	•	•	•	•	•	•	•	•
Centralised Fuse box with protected "accessories" exits		•	•	•	•	•	•	•	•	•	•	•	•
External 230 V connection - internal 230 V plug		•	•	•	•	•	•	•	•	•	•	•	•
Flat screen TV space with 12 V - 230 V - coaxial pre-cabling+ satellite and video		•	•	•	•	•	•	•	•	•	•	•	•
Speakers in the living area		•	•	•	•	•	•	•	•	•	•	•	•
External lighting with gutter above the living area door		•	•	•	•	•	•	•	•	•	•	•	•
Halogen lamp with protective glass cover		•	•	•	•	•	•	•	•	•	•	•	•
Ambiance lighting		•	•	•	•	•	•	•	•	•	•	•	•
Lighting inside the wardrobe		•	•	•	•	•	•	•	•	•	•	•	•
Automatic DUOCOMFORT inverter		•	•	•	•	•	•	•	•	•	•	•	•
SECUMOTION, enabling you to travel with the heating on		•	•	•	•	•	•	•	•	•	•	•	•
CARRIER AND CAB EQUIPMENT													
Engine immobiliser		•	•	•	•	•	•	•	•	•	•	•	•
Driver's air bag		•	•	•	•	•	•	•	•	•	•	•	•
ABS - ASR - ESP		•	•	•	•	•	•	•	•	•	•	•	•
Particle filter		•	•	•	•	•	•	•	•	•	•	•	•
"Grand Comfort" cab seats with fabric to match the living area and built-in seat belts		•	•	•	•	•	•	•	•	•	•	•	•
Cab door(s) with electric windows		•	•	•	•	•	•	•	•	•	•	•	•
New cab door		•	•	•	•	•	•	•	•	•	•	•	•
Dashboard with walnut burr effect		•	•	•	•	•	•	•	•	•	•	•	•
Cab air-conditioning		•	•	•	•	•	•	•	•	•	•	•	•
Tinted windows		•	•	•	•	•	•	•	•	•	•	•	•
2 DIN DVD car radio		•	•	•	•	•	•	•	•	•	•	•	•
Reversing camera with control screen built into dashboard		•	•	•	•	•	•	•	•	•	•	•	•
Carpeted floor in cab		•	•	•	•	•	•	•	•	•	•	•	•
Electric de-frosting side mirrors		•	•	•	•	•	•	•	•	•	•	•	•
Inside rear mirror		•	•	•	•	•	•	•	•	•	•	•	•
Heat-insulating blind on rails in front cab (DUETT SEITZ)		•	•	•	•	•	•	•	•	•	•	•	•
Wheel repair kit		•	•	•	•	•	•	•	•	•	•	•	•
Fog lights		•	•	•	•	•	•	•	•	•	•	•	•
LIVING AREA EQUIPMENT													
Reversing camera		•	•	•	•	•	•	•	•	•	•	•	•
Insulated, ventilated step built into the floor		•	•	•	•	•	•	•	•	•	•	•	•
Rear stabilising jacks		•	•	•	•	•	•	•	•	•	•	•	•
Remote control locking and unlocking of doors (PLIP)		•	•	•	•	•	•	•	•	•	•	•	•
UK PACK													
	WEIGHT (kg)												
28-litre oven with grill	14,5	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK
Living area carpet kit	9	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK
"TRUMA COMBI 6 ""E-H"" (electrical resistance hot water and heating)"	0,6	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK
LIVING AREA OPTIONS													
	WEIGHT (kg)												
Compartment and cabling for 3 rd battery (battery not supplied)	2	0	0	0	0	0	0	0	0	0	-	-	-
Fuel cell	9 (+8,4)	0	0	0	0	0	0	0	0	0	•	•	•
Living area door mosquito screen	4	0	0	0	0	0	0	0	0	0	0	0	0
Ladder and cross-beams for roof rack	10	0	0	0	0	0	0	0	0	0	0	0	0
A-class without cab bed, with table leg retractable for bed position	-2	0	0	0	0	0	0	0	0	0	0	0	0
GPS navigation	3,5	0	0	0	0	0	0	0	0	0	0	0	0
Double-glazed side bays in cab	10	0	0	0	0	0	0	0	0	0	0	0	0
Additional cab heating	6,5	0	0	0	0	0	0	0	0	0	0	0	0
Winter exterior insulation	5	0	0	0	0	0	0	0	0	0	0	0	0
CANNES ambiance (Alcantara® mixed fabric)	-	0	0	0	0	0	0	0	0	0	0	0	0
GENEVA ambiance (Alcantara®)	-	0	0	0	0	0	0	0	0	0	0	0	0
BOSTON (Leather /TEP, beige colour) and CHICAGO, ambiance (leather / TEP, brown colour / beige Amaretta)	-	0	0	0	0	0	0	0	0	0	0	0	0
CARRIER OPTIONS													
	WEIGHT (kg)												
Cruise control	2	0	0	0	0	0	0	0	0	0	0	0	0
Passenger air bag	6	0	0	0	0	0	0	0	0	0	0	0	0
3,0-litre V6 184 hp engine* (requires reinforced rear suspension units (except for 983M and 986M))	40	0	0	0	0	0	0	0	0	0	0	0	0
Mercedes automatic gearbox* (requires reinforced rear suspension units (except for 983M and 986M))	32	0	0	0	0	0	0	0	0	0	0	0	0
Alloy wheels	-	0	0	0	0	0	0	0	0	0	0	0	0
Reinforced rear suspension units**	10	0	0	0	0	0	0	0	0	0	-	-	-
Motorcycle carrier* (option weight +- 5kg)	-	73	73	73	73	73	73	73	73	73	83	83	83
Tow bar* (1800 kg) (option weight +- 5kg)	-	51	51	51	51	51	51	51	51	51	61	61	61
Motorcycle carrier + Tow bar* (option weight +- 5kg)	-	93	93	93	93	93	93	93	93	93	103	103	103

*Please note : possible reduction in registered seats

** Required when ordering V6 and/or automatic

0 = Option, • = Original, - = Not available

The optionally installed accessories are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.



WWW.RAPIDO.FR

B.P. 19 - 53101 MAYENNE CEDEX - FRANCE - Tél. +33 2 43 30 10 70 - Fax +33 2 43 30 10 71

Some models presented in this catalogue may be shown with optional equipment. Since part of RAPIDO production is intended for export, the characteristics of the models may vary from one country to another; for an exact definition of the models marketed, we request you to consult your dealer. RAPIDO reserves the right to make modifications to its models without notice. Despite the care taken in the production of this catalogue, it cannot be taken as a contractual document. Your dealer will be happy to give you any further information you may require.