




All models are covered by a six-year bodyshell integrity guarantee and come with a three-year SuperSure manufacturer's warranty - See [www.sterlingcaravans.co.uk](http://www.sterlingcaravans.co.uk) for more details

See [www.sterlingcaravans.co.uk](http://www.sterlingcaravans.co.uk) for more model pictures, the gallery is constantly updated as more models are available



This brochure does not constitute an offer by Swift Group Limited (Swift). Swift reserves the right to alter specifications and prices at any time as materials and conditions demand.

Distributors and dealers sell Sterling products on their own account and not as agents of Swift.

Accordingly, they have no authority to bind Swift or to make any representation or undertaking whatsoever on behalf of Swift.

All props are for photographic purposes only and are not included in the specification

Issued September 2009



# Sterling Eccles



Sterling Caravans, Dunswell Road, Cottingham, East Yorkshire HU16 4JX.

Tel: 01482 847332 Fax: 01482 841042

email: [enquiry@swiftgroup.co.uk](mailto:enquiry@swiftgroup.co.uk)

[www.sterlingcaravans.co.uk](http://www.sterlingcaravans.co.uk)

A MEMBER OF THE SWIFT GROUP





## Sterling Eccles

The contemporary styling of the Eccles range appeals to couples and families with a range of layouts including the popular new Ruby with a fixed bed and spacious transverse rear washroom and two fixed bed twin axle layouts.

The range maintains its popular Scandinavian appeal with bold graphics and 'Oregon pine' furniture with ebony accents. The new kitchen appliances with a stainless steel effect fridge and unique new granite-look moulded sink tone perfectly with the interior design and a new BBQ point allows for alfresco cooking.






The 2.3m wide bodyshell with its one-piece, thick gauge aluminium sidewalls and 1.95m headroom provides class leading interior space and is now stabilised by heavy duty corner steadies. Practical features include positive locker catches for secure storage on the move, ample mains sockets and energy saving LED lighting. This makes your battery last longer, giving greater independence and making solar power a real option.

End washroom layouts feature luxury walk in showers while all models have separate lined shower cubicles and the latest Thetford toilet with wheeled waste tank.



## Specification



|  | TOPAZ          | MOONSTONE      | JEWEL          | QUARTZ         | RUBY           | AMETHYST       | CORAL          |
|--|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Berths                                   | 2              | 4              | 4              | 4              | 4              | 6              | 4              |
| Number of Axles                          | 1              | 1              | 1              | 1              | 1              | 2              | 2              |
| Internal Length (at bed box height)      | 4.74m/15'7"    | 5.50m/18'1"    | 5.50m/18'1"    | 5.83m/19'2"    | 5.83m/19'2"    | 6.27m/20'7"    | 6.27m/20'7"    |
| Overall Width                            | 2.29m/7'6"     | 2.29m/7'6"     | 2.29m/7'6"     | 2.29m/7'6"     | 2.29m/7'6"     | 2.29m/7'6"     | 2.29m/7'6"     |
| Maximum Internal Headroom                | 1.95m/6'5"     | 1.95m/6'5"     | 1.95m/6'5"     | 1.95m/6'5"     | 1.95m/6'5"     | 1.95m/6'5"     | 1.95m/6'5"     |
| Overall Height (inc. TV Aerial)          | 2.61m/8'7"     | 2.61m/8'7"     | 2.61m/8'7"     | 2.61m/8'7"     | 2.61m/8'7"     | 2.61m/8'7"     | 2.61m/8'7"     |
| Overall Length                           | 6.42m/21'1"    | 7.18m/23'7"    | 7.18m/23'7"    | 7.51m/24'8"    | 7.51m/24'8"    | 7.95m/26'1"    | 7.95m/26'1"    |
| Mass in Running Order (inc. tolerance)   | 1203kg/23.7cwt | 1368kg/26.9cwt | 1294kg/25.5cwt | 1385kg/27.3cwt | 1385kg/27.3cwt | 1542kg/30.4cwt | 1491kg/29.3cwt |
| Essential Habitation Equipment Payload   | 69kg/1.4cwt    | 69kg/1.4cwt    | 69kg/1.4cwt    | 69kg/1.4cwt    | 69kg/1.4cwt    | 105kg/2.1cwt   | 105kg/2.1cwt   |
| Personal Effects Payload                 | 105kg/2.1cwt   | 133kg/2.6cwt   | 133kg/2.6cwt   | 136kg/2.7cwt   | 136kg/2.7cwt   | 161kg/3.2cwt   | 141kg/2.8cwt   |
| Optional Equipment Payload               | 10kg/0.2cwt    | 10kg/0.2cwt    | 4kg/0.1cwt     | 5kg/0.1cwt     | 5kg/0.1cwt     | 10kg/0.2cwt    | 10kg/0.2cwt    |
| Maximum Technical Permissible Laden Mass | 1387kg/27.3cwt | 1580kg/31.1cwt | 1500kg/29.5cwt | 1595kg/31.4cwt | 1595kg/31.4cwt | 1818kg/35.8cwt | 1747kg/34.4cwt |
| Awning A/A Dimension                     | 9.11m/29'11"   | 9.87m/32'5"    | 9.87m/32'5"    | 10.20m/33'6"   | 10.20m/33'6"   | 10.64m/34'11"  | 10.64m/34'11"  |
| Tyre Size                                | 185 R14 102    | 195/70 R15 104 | 185 R14 102    | 195/70 R15 104 | 195/70 R15 104 | 175/65 R14 86  | 175/65 R14 86  |

## Bed sizes

|                            |                           |                            |                           |                           |                           |                            |                           |
|----------------------------|---------------------------|----------------------------|---------------------------|---------------------------|---------------------------|----------------------------|---------------------------|
| Front Double               | 2.13m x 1.90m/7'0" x 6'3" | 2.13m x 1.80m/7'0" x 5'11" | 2.13m x 1.59m/7'0" x 5'3" | 2.13m x 1.59m/7'0" x 5'3" | 2.13m x 1.59m/7'0" x 5'3" | 2.13m x 1.75m/7'0" x 5'9"  | 2.13m x 1.67m/7'0" x 5'6" |
| Or Front Single (nearside) | 1.90m x 0.72m/6'3" x 2'4" | 1.80m x 0.72m/5'11" x 2'4" | 1.67m x 0.72m/5'6" x 2'4" | 1.67m x 0.72m/5'6" x 2'4" | 1.67m x 0.72m/5'6" x 2'4" | 1.75m x 0.72m/5'9" x 2'4"  | 1.67m x 0.72m/5'6" x 2'4" |
| And Front Single (offside) | 1.90m x 0.72m/6'3" x 2'4" | 1.90m x 0.72m/6'3" x 2'4"  | 1.59m x 0.72m/5'3" x 2'4" | 1.59m x 0.72m/5'3" x 2'4" | 1.59m x 0.72m/5'3" x 2'4" | 1.90m x 0.72m/6'3" x 2'4"  | 1.90m x 0.72m/6'3" x 2'4" |
| Rear Double                |                           |                            | 1.92m x 1.38m/6'4" x 4'6" | 1.87m x 1.33m/6'2" x 4'4" | 1.93m x 1.37m/6'4" x 4'6" | 1.92m x 1.38m/6'4" x 4'6"  | 1.93m x 1.37m/6'4" x 4'6" |
| Offside Single             |                           | 1.80m x 0.70m/5'11" x 2'4" |                           |                           |                           | 1.80m x 0.70m/5'11" x 2'4" |                           |
| Offside Bunk               |                           | 1.76m x 0.59m/5'9" x 1'11" |                           |                           |                           | 1.76m x 0.59m/5'9" x 1'11" |                           |

**Bed sizes:** Please note that double bed sizes are quoted with wrap round seating

**Awning sizes:** Due to the varying awning designs and sizes the awning sizes given are approximate only. Specific awning sizes must be confirmed by your dealer or the awning manufacturer prior to purchase.

## Features

### Key features

- 2.29m (7'6") wide bodyshell
- 1.95m (6'5") headroom
- One-piece, thick gauge, high gloss aluminium sidewalls
- Shock absorbers for a smoother more stable ride
- Higher tyre ratings for greater safety margin
- **New** Heavy duty corner steadies
- **New** BBQ point
- 45mm (2") wider and 80mm (3") taller entrance door
- Lined external locker with 230V socket
- **New** Granite-lock GRP kitchen sink
- LED spot lighting giving 50% reduction in total lighting power consumption
- Over-locker fluorescent ambient lighting
- Positive overhead locker catches for secure loading
- Heki Deluxe large rooflight with easy-action pleated blind
- Cassette flyscreens and pleated blinds on all windows
- 'Ultra Comfort' luxury deep sprung bed mattress in fixed bed models
- Carpet with 45oz pile weight
- 40 litre underfloor insulated fresh water tank with Autofill control system in twin-axle models
- Fully lined shower in all models

- Thetford C9250 toilet with 18 litre wheeled holding tank
- Built-in microwave oven with digital controls
- Radio/CD/MP3 player with iPod/MP3 player connection
- Five 230V sockets
- PIR and tilt-sensor alarm system

### Key options

- AL-KO ATC trailer control system
- HAL Locate GPS tracking system
- AL-KO Secure wheel lock

### Additional features

#### Exterior

- AL-KO galvanised steel chassis with Euro-Axle
- AL-KO Euro overrun device with two-way assisted handbrake
- AL-KO AKS 3004 stabiliser
- 13-pin 'Jaeger' 12V car connector
- **New** 'Storm' exclusive alloy wheels
- Spare wheel (steel) and underslung carrier
- Heki De-Luxe large tilting panoramic roof window with flynet and pleated blind
- Exclusive shape double-glazed opening windows with night ventilation position

- Exterior two-part door, 45mm (2") wider and 80mm (3") taller, with interior moulded liner, window, blind and waste bin
- Exterior access battery box with satellite aerial inlet and mains electric inlet (battery not included)
- External access door (Eccles Jewel, Coral, Ruby and Amethyst)
- LED awning light
- Gas regulator for Propane and Butane mounted on front bulkhead
- Entrance step
- 25mm 'sandwich' sidewalls with HD polystyrene insulation core
- 32mm semi-'sandwich' roof with HD polystyrene insulation core
- 44mm 'sandwich' floor with styrofoam insulation core

#### Interior

- Door flyscreen with easy concertina action
- Multi-position 'Mini-Heki' or 'Midi-Heki' clear rooflight with flyscreen and blind (model specific)
- Large overhead lockers with patented, injection-moulded spaceframe construction and curved doors
- Seat bases with spaceframe construction, full front access and space for larger items

- Fixed beds with aluminium frames to maximise strength and storage space
- Hinged seat and bed tops supported in open position for easy access
- Mattresses and seat cushions supported by beech slats for extra comfort
- Sprung interior mattresses, main seat and backrest cushions
- Seat and backrest ventilation boards
- Chest of drawers with occasional table
- Free-standing table with dedicated storage location
- 2 x scatter cushions
- Twin curtain track for improved hanging and ease of use
- Removable carpets over woodblock effect vinyl flooring
- Removable sink drainer with dedicated storage
- Food grade nylon chopping board with dedicated storage
- Slide-out storage rack
- Moulded cutlery drawer on smooth steel runners
- Chrome finish brass mixer taps, separate shower taps, shower head with riser bar
- Spacious 'walk-in' showers in end washroom models; lined cubicles in other models
- 32mm thick lightweight washroom door with metal domestic style handle


### Equipment

- 107 litre fridge with metallic finish, electronic ignition and digital controls
- **New** Thetford thermostatic oven and separate grill
- Dual fuel hob with 800W electric hotplate and 3 gas burners with electronic ignition and flame failure protection
- Glass hob lid with safety cut-out feature
- Dual fuel gas and 800W mains electric storage water heater
- Dual fuel 3kW gas and 2kW electric space heater with automatic ignition
- Blown air system ducted to living, sleeping and washroom areas
- Grade 2 classification for heating and thermal insulation
- Inboard semi-rigid fresh water pipes
- High capacity in-board pump with chrome finish brass taps for reliable, high performance water supply
- Separate shower mixers with adjustable head positions
- Isolation taps for gas appliances
- Large bore underslung rigid waste pipes
- Wheeled waste water tank (twin-axle models only)
- 25 amp switchmode charger/transformer

- 12V LCD/touch control panel with battery selection, battery state meter, lighting and water pump circuit controls (tank level in twin-axle models)
- Solar panel connection provision
- Two TV positions with 230V, 12V and coax aerial sockets
- External coax connection point for aerial or satellite dish
- Status 530 directional TV/FM aerial and booster
- Flush finish mains lights in front locker corner panels
- LED light in kitchen
- Adjustable LED spot lighting in lounge and sleeping areas
- Wardrobe light
- 25 metre mains hook-up cable

### Safety and Security

- Higher tyre ratings - 10% load margin at 130kph (law permitting)
- Receiver for AL-KO Secure portable wheel lock
- Passive infra-red alarm system with tilt sensor and key fob operation
- Smoke alarm
- CRiS identity number etched to windows and caravan chassis
- Concealed security data chip within caravan construction
- High security entrance lock with flipper key.



- 1. Mains sockets**  
Models feature five 230V sockets to meet modern power demands
- 2. 'Ultra comfort' mattress**  
A high quality interior sprung mattress in fixed bed models for a really comfortable nights sleep
- 3. Over-locker ambient lighting**  
Concealed soft white fluorescent tubes provides a warm, subtle interior light
- 4. Underfloor tank**  
Twin axle models have a 40 litre insulated fresh water tank
- 5. Positive door catches**  
Positive catches on all overhead locker doors provide secure storage whilst on the move
- 6. Alloy wheels**  
Stylish alloy wheels with receiver for AL-KO secure portable wheel lock
- 7. Badging**  
Distinctive chrome logo
- 8. Awning light**  
LED awning light provides energy efficient outside lighting
- 9. Radio/CD**  
Radio/CD/MP3 player with iPod/MP3 player connection
- 10. Shock absorbers**  
Shock absorbers give more stable, smooth towing
- 11. Quality carpet**  
Luxury carpet with 45oz pile weight
- 12. LED lights**  
LED lights are long lasting and more energy efficient
- 13. Pleated Heki blind**  
Easy action pleated blind provides shade for day or night