



# Charisma

220 | 230 | 535 | 540 | 545 | 550 | 555 | 560 | 565





All models are covered by a six-year bodyshell integrity guarantee and come with a three-year SuperSure manufacturer's warranty - see **www.swiftcaravans.co.uk** for more details.

Swift Caravans, Dunswell Road, Cottingham, East Yorkshire HU16 4JX. Tel: 01482 847332 Fax: 01482 841042 email: enquiry@swiftgroup.co.uk www.swiftcaravans.co.uk

See www.swiftcaravans.co.uk for more model pictures, the gallery is constantly updated as new models are available

This brochure does not constitute an offer by Swift Group Limited (Swift). Swift reserves the right to alter specifications and prices at any time as materials and conditions demand. Distributors and dealers sell Swift products on their own account and not as agents of Swift. Accordingly, they have no authority to bind Swift or to make any representation or undertaking whatsoever on behalf of Swift. All props are for photographic purposes only and are not included in the specification. Issued September 2009





# Charisma




**The popular Swift Charisma range** offers nine versatile layouts including the successful 550 fixed bed model with transverse rear washroom and new 545 with large rear wrap around dinette in place of the fixed bed. Combined with a package of desired features like shock absorbers, high security entrance locks, three mains sockets, two TV points and fully lined showers, the Charisma range offers exceptionally high specification for the price.



Stylish exteriors with one-piece, thick gauge aluminium sidewalls, alloy wheels, striking graphics and one piece rear panels combine with spacious interiors that offer class leading headroom. Restyled kitchens feature new appliances with a built in microwave oven, stainless steel effect electronic ignition fridge, Thetford oven and dual fuel hob and a unique granite-look moulded sink. For better storage on the move, kitchen lockers now have positive catches.







Front Double	2.08m x 1.90m/6'10" x 6'3	" 2.08m x 1.80m/6'10" x 5'11"	2.08m x 1.34m/6'10" x 4'5"	2.08m x 1.80m/6'10" x 5'11"	2.13m x 1.59m/7'0" x 5'3"	2.13m x 1.59m/7'0" x 5'3"	2.13m x 1.59m/7'0" x 5'3"	2.08m x 1.80m/6'10" x 5'11"	2.08m x 1.80m/6'10" x 5'11"
Dr Front Nearside Single	1.90m x 0.72m/6'3" x 2'4'	1.90m x 0.72m/6'3" x 2'4"		1.90m x 0.72m/6'3" x 2'4"		1.67m x 0.72m/5'6" x 2'4"	1.67m x 0.72m/5'6" x 2'4"	1.80m x 0.72m/5'11" x 2'4"	1.80m x 0.72m/5'11" x 2'4"
And Front Offside Single	1.90m x 0.72m/6'3" x 2'4'	1.80m x 0.72m/5'11" x 2'4"		1.80m x 0.72m/5'11" x 2'4"		1.59m x 0.72m/5'3" x 2'4"	1.59m x 0.72m/5'3" x 2'4"	1.90m x 0.72m/6'3" x 2'4"	1.90m x 0.72m/6'3" x 2'4"
Rear Double			1.88m x 1.37m/6'2" x 4'6"	2.08m x 1.29m/6'10" x 4'3"	1.89m x 1.37m/6'2" x 4'6"	1.89m x 1.37m/6'2" x 4'6"	1.92m x 1.38m/6'4" x 4'6"		
lear Bunk				1.90m x 0.56m/6'3" x 1'10"					
de Single								1.80m x 0.70m/5'11" x 2'4"	1.70m x 0.75m/5'7" x 2'6"
de Bunk								1.78m x 0.59m/5'10" x 1'11"	
ide Fixed Bunks (3)									1.83m x 0.58m/6'0" x 1'11"

Bed sizes: Please note that double bed sizes are quoted with wrap round seating

Awning sizes: Due to the varying awning designs and sizes the awning sizes given are approximate only. Specific awning sizes must be confirmed by your dealer or the awning manufacturer prior to purchase

## Features

#### **Key features**

- Class leading headroom of 1.95m (6'5")
- Overall body width 2.23m/7'4" or 2.29m/7'6"
- (see specifications)
- One-piece, thick gauge, high gloss aluminium sidewalls
- High security entrance lock for peace of mind
- Shock absorbers giving more stable, smooth towing
- Door flyscreen with easy concertina action • Class leading front locker design with recessed
- mains lights
- Positive catches on kitchen locker doors
- Beech slat seat and bed bases with sprung hinged tops for extra comfort and easy access
- Upper lockers and seat bases with spaceframe construction
- Three mains sockets
- 2nd TV point near front or rear chest (except 545 and 550)
- Radio/CD/MP3 player with iPod connection
- New Granite-look GRP kitchen sink
- Built-in, ventilated microwave oven with
- digital controls
- Dual fuel hob with 800W electric hotplate

- Electronic ignition, digital control 107 litre fridge with metallic door finish
- Showers with gloss plastic lined walls • Thetford C250 toilet with electric flush and 18 litre
- wheeled waste tank High capacity in-board pump with chrome finish brass taps for reliable, high performance
- water supply • Separate shower mixers with adjustable
- head positions

#### Key options

- AL-KO ATC trailer control system
- HAL Locate GPS tracking system
- AL-KO Secure wheel lock

### Additional features

#### Exterior

- Stylish one-piece rear panels
- Exclusive alloy wheels
- 13-pin 'Jaeger' 12V car connector
- AL-KO galvanised steel chassis with Euro-Axle
- AL-KO Euro overrun device with two-way
- assisted handbrake

- Receiver for optional AL-KO Secure wheel lock
- AKS 3004 Stabiliser
  - Steel spare wheel and carrier Status 530 directional TV aerial
  - Gas regulator for Propane and Butane mounted on
  - front bulkhead • Moulded front panel with three opening windows
  - and door with gas strut • Fully double-glazed opening windows (no singleglazed cold areas) with silver finished edges
  - · Exterior two-part door with interior moulded liner, window, blind and waste bin
  - Exterior access battery box with mains electric inlet (battery not included)
  - Entrance step
  - Flush fitting awning light
  - 25mm 'sandwich' sidewalls with HD polystyrene insulation core
  - 32mm semi-'sandwich' roof with HD polystyrene insulation core
  - 44mm 'sandwich' floor with Styrofoam insulation core

#### Interior

- Heki large tilting panoramic roof window with flynet and blind
- Cassette flyscreens and blinds on all windows • New Multi-directional clear rooflights in kitchens
- and bedrooms • Twin curtain track for improved hanging and ease of use
- Sprung interior mattresses, main seat and backrest cushions
- Fixed beds with aluminium frames to maximise strength and storage space
- Seat and backrest ventilation boards • Long front beds 1.90m (6'3")
- (model specific, see specifications)
- Two scatter cushions
- Two bolster cushions
- Removable carpets over woodblock effect
- vinyl flooring
- Removable entrance mat
- Thick washroom doors with domestic style locks and handles
- Deep worktops with matching edges
- Removable drainer with dedicated storage

- Food grade nylon chopping board with dedicated storage
- Moulded cutlery drawer on smoother steel runners

#### Equipment

- New Thetford thermostatic oven
- Glass hob lid with safety cut-out f • Dual fuel gas and 800W mains ele
- water heater • Dual fuel (3kW gas and 2kW main
- with electronic ignition • Blown air ducted to living, sleepir
- washroom areas • Areas under seats and beds warmed by blown air system
- Grade 2 classification for heating and thermal insulation
- Isolation taps for gas appliances
- Fully protected mains electric system
- Two TV stations with 230V, 12V and coax aerial
- sockets (except 545 and 550)
- 230V socket in kitchen area
- 20 Amp switchmode charger/transformer



- - - style key

  - **High security lock**





Enhanced security complete with flipper



Positive locker catches On kitchen lockers for secure storage on the move

d with	<ul> <li>12V control panel with battery state meter, tank level indicator, car/caravan battery switch and water</li> </ul>
oth-action	pump switch
	<ul> <li>Solar panel connection provision</li> </ul>
	<ul> <li>230V mains lights over front seating</li> </ul>
	• Halogen ceiling lights in living and washroom areas
and separate grill	<ul> <li>Halogen adjustable downlights in lounge/</li> </ul>
eature	sleeping areas
ectric storage	<ul> <li>Fluorescent light in kitchen</li> </ul>
	<ul> <li>25 metre mains hook-up cable</li> </ul>
s) central heating	
	Safety and Security
ng and	<ul> <li>Higher tyre ratings - 10% load margin at 130kph (law permitting)</li> </ul>

- Smoke alarm
- CRiS identity number etched to windows and caravan chassis
- Concealed security data chip within caravan construction
- All models comply with British and European safety standards