E700 Series

E700 Series

BESSACARR
Motorhomes

BESSACARR MOTORHOMES,
Dunswell Road, Cottingham, East Yorkshire HU16 4JS.
Tel: 01482 847332 Fax: 01482 841042
email: **enquiry@swiftgroup.co.uk**
website: **www.bessacarrmotorhomes.co.uk**

A MEMBER OF THE SWIFT GROUP

APPROVED Motor Caravan
EN 1646

Swift Group Limited provides a three-year warranty on the coachbuilt element of the motorhome, see www.bessacarrmotorhomes.co.uk for more details. Fiat provides a three year warranty for the base vehicle and three-year pan European Camper Assistance, road side assistance and breakdown cover operated in conjunction with the RAC, ask your dealer for more details.

See **www.bessacarrmotorhomes.co.uk** for model pictures, the gallery is constantly updated as new models are available.

This brochure does not constitute an offer by Swift Group Limited (Swift). Swift reserves the right to alter specifications and prices at any time as materials and conditions demand. Distributors and dealers sell Bessacarr products on their own account and not as agents of Swift. Accordingly they have no authority to bind Swift or to make any representation or undertaking whatsoever on behalf of Swift. All props are for photographic purposes only and are not included in the specification.
Issued October 2010.

E700 Series

Solid
Sleek
Luxurious
Affordable

The E700 Series is the definitive choice for the discerning motorhome enthusiast and offers the ultimate in style and luxury in all four TAG axle models, including the new E749.

Three layouts are available in Low and High-Line options providing the choice of a large storage locker or comfortable double bed in the spacious over cab area. The distinctive body shell sits on an AL-KO Super-Lowline chassis which offers superior ride and road handling due to its wider track and low centre of gravity.

Long term re-assurance is provided by solid proven construction, durable materials and compliance with the strict weight, dimension and safety standards of European Whole Vehicle Type Approval.

Key features include:

❶ Driver and passenger airbags as standard ❷ & ❸ Low-Line models have the advantage of a sleeker, more aerodynamic profile housing a generous full-width overcab locker and a panoramic opening 'skyview' window
❹ Full-length recessed awning ❺ & ❻ High-Line models offer a cleverly-designed, spacious over cab bed which features gas assisted struts, enabling it to be easily pulled down at night time ❼ Models come with two 95Ah auxiliary batteries giving greater independence away from a mains power source
❽ Underfloor floor storage areas are illuminated ❾ Low energy lighting system with soft white, high output LED lights ❿ Optional Comfort-Matic automatic gearbox ⓫ 10" fold down LCD TV with integral Freeview, tuner and DVD player
⓬ Reversing camera with image shown on rear view mirror ⓭ **NEW** Larger, easier to read control panel ⓮ **NEW** 12V exterior power point for pump filling of the water tank



E700 Series

Solid
Sleek
Luxurious
Affordable

Luxurious interiors, which include a leather upholstery option, have 'designer' style kitchens with stainless steel colour appliances including a large integrated fridge/freezer and a new GRP sink that co-ordinates with the work top.
Fixed bed models come with an 'Ultra comfort' luxury deep sprung mattress and storage space underneath. The E789 model has a raised bed that allows for a generous 'garage' area capable of storing large items like a scooter.



E700 Series

Solid
Sleek
Luxurious
Affordable

Most lighting is by energy saving soft white LED lights which prolong the life of the twin batteries and make it realistic to power the system from a solar panel, for which there is roof and wiring preparation. All washrooms feature a cassette toilet with an independent tank and a separate sealed shower cubicle with washbasins neatly integrated into a useful cupboard unit.



E700 Series

Solid
Sleek
Luxurious
Affordable

Optional air-conditioning fitted

Optional leather upholstery

E700 Series



	E749 TAG		E769 TAG		E789 TAG		E799 TAG	
	Standard	**Optional**	**Standard**	**Optional**	**Standard**	**Optional**	**Standard**	**Optional**
Fiat MultiJet Diesel Engine	Fiat '160 MultiJet' diesel	Fiat '160 MultiJet' diesel Auto	Fiat '160 MultiJet' diesel	Fiat '160 MultiJet' diesel Auto	Fiat '160 MultiJet' diesel	Fiat '160 MultiJet' diesel Auto	Fiat '160 MultiJet' diesel	Fiat '160 MultiJet' diesel Auto
Engine Capacity	2999cc	2999cc	2999cc	2999cc	2999cc	2999cc	2999cc	2999cc
Engine Power	157bhp @ 3500rpm	157bhp @ 3500rpm	157bhp @ 3500rpm	157bhp @ 3500rpm	157bhp @ 3500rpm	157bhp @ 3500rpm	157bhp @ 3500rpm	157bhp @ 3500rpm
Engine Torque	400Nm @ 1700rpm	400Nm @ 1700rpm	400Nm @ 1700rpm	400Nm @ 1700rpm	400Nm @ 1700rpm	400Nm @ 1700rpm	400Nm @ 1700rpm	400Nm @ 1700rpm
Roof Profile#	Low Line		Low Line		Low Line		Low Line	
Chassis	Fiat AL-KO low line		Fiat AL-KO low line		Fiat AL-KO low line		Fiat AL-KO low line	
Wheel Base	4.60m /15' 1" - 0.80m/2' 7"		4.60m /15' 1" - 0.80m/2' 7"		4.60m /15' 1" - 0.80m/2' 7"		4.60m /15' 1" - 0.80m/2' 7"	
Designated Passenger Seats	1		3		3		3	
Berths (Sleeping Positions)	4		4		4		4	
Overall Length (Excluding Ladder)*	8.67m/ 28' 5"		8.67m/ 28' 5"		8.67m/ 28' 5"		8.67m/ 28' 5"	
Overall Body Width (Excluding Mirrors)	2.35m/ 7' 8"		2.35m/ 7' 8"		2.35m/ 7' 8"		2.35m/ 7' 8"	
Overall Height	3.09m/ 10' 2"		3.09m/ 10' 2"		3.09m/ 10' 2"		3.09m/ 10' 2"	
Maximum Technical Permissible Laden Mass (A)	5000kg		5000kg		5000kg		5000kg	
Mass in Running Order (B)†	4085kg	4102kg	4228kg	4245kg	4293kg	4310kg	4320kg	4337kg
Maximum User Payload (A-B)	915kg	898kg	772kg	755kg	707kg	690kg	680kg	663kg
Maximum Recommended Trailer Weight	1500kg		1500kg		1500kg		1500kg	
Essential Habitation Equipment	17kg		17kg		17kg		17kg	
Gross Train Weight**	6000kg		6000kg		6000kg		6000kg	
Front Double	2.13m x 1.38m/ 7'0" x 4'6"		2.13m x 1.38cm/ 7'0" x 4'6"		2.13m x 1.38cm/ 7'0" x 4'6"		2.13m x 1.38cm/ 7'0" x 4'6"	
Front Nearside Single							1.80m x 1.02m/ 5'11" x 3'4"	
Front Offside Single			1.80m x 0.67m/ 5'11 x 2'2"		1.80m x 0.67m/ 5'11 x 2'2"			
Rear Double	1.93m x 1.35m/ 6'4" x 4'5"		1.86m x 1.32m/ 6'1" x 4'4"		2.13m x 1.32m/ 7'0" x 4'4"		2.13m x 1.40m/ 7'0" x 4'7"	
Rear Nearside Single							1.88m x 0.73m/ 6'2" x 2'5"	
Rear Offside Single							1.93m x 0.73m/ 6'4" x 2'5"	

Optional High Line spec

For High-line overcab option the following specifications changes apply:

Berths (sleeping positions)	+ 2
Mass in Running Order	+ 60kg
Maximum User Payload	- 60kg
Overcab Bed	1.91m x 1.37m/6'3" x 4'6"
All other specification as above.	

Notes

* Add 200mm for roof ladder.

** Gross train weight must not be exceeded.
Please consult your dealer for more detailed towing information

† The Mass in Running Order is the mass of the unladen vehicle including a 75kg allowance for the driver plus engine coolants and 90% of the fuel tank, water tank and gas capacity.

Key features

- Fiat/AL-KO low-line chassis with 190mm (7½") high underfloor storage
- Low-line models with 'Skyview' panoramic opening roof-window
- High-line models with large A-Class style aluminium framed, gas strut assisted over-cab bed
- Fiat 160 Multijet Power 3.0 Litre diesel engine with 6 speed gearbox
- Optional Comfort-Matic automatic gearbox
- Cab air-conditioning
- Cruise Control
- Driver and passenger airbags
- Full length recessed awning
- Dual fuel Truma 6kW 'Combi' boiler with en-route operation
- 10" fold-down LCD colour TV with integral 'Freeview' and DVD player linked to speaker system
- Colour reversing camera and screen integrated with rear view mirror
- Mainly LED lighting, saving 70% of full lighting power
- Lighting in underfloor storage trays
- Two 95 amp-hour (Dir 2006/66/EC) leisure batteries in underfloor compartment
- 175 litre automatic energy selection fridge/freezer (112 Litre in E799 & E749)
- 40 litre 230V/12V top access chest freezer in E749
- Roof rack and ladder
- High specification entrance door with secure 3-point locking, hidden hinges, double seal system, and stepwell light
- Key fob operated remote central locking of cab doors and entrance door
- Spare wheel and tyre
- Fresh and waste water tank heaters plus waste pipe insulation for full winter use
- European Whole Vehicle Type Approval ensures compliance with strict weight, dimensions and safety regulations

Additional features

Chassis-Cab

- Fiat X2/50 AL-KO Super low-line chassis with:
  - ABS brakes
  - EBD (electronic brake force distribution)
  - Extra wide rear track
  - Heavy duty rear chassis members ready for optional towbar
- Immobiliser with rolling code
- Variable power steering
- Electric operated and tinted cab windows
- Electrically adjusted and heated wing mirrors fitted with direction indicators
- Headlamp height adjustment
- Driver and passenger seats both with:
  - Swivels
  - Height and rake adjustment
  - Two armrests
  - Fully upholstered covers
  - Base surrounds
- Adjustable steering wheel position
- Concertina windscreen blind and side window blinds
- Cab carpet (removable)
- Lockable (laptop PC size) central storage box
- Two DIN sockets
- Radio/CD/MP3 player with iPod/MP3 connection and four speakers
- Woodgrain finish dash trims

Body and Exterior equipment

- Double-door 'garage' storage area in E789
- Double-door under-bed storage area in E769
- 16" Alloy wheels
- One-piece, 5000 Series marine grade aluminium side-walls finished in white
- One-piece GRP roof supported by 34mm sandwich construction
- Integrated longitudinal roof bars with load carrying cross bars and ladder
- 44mm 'sandwich' floor with **NEW** Xyligen treated WBP plywood and Styrofoam insulation core
- **NEW:** Strong redwood body and floor framing impregnated to resist moisture and fungal attack
- Strong extruded aluminium skirts
- Full GRP rear panel with high-level brake light and camera housing
- Gloss white finished front bumper
- Flush fitting aluminium-framed double glazed opening windows
- Two opening windows in high-line overcab area
- Two Midi-Heki skylights with flynet and adjustable blind
- Two LED exterior lights
- **NEW:** 12 volt exterior power point for pump filling of water tank (pump not supplied)
- Compartment for two 13kg gas bottles with fitted butane/propane regulator and butane hose
- Fixing points for rear-mounted cycle rack

Living Area

- **NEW:** 'Traffic' heavy duty, durable floor vinyl
- Swift Group 'spaceframe' locker construction
- Removable aluminium ladder to the over-cab bed in high-line models
- Moulded over-cab base with storage recesses in high-line models
- Moulded over-cab storage lockers in low-line models
- Two-position front seating arrangement providing L-shape lounge or two forward facing travelling seats (E769 & E789)
- Bed mattresses and lounge bench seat cushions supported by beech slats for extra comfort
- Sprung interior mattresses, seat and backrest cushions
- Scatter cushions
- Seat backrest ventilation boards
- Free-standing table with dedicated storage location
- Cassette flyscreens and pleated blinds on all windows
- Concertina action door flyscreen
- Removable carpets
- Adjustable swivel-arm coffee table (except E799)
- Domestic style mortice locks on washroom and wardrobe doors
- Removable stepwell mat
- Entrance doorway grab-handle
- Smoke alarm

Kitchen

- Built-in microwave oven with digital controls
- **NEW:** Granite-look GRP kitchen sink with removable drainer and dedicated storage
- Food grade nylon chopping board with dedicated storage
- Chrome finish brass pillar tap with long spout
- Thermostatic oven and separate grill
- Dual fuel hob with 800W electric hotplate and 3 gas burners with electronic ignition and flame failure protection
- Kitchen extractor fan
- Pull-out storage baskets
- Crockery stowage tray with moulded pockets and retaining straps

Washroom

- Fully lined shower cubicle
- Lower cupboard with built-in washbasin
- Overhead storage locker
- Thetford swivel cassette toilet with electric flush and independent tank
- Chrome finish brass shower and mixer taps

Heating and Plumbing

- Grade 3 classification (EN 1646-1) for heating and thermal insulation (for sub-zero ambient temperatures)
- 120 litre under-floor, insulated heated fresh water tank with level sensor
- Pressurised fresh water system with self-priming pump
- 100 litre heated waste water tank with level sensor
- Large bore rigid waste pipes

Electrical

- Mains 230V supply via consumer unit to sockets, fridge, microwave oven, combi-boiler and battery charger/transformer
- 25amp charger/transformer for leisure battery
- At least 7 mains 230V sockets (including two in cab area)(model specific)
- **NEW:** Easy to use12V control panel over doorway with touch controls for:
  - Vehicle/Leisure battery selection
  - Tank heaters and display of:
    - Tank levels
    - Vehicle and leisure battery state
- Vehicle battery drain protection
- Status 530 directional digital and analogue aerial and booster
- 25 metre mains hook-up cable
- Two TV stations (except E749)
- Power supply for satellite installation
- Roof and wiring prepared for solar panel installation