







# Serie 6/6FF


## CHARACTERISTICS AND CARRIERS BY MODEL

Low-profile models with special chassis, extra-wide rear track and drop down ceiling bed in option B

### REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of camping-cars is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75kg), the gas bottle, fresh water (depending on model: 50 l) and fuel tanks up to 90 % of their capacity with a tolerance of +/- 5 % (in accordance with European Directive EC 92/21).

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



	FIAT 2,0*	FIAT 2,0*	FIAT 2,3**	FIAT 2,3**	FIAT 2,3**	FIAT 2,3**
Engine equipment/chassis	FIAT 2,0*	FIAT 2,0*	FIAT 2,3**	FIAT 2,3**	FIAT 2,3**	FIAT 2,3**
Number of cylinders	4	4	4	4	4	4
Cubic capacity (cm <sup>3</sup> )	1956	1956	2287	2287	2287	2287
Maximum power (kw CEE)	85	85	96	96	96	96
DIN power (HP)	115	115	130	130	130	130
At RPM	3700	3700	3600	3600	3600	3600
Maximum torque (Nm)	280	280	320	320	320	320
Maximum torque rate (RPM)	1500-2500	1500-2500	2000-3000	2000-3000	2000-3000	2000-3000
Anti-pollution standard	Euro 5	Euro 5	Euro 5	Euro 5	Euro 5	Euro 5
Wheelbase (m)	3,8	3,8	4,035	4,035	4,035	4,035
Wider rear track (m)	1,98	1,98	1,98	1,98	1,98	1,98
Gross vehicle weight	3500/3650	3500/3650	3500/(3650) (or 4250)***	3500/(3650) (or 4250)***	3500/(3650) (or 4250)***	3500/(3650) (or 4250)***
Permissible GCW (Gross Combined Weight)	5000	5000	5000	5000	5000	5000
Unladen weight (+/- 5 %)	2835	2815	3075	2940	2955	3115
Overall length (m)	6,47	6,47	7,37	6,97	7,37	7,37
Overall width (m)	2,35	2,35	2,35	2,35	2,35	2,35
Overall "garage" width (m) with rear view mirrors open	2,76	2,76	2,76	2,76	2,76	2,76
Overall height (m) - (Tolerance +/- 3 %)	2,76	2,76	2,76 <sup>a</sup>	2,76 <sup>a</sup>	2,76 <sup>a</sup>	2,87 <sup>a</sup>
Capacity of fresh water tank (litres)	120	120	120	120	120	120
Number of seatbelts	4	4	4	4	4	4
Number of seats (vehicle certificate)	4	4	4	4	4	4 (3)****
Number of dining seats	4	4	5	5	5	5
Possible sleeping spaces	2+1 / 2+1+1 <sup>b</sup>	2+1 / 2+1+1 <sup>b</sup>	2+2	2+2	2+2	2+2
Type of heating (make and model)	Truma Combi 4	Truma Combi 4	Truma Combi 4	Truma Combi 4	Truma Combi 4	Truma Combi 4
Refrigerator capacity (litres)	150	150	150	150	150	150
Battery capacity (Ah)	100	100	100	100	100	100
<b>BED SIZES (mm)</b>						
Rear bed	2040 x 1350	1980 x 1350	(1980 x 800) + (2010 x 800)	1930 x 1350	1930 x 1400	1400 x 1900
Extra dinette bed	2090 x 600	2100 x 850	2100 x 1050	2100 x 1050	2100 x 1050	2100 x 1050
Drop-down bed in lounge area	750 x 2000 <sup>b</sup>	750 x 2000 <sup>b</sup>	-	-	-	1300 x 1860

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

\* OPTION (additional cost): - Fiat 2,3 - Cubic capacity (cm<sup>3</sup>): 2287, Maximum power (kw CEE): 96, DIN power: 130, Maximum torque (Nm): 320, Standard EURO 5  
- Fiat 2,3 - Cubic capacity (cm<sup>3</sup>): 2287, Maximum power (kw CEE): 109, DIN power: 148, Maximum torque (Nm): 350, Standard EURO 5  
RHD: 2,0 L not available

\*\* OPTION (additional cost): Fiat 2,3 - Cubic capacity (cm<sup>3</sup>): 2287, Maximum power (kw CEE): 109, DIN power: 148, Maximum torque (Nm): 350, Standard EURO 5

\*\*\* Heavy chassis: GVW = 4250 kg (option at additional cost)

\*\*\*\* 4 registered seats without towing capability / 3 registered seats with towing capability / GVW 3650 kg = 4 registered seats

a : Overall height = +45 mm with 16" wheels (42 Heavy)

b : Optional drop-down ceiling bed on 643 B, 646 B, electric single bed (at additional cost) (Weight = 40 kg)

Empty weight: the value shown in the catalogue based on a mechanical gearbox and entry level engines without GCW

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

# Serie 6/6FF

EQUIPMENT  
AND COMFORT

Low-profile models with special chassis, extra-wide rear track and drop down ceiling bed in option B

## LOW PROFILE

	Serie 6/6FF					
	643	646	666	690	691	691FF
<b>BODYWORK AND OPENINGS</b>						
Panels all reinforced polyester	•	•	•	•	•	•
Hail-resistant polyester roof	•	•	•	•	•	•
Champagne grey colour skirts	•	•	•	•	•	•
STYLE vehicle front (smile + foglights)	○	○	○	○	○	○
Panoramic opening cab roof	•	•	•	•	•	•
Double glazing bays with "blind / fly-screen" combination (except for the bathroom)	•	•	•	•	•	•
Panoramic bay in the bedroom	-	-	-	•	•	•
Cab door(s) with electric windows	•	•	•	•	•	•
Transparent skylights with fly-screen and blind	•	•	•	•	•	•
Skylight with interior wood trim (700 x 500)	•	•	•	•	•	•
<b>LIVING SPACE</b>						
Permanent bed with slat bed-frame and BULTEX® foam mattress	•	•	•	•	•	•
Electrically raisable unlockable living room bed (single berth 643 B, 646 B) (40 kg)	○	○	-	-	-	-
Mechanically raisable living room bed (2 berths)	-	-	-	-	-	•
Choice of high or low bed	-	-	•	-	-	-
Living room table with telescopic foot, movable forwards, backwards, sideways and rotation	•	•	•	•	•	-
Living room table with fixed foot, movable forwards, backwards, sideways and rotation	-	-	-	-	-	•
Netting to bedroom and living room bays (except front right on 690, 691, 666)	•	•	•	•	•	•
Dividing door	•	-	-	-	-	-
Flexible partition	-	•	-	•	-	-
Rigid partition	-	-	•	-	•	•
Styrofoam insulation (walls + roof + floor)	•	•	•	•	•	•
3-point safety belt(s) in the living space	2	2	2	2	2	2
15-inch flat screen TV unit (TV not supplied)	•	•	•	•	•	•
"Harmony" furniture	•	•	•	•	•	•
Choice of Cilegio or Pino Varese furniture	•	•	•	•	•	•
MODENA fabric (other fabrics as an option)	•	•	•	•	•	•
<b>KITCHEN</b>						
Embossed stainless steel sink	•	•	•	•	•	•
Embossed stainless steel cooking hob with 2 covers and piezzo ignition: number of burners	3	3	3	3	3	3
Embossed heating plate, two burner option	○	○	○	○	○	○
Chromed brass kitchen tap with ceramic cartridge	•	•	•	•	•	•
Laminated work top with solid wood moulding	•	•	•	•	•	•
Large storage space under kitchen unit (only if variant without oven)	-	•	•	-	•	•
Refrigerator with freezer compartment (150-litre AES automatic power selection)	•	•	•	•	•	•
Refrigerator grill covers (for winter use)	•	•	•	-	•	•
<b>BATHROOM</b>						
Bathroom with wooden furnishings	•	•	•	•	•	•
Independent shower	•	-	•	•	•	•
Telescopic clothes rack in the toilets	•	•	•	•	•	•
Chrome finish bathroom accessories	•	•	•	•	•	•
Stainless steel basin	•	•	•	•	•	•
Camping toilet with removable tank, telescopic handle and castors	•	•	•	•	•	•
<b>WATER</b>						
Capacity of freshwater tank (litres)	120	120	120	120	120	120
Capacity of waste water tank (litres)	90	90	90	90	90	90
<b>HEATING</b>						
TRUMA Combi 4 combined water - air heating (UK Pack : Combi 6 EH Gas + Electric)	•	•	•	•	•	•

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

○ = Option, ● = Original, - = Not available, P = Pack RAPIDO



# Serie 6/6FF

EQUIPMENT  
AND COMFORT

Low-profile models with special chassis, extra-wide rear track and drop down ceiling bed in option B

## LOW PROFILE

	Serie 6/6FF					
	643	646	666	690	691	691FF
<b>ENERGY</b>						
Semi-stationary auxiliary battery with coupler and separator (100 Ah)	•	•	•	•	•	•
Cutting transformer - charger	16A	16A	16A	16A	16A	16A
Two-pole magneto - thermal circuit breaker	•	•	•	•	•	•
Control panel with LED	•	•	•	•	•	•
Centralised Fuse box with protected "accessories" exits	•	•	•	•	•	•
External 230 V connection - internal 230 V plug	•	•	•	•	•	•
Flat screen TV space, with 12 V - coaxial pre-cabing (TV not supplied)	•	•	•	•	•	•
External lighting above the living area door	•	•	•	•	•	•
Halogen lighting	•	•	•	•	•	•
<b>CARRIER AND CAB EQUIPMENT</b>						
Daytime LED running lights (integrated into the foglight)	•	•	•	•	•	•
Engine cold start assistance (Blow-by)	•	•	•	•	•	•
Engine immobiliser	•	•	•	•	•	•
Driver's air bag	•	•	•	•	•	•
ABS braking	•	•	•	•	•	•
Original rotating cab seats with fabric to match the living area	•	•	•	•	•	•
Cab air-conditioning	•	•	•	•	•	•
Tinted windows	•	•	•	•	•	•
Cab door(s) with electric windows	•	•	•	•	•	•
Inside rear mirror	•	•	•	•	•	•
Cab curtains	•	•	•	•	•	•
Insulating suction pad shutters on the cab windows	•	•	•	•	•	•
Wheel repair kit	•	•	•	•	•	•
<b>LIVING AREA EQUIPMENT</b>						
Insulated step	•	•	•	•	•	•
Remote control locking and unlocking of doors (2 PLIP)	•	•	•	•	•	•
<b>UK PACK 2013</b>						
	<b>WEIGHT (KG)</b>					
28-litre oven with grill	14,5	PACK	PACK	PACK	PACK	PACK
Living area and cab carpet kit	11	PACK	PACK	PACK	PACK	PACK
TRUMA Combi 6 "E-H" (electrical resistance hot water and heating)	0,6	PACK	PACK	PACK	PACK	PACK
<b>LIVING AREA OPTIONS - AT EXTRA COST</b>						
	<b>WEIGHT (KG)</b>					
2 burner cooking hob	-	O	O	O	O	O
Extraction hood above the kitchen	2,5	P	P	P	P	P
Stabilising jacks at the back or in the wheelbase	5	O	O	O	O	O
Automatic inverter, enabling you to travel with the heating on	0,7	P	P	P	P	P
Reversing camera with control screen built into dashboard	2,6	O	O	O	O	O
Cab seats height adjustable		P	P	P	P	P
Compartment and cabling for 3rd battery (battery not supplied)	2	O	O	O	O	O
Living area door mosquito screen	4	O	O	O	O	O
Ladder and roof bars	4	O	O	O	O	O
GPS navigation	5	O	O	O	O	O
Insulated separate waste water tank	5	O	O	O	O	O
Drop-down insulated blind for the cab doors and sliding blind on the front cab	4,6	O	O	O	O	O
Winter exterior insulation	5	O	O	O	O	O
Dashboard with walnut burr effect	-	O	O	O	O	O
GENEVA ambiance (Alcantara®)	-	O	O	O	O	O
Standard range fabrics	-	O	O	O	O	O
Bed cover	1,6	O	O	O	O	O
<b>CARRIER OPTIONS - AT EXTRA COST</b>						
	<b>WEIGHT (KG)</b>					
MP3 PIONEER® car radio / CD player	2	P	P	P	P	P
Passenger air bag	6	P	P	P	P	P
E S P with "Traction+"	1	O	O	O	O	O
Electric de-frosting mirrors		P	P	P	P	P
Cruise control		P	P	P	P	P
2.3-litre 130 hp engine (Weight 130 hp / 115 hp)	40	O	O	S	S	S
2.3-litre 150 hp engine (Weight 150 hp / 130 hp)	3	O	O	O	O	O
Fiat MTA robotised automatic gearbox (130 hp / 150 hp)	10	O	O	O	O	O
STYLE vehicle front (smile + foglights)	-	O	O	O	O	O
Motorcycle carrier* (option weight ± 5kg)	85	O	O	-	O	-
Tow bar* (1500 kg) (option weight ± 5kg)	70	O	O	O	O	O
Motorcycle carrier + Tow bar* (option weight ± 5kg)	111	O	O	-	O	-
Chassis 35L: possibility GVW 3.650 T	-	•	•	•	•	•
Chassis 42H = GVW 4.250 T	-	-	-	O	O	O

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

\*If tow bar fitted: possible reduction in registered seats.

O = Option, • = Original, - = Not available, P = Pack RAPIDO, PACK = UK PACK (RHD)

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

# Serie 7FF


## CHARACTERISTICS AND CARRIERS BY MODEL

Low-profile models with special chassis, extra-wide rear track and drop down bed

### REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of camping-cars is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75kg), the gas bottle, fresh water (depending on model: 50 l) and fuel tanks up to 90 % of their capacity with a tolerance of +/- 5 % (in accordance with European Directive EC 92/21).

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



Engine equipment/chassis	FIAT 2,0*	FIAT 2,3**	FIAT 2,3**	FIAT 2,3** / AL-KO	FIAT 2,3** / AL-KO
Number of cylinders	4	4	4	4	4
Cubic capacity (cm <sup>3</sup> )	1956	2287	2287	2287	2287
Maximum power (kw CEE)	85	96	96	96	96
DIN power (HP)	115	130	130	130	130
At RPM	3700	3600	3600	3600	3600
Maximum torque (Nm)	280	320	320	320	320
Maximum torque rate (RPM)	1500-2500	2000-3000	2000-3000	2000-3000	2000-3000
Anti-pollution standard	Euro 5	Euro 5	Euro 5	Euro 5	Euro 5
Wheelbase (m)	3,8	4,035	4,035	4,3	4,3
Wider rear track (m)	1,98	1,98	1,98	1,98	1,98
Gross vehicle weight	3500/(3650)	3500/(3650), (or 4250)***	3500/(3650), (or 4250)***	3500/(3700), (or 4250)***	3500/(3700), (or 4250)***
Permissible GCW (Gross Combined Weight)	5000	5000	5000	5500	5500
Unladen weight (+/- 5 %)	2865	3090	3050	3130	3130
Overall length (m)	5,97	6,97	6,97	7,77	7,77
Overall width (m)	2,35	2,35	2,35	2,35	2,35
Overall "garage" width (m) with rear view mirrors open	2,76	2,76	2,76	2,76	2,76
Overall height (m) - (Tolerance +/- 3 %)	2,90	2,90 <sup>a</sup>	2,90 <sup>a</sup>	2,87 <sup>a</sup>	2,87 <sup>a</sup>
Capacity of fresh water tank (litres)	100	100	100	50/120 <sup>b</sup>	50/120 <sup>b</sup>
Number of seatbelts	4	4	4	5	5
Number of seats (vehicle certificate)	4	4 (3)****	4	4 (3/5)*****	4 (3/5)*****
Number of dining seats	6	6	6	6	6
Possible sleeping spaces	2+2	4	4	4	4
Type of heating (make and model)	Truma Combi 4	Truma Combi 4	Truma Combi 4	Truma Combi 6	Truma Combi 6
Refrigerator capacity (litres)	160	160	160	160	160
Battery capacity (Ah)	100	100	100	100	100
<b>BED SIZES (mm)</b>					
Rear bed		2010 x 1350	1980 x 1350	1980 x 800	1930 x 1400
Extra dinette bed	2100 x 1350	-	-	-	-
Drop-down bed in lounge area	1950 x 1350	1910 x 1350	1910 x 1350	1910 x 1350	1910 x 1350

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers

\* OPTION (additional cost): - Fiat 2,3 - Cubic capacity (cm<sup>3</sup>): 2287, Maximum power (kw CEE): 96, DIN power: 130, Maximum torque (Nm): 320, Standard EURO 5

- Fiat 2,3 - Cubic capacity (cm<sup>3</sup>): 2287, Maximum power (kw CEE): 109, DIN power: 148, Maximum torque (Nm): 350, Standard EURO 5

RHD: 2,0 L not available

\*\* OPTION (additional cost): - Fiat 2,3 - Cubic capacity (cm<sup>3</sup>): 2287, Maximum power (kw CEE): 109, DIN power: 148, Maximum torque (Nm): 350, Standard EURO 5

- Fiat 3,0 (766FFAL-KO, 791FF AL-KO) - Cubic capacity (cm<sup>3</sup>): 2999, Maximum power (kw CEE): 130, DIN power: 177, Maximum torque (Nm): 400, Standard EURO 5 - (requires GVW = 425 T Heavy)

\*\*\* Heavy chassis: GVW = 4250 kg (option at additional cost)

\*\*\*\* 4 registered seats with towing capability / with MTA robotised automatic gearbox = 4 registered seats without towing capability or 3 registered seats with towing capability / GVW 3650 kg = 4 registered seats

\*\*\*\*\* 4 registered seats without towing capability / 3 registered seats with towing capability / GVW 3700, 4250 kg = 5 registered seats


a : Overall height = +45 mm with 16" wheels (42 Heavy)

b : Fresh water tank can be filled up to 120 l, which results in a lower payload.

# Serie 7dF

## CHARACTERISTICS AND CARRIERS BY MODEL

Low-profile special chassis with extra-wide rear track and a double floor



Engine equipment/chassis	FIAT 2,3*	FIAT 2,3*	FIAT 2,3*
Number of cylinders	4	4	4
Cubic capacity (cm <sup>3</sup> )	2287	2287	2287
Maximum power (kw CEE)	96	96	96
DIN power (HP)	130	130	130
At RPM	3600	3600	3600
Maximum torque (Nm)	320	320	320
Maximum torque rate (RPM)	2000-3000	2000-3000	2000-3000
Anti-pollution standard	Euro 5	Euro 5	Euro 5
Wheelbase (m)	4,04	4,04	4,04
Wider rear track (m)	1,98	1,98	1,98
Gross vehicle weight	3500/(3650), (or 4250)**	3500/(3650), (or 4250)**	3500/(3650), (or 4250)**
Permissible GCW (Gross Combined Weight)	5000	5000	5000
Unladen weight (+/- 5 %)	3075	3075	3135
Overall length (m)	6,99	6,99	7,39
Overall width (m)	2,35	2,35	2,35
Overall "garage" width (m) with rear view mirrors open	2,76	2,76	2,76
Overall height (m) - (Tolerance +/- 3 %)	2,84 <sup>a</sup>	2,84 <sup>a</sup>	2,84 <sup>a</sup>
Capacity of fresh water tank (litres)	50/120 <sup>b</sup>	50/120 <sup>b</sup>	50/120 <sup>b</sup>
Number of seatbelts	4	4	4
Number of seats (vehicle certificate)	4	4	4 (3)***
Number of dining seats	4	4	5
Possible sleeping spaces	2+1	2+1	2+2
Type of heating (make and model)	Truma Combi 6 / (option ALDE)	Truma Combi 6	Truma Combi 6
Refrigerator capacity (litres)	160	160	160
Battery capacity (Ah)	100	100	100
<b>BED SIZES (mm)</b>			
Rear bed	(1980 x 800) + (1960 x 800)	2010 x 1330	1930 x 1400
Extra dinette bed	800 x 2100	950 x 2100	1050 x 2100

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers

\* OPTION (additional cost): - Fiat 2,3 - Cubic capacity (cm<sup>3</sup>): 2287, Maximum power (kw CEE): 109, DIN power: 148, Maximum torque (Nm): 350, Standard EURO 5

- Fiat 3,0 (requires GVW = 4,25 T Heavy) - Cubic capacity (cm<sup>3</sup>): 2999, Maximum power (kw CEE): 130, DIN power: 177, Maximum torque (Nm): 400, Standard EURO 5

\*\* Heavy chassis: GVW = 4250 kg (option at additional cost) (only with 148 hp / 177 hp)

\*\*\* 4 registered seats without towing capability / 3 registered seats with towing capability

a : Overall height = +45 mm with 16" wheels (42 Heavy)

b : Fresh water tank can be filled up to 120 l, which results in a lower payload.

If GVW 3650/4250 kg = 4 registered seats

# Serie 7FF-7dF

EQUIPMENT  
AND COMFORT

7FF Low-profile models with special chassis, extra-wide rear track and drop down bed  
7dF Low-profile special chassis with extra-wide rear track and a double floor

## LOW PROFILE

	Serie 7FF					Serie 7dF		
	700FF	773FF	776FF	766FF AL-KO	791FF AL-KO	766dF	783dF	791dF
<b>BODYWORK AND OPENINGS</b>								
Panels all reinforced polyester with gutter	•	•	•	•	•	•	•	•
Polyester sub-floor	-	-	-	-	-	•	•	•
Hail-resistant polyester roof	•	•	•	•	•	•	•	•
Roof covering all edges	•	•	•	•	•	•	•	•
Champagne grey colour skirts	•	•	•	•	•	-	-	-
"Metallic gray" colour on cab and skirts	-	-	-	-	-	•	•	•
STYLE vehicle front (smile + foglights)	○	○	○	○	Design	○	○	○
Panoramic opening cab roof	•	•	•	•	•	•	•	•
Double glazing bays with "blind / fly-screen" combination	•	•	•	•	•	•	•	•
Panoramic bay in the bedroom	-	-	-	-	-	-	-	•
Cab doors with electric windows	•	•	•	•	•	•	•	•
Window on living area entrance door	•	•	•	•	•	•	•	•
Transparent skylights with fly-screen and blind	•	•	•	•	•	•	•	•
Skylight with double-fold blind (700 x 500)	•	•	•	•	•	•	•	•
<b>LIVING SPACE</b>								
Permanent bed(s) with slat bed-frame and BULTEX® foam mattress	-	•	•	•	•	•	•	•
Electrically raisable unlockable living room bed (2 berths 700FF) (40 kg)	•	-	-	-	-	-	-	-
Mechanically raisable living room bed / 2 berths	-	•	•	•	•	-	-	-
Permanent bed mechanically height-adjustable from inside (= 17 cm)	-	•	-	-	-	-	•	-
Choice of high or low bed	-	-	-	•	-	-	-	-
DELUX bed head ("Design Edition" model)	-	-	-	-	Design	-	-	-
Living room table with telescopic foot, movable forwards, backwards, sideways and rotation	•	-	-	-	-	•	•	•
Living room table with fixed foot, movable forwards, backwards, sideways and rotation	-	•	•	•	•	-	-	-
Bedroom netting / ship blinds with living room bays (except for 766dF, 791dF)	•	•	•	•	•	•	•	•
Dividing door	-	-	-	-	-	-	-	-
Flexible partition	-	•	•	-	-	•	-	-
Rigid partition	-	-	-	•	•	-	-	•
Styrofoam insulation (walls + roof + floor)	•	•	•	•	•	•	•	•
3-point safety belt(s) in the living space	2	2	2	3	3	2	2	2
15-inch flat screen TV unit (TV not supplied)	•	•	•	•	•	•	•	•
"Harmony" solid wood furniture	•	•	•	•	•	•	•	•
Choice of Cilegio or Pino Varese furniture	•	•	•	•	•	•	•	•
MIAMI trim ("Design Edition" model)	○	○	○	○	Design	○	○	○
<b>DOUBLE FLOOR WITH INTERIOR AND EXTERIOR ACCESS</b>								
Second level of storage inside	-	-	-	-	-	•	•	•
<b>KITCHEN</b>								
Embossed stainless steel sink	•	•	•	•	•	•	•	•
Embossed stainless steel cooking hob with 2 covers and piezzo ignition: number of burners	3	3	3	3	3	3	3	3
2-burner hob	○	○	○	○	○	○	○	○
2nd sink with waste bin and drainer	•	-	•	•	•	-	-	•
Laminated work top with solid wood moulding	•	•	•	•	•	•	•	•
Built-in window with ambience lighting ("Design Edition" model)	-	-	-	-	Design	-	-	-
Large storage space under kitchen unit (only if variant without oven)	•	-	•	•	•	•	-	•
Refrigerator with freezer compartment (160-litre AES automatic power selection)	•	•	•	•	•	•	•	•
Extraction hood above the kitchen	•	•	•	•	•	•	•	•
Refrigerator grill covers (for winter use)	•	•	•	•	•	•	•	•
External inspection hatch (drain access, maintenance)	•	•	•	•	•	•	•	•
<b>BATHROOM</b>								
Bathroom with wooden furnishings	•	•	•	•	•	•	•	•
Shower with wooden grating	-	•	-	-	-	•	-	-
Independent shower	•	-	-	•	•	-	•	•
Extending clothes rack in the toilets	•	-	•	•	•	•	•	•
Chrome finish bathroom accessories	•	•	•	•	•	•	•	•
Stainless steel basin	•	-	•	•	•	•	•	•
White basin	-	•	-	-	-	-	-	-
Camping toilet with removable tank, telescopic handle and castors	•	•	•	•	•	•	•	•
<b>WATER</b>								
Capacity of freshwater tank (litres)	100	100	100	50/120	50/120	50/120	50/120	50/120
Capacity of waste water tank (litres)	90	90	90	90	90	90	90	90
<b>HEATING</b>								
TRUMA Combi 4/6 combined water - air heating (UK Pack : Gas + Electric)	4	4	4	6	6	6	6	6
ALDE heating	-	-	-	-	-	○	-	-

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

○ = Option, ● = Original, - = Not available, P = Pack RAPIDO



# Serie 7FF-7dF

EQUIPMENT  
AND COMFORT

7FF Low-profile models with special chassis, extra-wide rear track and drop down bed  
7dF Low-profile special chassis with extra-wide rear track and a double floor

## LOW PROFILE

	Serie 7FF					Serie 7dF			
	700FF	773FF	776FF	766FF AL-KO	791FF AL-KO	766dF	786dF	791dF	
<b>ENERGY</b>									
Semi-stationary auxiliary battery with coupler and separator (100 Ah)	•	•	•	•	•	•	•	•	
Cutting transformer - charger	16A	16A	16A	16A	16A	18A	18A	18A	
Two-pole magneto - thermal circuit breaker	•	•	•	•	•	•	•	•	
Digital control panel with instant consumption measuring	•	•	•	•	•	•	•	•	
Centralised Fuse box with protected "accessories" exits	•	•	•	•	•	•	•	•	
External 230 V connection - internal 230 V plug	•	•	•	•	•	•	•	•	
Flat screen TV space with 12 V - coaxial pre-cabling+ satellite and video (TV not supplied)	•	•	•	•	•	•	•	•	
External lighting above the living area door	•	•	•	•	•	•	•	•	
LED lighting (roof, wooden ceiling decoration, bathroom) halogen lighting under the roof and in the bedroom	•	•	•	•	•	•	•	•	
Garage lighting with portable LED light	-	•	-	-	•	•	•	•	
Lighting inside the wardrobe (except for low bed 766FF AL-KO)	•	•	•	•	•	•	•	•	
Ambience LED lighting in the bedroom and living room ("Design Edition" model)	-	-	-	-	Design	-	-	-	
Automatic inverter, enabling you to travel with the heating on	•	•	•	•	•	•	•	•	
<b>EQUIPMENT OF THE CARRIER AND CAB</b>									
Daytime LED running lights (integrated into the foglight)	•	•	•	•	•	•	•	•	
Engine cold start assistance (Blow-by)	•	•	•	•	•	•	•	•	
Engine immobiliser	•	•	•	•	•	•	•	•	
Driver's air bag	•	•	•	•	•	•	•	•	
ABS braking	•	•	•	•	•	•	•	•	
Independent rear wheel suspension	-	-	-	•	•	-	-	-	
Original rotating cab seats with fabric to match the living area	•	•	•	•	•	•	•	•	
Cab air-conditioning	•	•	•	•	•	•	•	•	
Tinted windows	•	•	•	•	•	•	•	•	
Cab doors with electric windows	•	•	•	•	•	•	•	•	
Dashboard with walnut burr effect ("Design Edition" model)	○	○	○	○	Design	○	○	○	
Carpeted floor in cab	•	•	•	•	•	•	•	•	
Electric de-frosting side mirrors	•	•	•	•	•	•	•	•	
Inside rear mirror	•	•	•	•	•	•	•	•	
Wheel repair kit	•	•	•	•	•	•	•	•	
Alloy wheels ("Design Edition" model)	-	-	-	○	Design	-	-	-	
<b>LIVING AREA EQUIPMENT</b>									
Living area door mosquito screen ("Design Edition" model)	○	○	○	○	Design	○	○	○	
Insulated step	•	•	•	•	•	•	•	•	
Stabilising jacks at the back or in the wheelbase	5 kg	•	•	•	•	•	•	•	
Remote control locking and unlocking of doors (2 PLIP)	•	•	•	•	•	•	•	•	
<b>UK PACK 2013</b>									
28-litre oven with grill	WEIGHT (KG)	14,5	PACK	PACK	PACK	PACK	PACK	PACK	PACK
Living area and cab carpet kit	9	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK
TRUMA Combi 6 "E-H" (electrical resistance hot water and heating)	0,6	PACK	PACK	PACK	PACK	PACK	PACK	PACK	PACK
<b>LIVING AREA OPTIONS - AT EXTRA COST</b>									
2-burner hob	WEIGHT (KG)	-	○	○	○	○	○	○	○
ALDE heating	-	-	-	-	-	○	-	-	
Reversing camera with control screen built into dashboard	2,6	○	○	○	○	○	○	○	
Speakers in the living area		P	P	P	P	P	P	P	
Compartment and cabling for 3rd battery (battery not supplied)	2	○	○	○	○	○	○	○	
Living area door mosquito screen	4	○	○	○	○	Design	○	○	
Ladder and roof bars	4	○	○	○	○	○	○	○	
GPS navigation	5	○	○	○	○	○	○	○	
Heat-insulating blind, leaf-type for bays and on rails in front cab	4,6	P	P	P	P	P	P	P	
External shower with hot and cold water and mixer tap	1,5	P	P	P	P	P	P	P	
Winter exterior insulation	5	○	○	○	○	○	○	○	
Dashboard with walnut burr effect	-	○	○	○	○	○	○	○	
GENEVA ambience (ALCANTARA®)	-	○	○	○	○	○	○	○	
BOSTON ambience (beige colour), MIAMI (chocolate/beige) - (LEATHER/Tep polyamide fabric)	-	○	○	○	○	○	○	○	
<b>CARRIER OPTIONS - AT EXTRA COST</b>									
MP3 car radio / CD player (PIONEER®)	WEIGHT (KG)	2	P	P	P	P	P	P	P
Passenger air bag	6	P	P	P	P	P	P	P	
E S P with "Traction+"	1	○	○	○	○	○	○	○	
Cruise control		P	P	P	P	P	P	P	
2,3-litre 150 hp engine (Weight 150 hp / 130 hp)	40	○	○	○	○	○	○	○	
3,0-litre 180 hp engine (requires Heavy model) (Weight 180 hp / 150 hp)	55	-	-	-	○	○	○	○	
Fiat MTA robotised automatic gearbox (130 HP / 150 HP / 180 HP)	10	○	○	○	○	○	○	○	
STYLE vehicle front (smile + foglights)	-	○	○	○	○	Design	○	○	
Motorcycle carrier* (option weight ± 5kg)	85	○	○	○	○	○	○	-	
Tow bar* (1500 kg) (option weight ± 5kg)	70	○	○	○	○	○	○	○	
Motorcycle carrier + Tow bar* (option weight ± 5kg)	111	○	○	○	○	○	○	-	
Chassis 35L: possibility GVW 3,650 T (3,7 T for 766FF, 791FF)	-	•	•	•	•	•	•	•	
Chassis 42H = GVW 4,250 T	-	-	○	○	○	○	○	○	

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

\*If tow bar fitted: possible reduction in registered seats.

○ = Option, ● = Original, - = Not available, P = Pack RAPIDO, PACK = UK PACK (RHD)

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.



# Serie 8F/8M


## CHARACTERISTICS AND CARRIERS BY MODEL

### Mercedes or Fiat A-Class models

#### REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of camping-cars is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75kg), the gas bottle, fresh water (depending on model: 50 l) and fuel tanks up to 90 % of their capacity with a tolerance of +/- 5 % (in accordance with European Directive EC 92/21).

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



Engine equipment/chassis	FIAT 2,3*	FIAT 2,3*	FIAT 2,3*	MB 2,2**	MB 2,2**
Number of cylinders	4	4	4	4	4
Cubic capacity (cm <sup>3</sup> )	2 287	2 287	2 287	2143	2143
Maximum power (kw CEE)	96	96	96	120	120
DIN power (HP)	130	130	130	163	163
At RPM	3600	3600	3600	3800	3800
Maximum torque (Nm)	320	320	320	360	360
Maximum torque rate (RPM)	2000-3000	2000-3000	2000-3000	1400-2400	1400-2400
Anti-pollution standard	Euro V	Euro V	Euro V	Euro 5/EEV	Euro 5/EEV
Wheelbase (m)	4,035	4,035	4,035	3,665	4,325
Gross vehicle weight	3500/(3650), (or 4250)	3500/(3650), (or 4250)	3500/(3650), (or 4250)	3500/(3880)	3500/(3880)
Permissible GCW (Gross Combined Weight)	5000	5000	5000	5300	5300
Unladen weight (+/- 5 %)	3075	3110	3130	3085	3130
Overall length (m)	6,97	6,97	7,37	6,91	7,52
Overall width (m)	2,35	2,35	2,35	2,35	2,35
Overall "garage" width (m) with rear view mirrors open	2,76	2,76	2,76	2,76	2,76
Overall height (m) - (Tolerance +/- 3 %)	2,84 <sup>a</sup>	2,84 <sup>a</sup>	2,84 <sup>a</sup>	2,82	2,82
Capacity of fresh water tank (litres)	90/50 <sup>b</sup>	120/50 <sup>b</sup>	120/50 <sup>b</sup>	90/50 <sup>b</sup>	120/50 <sup>b</sup>
Number of seatbelts	4	4	4	4	4
Number of seats (vehicle certificate)	4	4 (3)***	4 (3)***	4 (3)****	4 (3)*****
Number of dining seats	4	4	5	4	5
Possible sleeping spaces	4	4	4	4	4
Type of heating (make and model)	Truma Combi 6	Truma Combi 6	Truma Combi 6	Truma Combi 6	Truma Combi 6
Refrigerator capacity (litres)	160	160	160	160	160
Battery capacity (Ah)	100	100	100	100	100
<b>BED SIZES (mm)</b>					
Rear bed	2100 x 1330	1930 x 1350	1930 x 1400	2100 x 1330	1930 x 1400
Overcab drop-down bed	1900 x 1400	1900 x 1400	1900 x 1400	1 900 x 1400	1900 x 1400

FIAT/Mercedes chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers

\* OPTION (additional cost): - Fiat 2,3 - Cubic capacity (cm<sup>3</sup>): 2287, Maximum power (kw CEE): 109, DIN power: 148, Maximum torque (Nm): 350, Standard EURO 5

- Fiat 3,0 (requires GVW = 4,25 T Heavy) - Cubic capacity (cm<sup>3</sup>): 2999, Maximum power (kw CEE): 130, DIN power: 177, Maximum torque (Nm): 400, Standard EURO 5

\*\* OPTION: 3,0-litre - 319 - 190 HP engine Mercedes

\*\*\* 4 registered seats without towing capability / 3 registered seats with towing capability / GVW 3650, 3880, 4250 kg = 4 registered seats

\*\*\*\* 3,0 L 4 registered seats without towing capability / 3 registered seats with towing capability ; 3,0 L + automatic gearbox : 3 registered seats. GVW 3880 kg = 4 registered seats

\*\*\*\*\* 2,2 L 4 registered seats without towing capability / 3 registered seats with towing capability ; 3,0 L 3 registered seats ; 3,0 L + automatic gearbox : 3 registered seats without towing capability / 2 registered seats with towing capability. GVW 3880 kg = 4 registered seats

a : Overall height = +45 mm with 16" wheels (42 Heavy)

b : Fresh water tank can be filled up to 120 l (890F, 891F, 891M) and 90 l (883F, 883M), which results in a lower payload.

Empty weight: the value shown in the catalogue based on a mechanical gearbox and entry level engines without GCW

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

# Serie 8F/8M

EQUIPMENT  
AND COMFORT

Mercedes or Fiat A-Class models

## A-CLASS

	Serie 8F/8M				
	883F	890F	891F	883M	891M
<b>BODYWORK AND OPENINGS</b>					
Panels all reinforced polyester	•	•	•	•	•
Hail-resistant polyester roof	•	•	•	•	•
Champagne grey colour skirts	•	•	•	•	•
Double-glazed living area windows with combined "flyscreen blind" (except in the bathroom)	•	•	•	•	•
Panoramic bay in the bedroom	-	•	•	-	•
Transparent skylights with fly-screen and blind	•	•	•	•	•
Skylight (700 x 500) with interior wood facing above the dinette	•	•	•	•	•
Garage door left side	•	-	•	•	•
<b>LIVING SPACE</b>					
Permanent bed(s) with slat bed-frame and BULTEX® foam mattress	•	•	•	•	•
Jack-assisted foldaway cab bed with slatted frame and BULTEX® foam mattress	•	•	•	•	•
Living room table with fixed foot, movable forwards, backwards, sideways and rotation	•	•	•	•	•
Netting to bedroom and living room bays	•	•	•	•	•
Rigid partition or partition door	•	-	•	•	•
Flexible partition	-	•	-	-	-
Styrofoam insulation (walls + roof + floor)	•	•	•	•	•
3-point safety belt(s) in the living space	•	•	•	•	•
Remote control locking and unlocking of the living area and driver's doors (2 PLIPS)	•	•	•	•	•
15-inch flat screen TV unit (TV not supplied)	•	•	•	•	•
HARMONY furniture, with a choice of Cilegio or Pino Varese trim	•	•	•	•	•
Insulated step	•	•	•	•	•
<b>DOUBLE FLOOR WITH INTERIOR AND EXTERIOR ACCESS</b>					
Second level of storage inside	•	•	•	-	-
<b>KITCHEN</b>					
Embossed stainless steel sink	•	•	•	•	•
Embossed stainless steel 3-burner cooking hob with 2 covers and piezzo ignition	•	•	•	•	•
2-burner hob	○	○	○	○	○
Chromed brass kitchen tap with ceramic cartridge	•	•	•	•	•
Laminated work top with solid wood moulding on the front	•	•	•	•	•
Refrigerator with freezer compartment (160-litre AES automatic energy selection)	•	•	•	•	•
Refrigerator grill covers (for winter use)	•	•	•	•	•
MODENA fabric (other fabrics as an option)	•	•	•	•	•
<b>BATHROOM</b>					
Bathroom with wooden furnishings	•	•	•	•	•
Separate shower	•	•	•	•	•
Laundry line	•	•	•	•	•
Chrome finish bathroom accessories	•	•	•	•	•
Stainless steel basin	•	•	•	•	•
Camping toilet with removable tank, telescopic handle and castors	•	•	•	•	•
<b>WATER</b>					
Capacity of freshwater tank (litres)	90/50	120	120	90/50	120/50
Capacity of waste water tank (litres)	120	120	120	100	100
<b>HEATING</b>					
TRUMA Combi 6 EH combined water - air heating (UK Pack : Gas + Electric)	•	•	•	•	•

Fiat / Mercedes chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

○ = Option, ● = Original, - = Not available, P = Pack RAPIDO



# Serie 8F/8M

EQUIPMENT  
AND COMFORT

Mercedes or Fiat A-Class models

## A-CLASS

	Serie 8F/8M				
	883F	890F	891F	883M	891M
<b>ENERGY</b>					
Semi-stationary auxiliary battery with coupler and separator (100 Ah)	•	•	•	•	•
Cutting transformer - charger 16 A	•	•	•	•	•
Two-pole magneto - thermal circuit breaker	•	•	•	•	•
Control panel with LED	•	•	•	•	•
Centralised Fuse box with protected "accessories" exits	•	•	•	•	•
External 230 V connection - internal 230 V plug	•	•	•	•	•
TV cabinet with support bracket and 12V - coaxial pre-cabing	•	•	•	•	•
External lighting above the living area door	•	•	•	•	•
Halogen lighting	•	•	•	•	•
<b>EQUIPMENT OF THE CARRIER AND CAB</b>					
Fog lights + daytime driving light (in the fog lights)	•	•	•	•	•
Engine cold start assistance (Blow-by)	•	•	•	•	•
Engine immobiliser	•	•	•	•	•
Driver's air bag	•	•	•	•	•
ABS braking	•	•	•	•	•
Mercedes 8M: ABS / ASR / ESP	-	-	-	•	•
Original (FIAT) rotating cab seats with fabric to match the living area and built-in seat belts	•	•	•	•	•
Cab air-conditioning	•	•	•	•	•
Tinted windows	•	•	•	•	•
Cab doors with electric windows	•	•	•	•	•
Heat-insulating blind on rails in front cab	•	•	•	•	•
Mechanical sunshades	•	•	•	•	•
Wheel repair kit	•	•	•	•	•
<b>LIVING AREA EQUIPMENT</b>					
Insulated step	•	•	•	•	•
<b>UK PACK 2013</b>					
	WEIGHT (KG)				
28-litre oven with grill	14,5	PACK	PACK	PACK	PACK
Living area and cab carpet kit	11	PACK	PACK	PACK	PACK
TRUMA Combi 6 "E-H" (electrical resistance hot water and heating)	0,6	PACK	PACK	PACK	PACK
<b>LIVING AREA OPTIONS - AT EXTRA COST</b>					
	WEIGHT (KG)				
2 burner cooking hob	-	O	O	O	O
Double gas regulator (for two bottles), enabling you to use the gas heating while travelling		P	P	P	P
Reversing camera with control screen built into dashboard	2,6	O	O	O	O
Height-adjustable cab seats (8F)		P	P	P	-
Extraction hood above the kitchen	2,5	P	P	P	P
Isolated waste water tank	5	O	O	O	O
Compartment and cabling for 3rd battery (battery not supplied)	2	O	O	O	O
Living area door mosquito screen	4	O	O	O	O
Ladder and roof rack	4	O	O	O	O
GPS navigation	5	O	O	O	O
Winter exterior insulation	5	O	O	O	O
Standard range fabrics	-	O	O	O	O
Bed cover	1,6	O	O	O	O
<b>CARRIER OPTIONS - AT EXTRA COST</b>					
	WEIGHT (KG)				
MP3 car radio / CD player (PIONEER®)	2	P	P	P	P
Passenger air bag	6	P	P	P	P
ESP	-	O	O	O	•
Electric de-frosting mirrors		P	P	P	P
Cruise control (FIAT) / Tempomat (Mercedes)		P	P	P	P
Reinforced rear suspension, possibility GVW 3,5T or 3,88T (8M)		-	-	-	P
FIAT: 2,3-litre 150 hp engine (Weight 150 hp / 130 hp)	3	O	O	O	-
Mercedes: V6 3,0-litre 190 hp engine*	40	-	-	-	O
FIAT: MTA robotised automatic gearbox (130 hp / 150 hp / 180 hp)*	10	O	O	O	-
Mercedes automatic gearbox*	40	-	-	-	O
Stabilising jacks at the back or in the wheelbase		O	O	O	O
Motorcycle carrier* (weight option ± 5kg)	85	O	O	-	O
Tow bar* (1500 kg) (weight option ± 5kg)	70	O	O	O	O
Motorcycle carrier + Tow bar* (option weight ± 5kg)	111	O	O	-	O
Chassis 35L: possibility for GVW 3,650 T (8F)	-	•	•	•	-

Fiât / Mercedes chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

\*Possible reduction in registered seats.

O = Option, • = Original, - = Not available, P = Pack RAPIDO, PACK = UK PACK (RHD)

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.



# Serie 9dF

## CHARACTERISTICS AND CARRIERS BY MODEL

### A-Class special chassis with extra-wide rear track and technical double floor

#### REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of camping-cars is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75kg), the gas bottle, fresh water (depending on model: 50 l) and fuel tanks up to 90 % of their capacity with a tolerance of +/- 5 % (in accordance with European Directive EC 92/21).

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



Engine equipment/chassis	FIAT 2,3*	FIAT 2,3*	FIAT 2,3**	FIAT 2,3**	FIAT 2,3**
Number of cylinders	4	4	4	4	4
Cubic capacity (cm <sup>3</sup> )	2287	2287	2287	2287	2287
Maximum power (kw CEE)	96	96	96	96	96
DIN power (HP)	130	130	130	130	130
At RPM	3600	3600	3600	3600	3600
Maximum torque (Nm)	320	320	320	320	320
Maximum torque rate (RPM)	2000-3000	2000-3000	2000-3000	2000-3000	2000-3000
Anti-pollution standard	Euro 5	Euro 5	Euro 5	Euro 5	Euro 5
Wheelbase (m)	3,45	3,8	4,04	4,04	4,04
Wider rear track (m)	1,98	1,98	1,98	1,98	1,98
Gross vehicle weight	3500	3500/(3650)***	3500/(3650), (or 4250)***	3500/(3650), (or 4250)***	3500/(3650), (or 4250)***
Permissible GCW (Gross Combined Weight)	5000	5000	5000	5000	5000
Unladen weight (+/- 5 %)	3010	3120	3140	3140	3150
Overall length (m)	5,99	6,49	6,99	6,99	7,39
Overall width (m)	2,35	2,35	2,35	2,35	2,35
Overall "garage" width (m) with rear view mirrors open	2,76	2,76	2,76	2,76	2,76
Overall height (m) - (Tolerance +/- 3 %)	2,84 <sup>a</sup>	2,84 <sup>a</sup>	2,84 <sup>a</sup>	2,84 <sup>a</sup>	2,84 <sup>a</sup>
Capacity of fresh water tank (litres)	120	120	50/120 <sup>b</sup>	50/120 <sup>b</sup>	50/120 <sup>b</sup>
Number of seatbelts	4	4	4	4	4
Number of seats (vehicle certificate)	4	4 (3)****	4 (3)****	4 (3)****	4 (3)****
Number of dining seats	4	4	4	4	5
Possible sleeping spaces	4	4	4	4	4
Type of heating (make and model)	Truma Combi 6	Truma Combi 6	Truma Combi 6 / (option ALDE)	Truma Combi 6	Truma Combi 6
Refrigerator capacity (litres)	100/106	160	160	160	160
Battery capacity (Ah)	100	100	100	100	100
<b>BED SIZES (mm)</b>					
Rear bed	2030 x 1300	1980 x 1350	(1980 x 800) + (1960 x 800)	2010 x 1330	1930 x 1400
Overcab drop-down bed	1900 x 1400	1900 x 1400	1900 x 1400	1900 x 1400	1900 x 1400

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers

\* OPTION (additional cost): Fiat 2,3 - Cubic capacity (cm<sup>3</sup>): 2287, Maximum power (kw CEE): 109, DIN power: 148, Maximum torque (Nm): 350, Standard EURO 5

\*\* OPTION (additional cost):

- Fiat 2,3 - Cubic capacity (cm<sup>3</sup>): 2287, Maximum power (kw CEE): 109, DIN power: 148, Maximum torque (Nm): 350, Standard EURO 5

- Fiat 3,0 (requires GVW = 4,25 T Heavy) - Cubic capacity (cm<sup>3</sup>): 2999, Maximum power (kw CEE): 130, DIN power: 177, Maximum torque (Nm): 400, Standard EURO 5

\*\*\* GVW = 3650 kg (946dF, 966dF, 983dF, 991dF) / Heavy chassis: GVW = 4250 kg (option at additional cost ; only with 148 hp / 177 hp) (966dF, 983dF, 991dF)

\*\*\*\* 4 registered seats without towing capability / 3 registered seats with towing capability

a : Overall height = +50mm with 16" wheels (42 Heavy)

b : Fresh water tank can be filled up to 120 l, which results in a lower payload.

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.



# Serie 9dF

EQUIPMENT  
AND COMFORT

A-Class special chassis with extra-wide rear track and technical double floor

## A-CLASS

	Serie 9dF				
	903dF	946dF	966dF	989dF	991dF
<b>BODYWORK AND OPENINGS</b>					
Hail-resistant polyester roof covering all edges	•	•	•	•	•
Polyester sub-floor	•	•	•	•	•
Panels all reinforced polyester	•	•	•	•	•
Champagne grey colour skirts and rear pillars	•	•	•	•	•
Double glazing bays with "blind / fly-screen" combination	•	•	•	•	•
Cab door with electric window	•	•	•	•	•
Transparent skylights with fly-screen and blind	•	•	•	•	•
Window on living area entrance door	•	•	•	•	•
Living room entrance door with window and 2-point locking	•	•	•	•	•
Skylight double fold blind with interior wood trim (960 x 655)	•	•	•	•	•
<b>LIVING SPACE</b>					
Permanent bed(s) with slat bed-frame and BULTEX® foam mattress	•	•	•	•	•
Permanent bed mechanically height-adjustable from inside (= 17 cm)	•	-	-	•	-
Permanent bed with tilt adjustable head sections	-	-	•	-	•
Jack-assisted foldaway cab bed with slatted frame and BULTEX® foam mattress	•	•	•	•	•
Living room table with fixed foot, movable forwards, backwards, sideways and rotation	•	•	•	•	•
Bedroom netting / ship blinds with living room bays	•	•	•	•	•
Dividing door	-	-	-	•	-
Flexible partition	•	•	•	-	-
Rigid partition	-	-	-	-	•
Styrofoam insulation (walls + roof + floor)	•	•	•	•	•
3-point safety belt(s) in the living space	2	2	2	2	2
15-inch flat screen TV unit (TV not supplied)	•	•	•	•	•
"Harmony" solid wood furniture	•	•	•	•	•
Choice of Cilegio or Pino Varese furniture	•	•	•	•	•
<b>DOUBLE FLOOR WITH INTERIOR AND EXTERIOR ACCESS</b>					
Heated technical double floor heated with thermal insulation	•	•	•	•	•
Level of storage inside	-	•	•	•	•
<b>KITCHEN</b>					
Embossed stainless steel sink	•	•	•	•	•
Embossed stainless steel 3-burner cooking hob with 2 covers and piezzo ignition	-	•	•	•	•
2-burner hob	•	○	○	○	○
2nd sink with waste bin and drainer	-	•	•	-	•
Laminated work top with solid wood moulding	•	•	•	•	•
Refrigerator (106 L (removable freezer), AES automatic)	•	-	-	-	-
Refrigerator with freezer compartment (160-litre AES automatic energy selection)	-	•	•	•	•
Extraction hood above the kitchen	•	•	•	•	•
Refrigerator grill covers (for winter use)	•	•	•	•	•
External inspection hatch (drain access, maintenance)	•	•	•	•	•
<b>BATHROOM</b>					
Bathroom with wooden furnishings	•	•	•	•	•
Separate shower	-	-	-	•	•
Wooden grating	•	-	•	-	-
Chrome finish bathroom accessories	•	•	•	•	•
Extending clothes rack in the toilets	-	•	•	•	•
Stainless steel basin	-	•	•	•	•
White basin	•	-	-	-	-
Camping toilet with removable tank, telescopic handle and castors	•	•	•	•	•
<b>WATER</b>					
Capacity of freshwater tank (litres)	120	120	50/120	50/120	50/120
Capacity of waste water tank (litres)	90	90	90	90	90
<b>HEATING</b>					
TRUMA Combi 6 combined water - air heating (UK Pack: EH: Gas + Electric)	•	•	•	•	•
ALDE heating	-	-	○	-	-

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.  
Fresh water tank can be filled up to 120 l, which results in a lower payload.

○ = Option, ● = Original, - = Not available, P = Pack RAPIDO



# Serie 9dF

EQUIPMENT  
AND COMFORT

A-Class special chassis with extra-wide rear track and technical double floor

## A-CLASS

		Serie 9dF				
		903dF	946dF	966dF	989dF	991dF
<b>ENERGY</b>						
Semi-stationary auxiliary battery with coupler and separator (100 Ah)		•	•	•	•	•
Cutting transformer - charger		18A	18A	18A	18A	18A
Two-pole magneto - thermal circuit breaker		•	•	•	•	•
Digital control panel with instant consumption measuring		•	•	•	•	•
Centralised Fuse box with protected "accessories" exits		•	•	•	•	•
External 230 V connection - internal 230 V plug		•	•	•	•	•
Flat screen TV space with 12 V - coaxial pre-cabling+ satellite and video (TV not supplied)		•	•	•	•	•
LED external lighting above the living area door		•	•	•	•	•
LED living area lighting		•	•	•	•	•
Garage lighting with portable LED light		•	-	•	•	•
Lighting inside the wardrobe		•	•	•	•	•
Automatic inverter, enabling you to travel with the heating on		•	•	•	•	•
<b>CARRIER AND CAB EQUIPMENT</b>						
Engine cold start assistance (Blow-by)		•	•	•	•	•
Engine immobiliser		•	•	•	•	•
Driver's air bag		•	•	•	•	•
ABS braking		•	•	•	•	•
Original rotating cab seats with fabric to match the living area and built-in seat belts		•	•	•	•	•
Cab door with automobile handle		•	•	•	•	•
Cab air-conditioning		•	•	•	•	•
Tinted windows		•	•	•	•	•
Cab doors with electric windows		•	•	•	•	•
Carpeted floor in cab		•	•	•	•	•
Electric, external rear view, de-icing double view mirrors		•	•	•	•	•
Heat-insulating blind on rails in front cab		•	•	•	•	•
Mechanical wind-down sunshade		•	•	•	•	•
Wheel repair kit		•	•	•	•	•
Fog lights + daytime running light (in the fog lights)		•	•	•	•	•
<b>LIVING AREA EQUIPMENT</b>						
Insulated step		•	•	•	•	•
Stabilising jacks		•	•	•	•	•
Remote control locking and unlocking of doors (2 PLIPS)		•	•	•	•	•
<b>UK PACK 2013</b>		<b>WEIGHT (KG)</b>				
28-litre oven with grill	14,5	PACK	PACK	PACK	PACK	PACK
Living area and cab carpet kit	9	PACK	PACK	PACK	PACK	PACK
TRUMA Combi 6 "EH" (electrical resistance hot water and heating)	0,6	PACK	PACK	PACK	PACK	PACK
<b>LIVING AREA OPTIONS - AT EXTRA COST</b>		<b>WEIGHT (KG)</b>				
2-burner hob	-	O	O	O	O	O
Reversing camera with control screen built into dashboard	2,6	O	O	O	O	O
Compartment and cabling for 3rd battery (battery not supplied)	2	O	O	O	O	O
Living area door mosquito screen	4	O	O	O	O	O
Ladder and cross-beams for roof rack	10	O	O	O	O	O
GPS navigation	5	O	O	O	O	O
Double-glazed side bays in cab	10	O	O	O	O	O
Additional cab heating	6,5	O	O	O	O	O
External shower with hot and cold water and mixer tap	1,5	P	P	P	P	P
Winter exterior insulation	5	O	O	O	O	O
Dashboard with walnut burr effect	-	O	O	O	O	O
GENEVA ambiance (ALCANTARA®)	-	O	O	O	O	O
BOSTON ambiance (beige colour), MIAMI (chocolate/beige) - (LEATHER/TEP polyamide fabric)	-	O	O	O	O	O
<b>CARRIER OPTIONS - AT EXTRA COST</b>		<b>WEIGHT (KG)</b>				
MP3 car radio / CD player (PIONEER®)	2	P	P	P	P	P
Passenger air bag	6	P	P	P	P	P
E S P with "Traction+"	1	O	O	O	O	O
Cruise control		P	P	P	P	P
2,3-litre 150 hp engine (Weight 150 hp / 130 hp)	3	O	O	O	O	O
3,0-litre 180 hp engine (requires Heavy model) (Weight 180 hp / 150 hp)	55	O	O	O	O	O
Fiat MTA robotised automatic gearbox (130 hp / 150 hp / 180 hp)	10	O	O	O	O	O
Motorcycle carrier* (weight option ± 5kg)	85	O	O	O	O	-
Tow bar* (1500 kg) (weight option ± 5kg)	70	O	O	O	O	O
Motorcycle carrier + Tow bar* (weight option ± 5kg)	111	O	O	O	O	-
Chassis 35L: possibility for GVW 3.650 T	-	-	•	•	•	•
Chassis 42H = 4,250 T GVW	-	-	-	O	O	O

\*Please note : possible reduction in registered seats.

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

O = Option, • = Original, - = Not available, P = Pack RAPIDO, PACK = UK PACK (RHD)

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

# Serie 90dF-FH


## CHARACTERISTICS AND CARRIERS BY MODEL

Fiat AL-KO A-Class double floor models with extra-wide rear track and independent wheel suspension

### REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of camping-cars is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75kg), the gas bottle, fresh water (depending on model: 50 l) and fuel tanks up to 90 % of their capacity with a tolerance of +/- 5 % (in accordance with European Directive EC 92/21).

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



Engine equipment/chassis	FIAT 2,3*	FIAT 2,3*	FIAT 2,3*
Number of cylinders	4	4	4
Cubic capacity (cm <sup>3</sup> )	2287	2287	2287
Maximum power (kw CEE)	96	96	96
DIN power (HP)	130	130	130
At RPM	3600	3600	3600
Maximum torque (Nm)	320	320	320
Maximum torque rate (RPM)	2000-3000	2000-3000	2000-3000
Anti-pollution standard	Euro 5	Euro 5	Euro 5
Wheelbase (m)	3,8	4,3	4,04
Wider rear track (m)	1,98	1,98	1,98
Gross vehicle weight	3500/(3700), 4250**	3500/(3700), 4250**	3500/(3700), 4250**
Permissible GCW (Gross Combined Weight)	5500	5500	5500
Unladen weight (+/- 5 %)	3100	3190	3140
Overall length (m)	6,49	7,39	6,99
Overall width (m)	2,35	2,35	2,35
Overall "garage" width (m) with rear view mirrors open	2,76	2,76	2,76
Overall height (m) - (Tolerance +/- 3 %)	2,86 <sup>a</sup>	2,86 <sup>a</sup>	2,86 <sup>a</sup>
Capacity of fresh water tank (litres)	120 <sup>b</sup> /50	120 <sup>b</sup> /50	120 <sup>b</sup> /50
Number of seatbelts	4	4	4
Number of seats (vehicle certificate)	4	3 (2) <sup>c</sup>	4 (3) <sup>d</sup>
Number of dining seats	8	5	5
Possible sleeping spaces	2+2	4	4
Type of heating (make and model)	Truma Combi 6	Truma Combi 6 / (option ALDE)	Truma Combi 6
Refrigerator capacity (litres)	160	160	160
Battery capacity (Ah)	100	100	100
<b>BED SIZES (mm)</b>			
Rear bed	-	(1980 x 800) + (1885 x 800)	2100 x 1410
Dinette bed	2100 x 1600	-	-
Overcab drop-down bed	1900 x 1400	1900 x 1400	1900 x 1400

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers

\* OPTION (additional cost):

- Fiat 2,3 - Cubic capacity (cm<sup>3</sup>) : 2287, Maximum power (kw CEE) : 109, DIN power : 148, Maximum torque (Nm) : 350, Standard EURO 5

- Fiat 3,0 (requires GVW = 4,25 T Heavy) - Cubic capacity (cm<sup>3</sup>) : 2999, Maximum power (kw CEE) : 130, DIN power : 177, Maximum torque (Nm) : 400, Standard EURO 5

\*\* Heavy chassis: GVW = 4250 kg (option at additional cost) (only with 148 hp / 177 hp) 4 registered seats

GVW 3700 kg = 4 registered seats

a : Overall height +50mm with 16" wheels (42 Heavy)

# Serie 90dF-FH

## CHARACTERISTICS AND CARRIERS BY MODEL

Fiat AL-KO A-Class double floor models with extra-wide rear track and independent wheel suspension



9090dF

9092dF

9002dFH

Engine equipment/chassis	FIAT 2,3*	FIAT 2,3*	FIAT 2,3*
Number of cylinders	4	4	4
Cubic capacity (cm <sup>3</sup> )	2287	2287	2287
Maximum power (kw CEE)	96	96	109
DIN power (HP)	130	130	148
At RPM	3600	3600	3600
Maximum torque (Nm)	320	320	350
Maximum torque rate (RPM)	2000-3000	2000-3000	1500-2500
Anti-pollution standard	Euro 5	Euro 5	Euro 5
Wheelbase (m)	4,3	4,3	4,7
Wider rear track (m)	1,98	1,98	1,98
Gross vehicle weight	3500/(3700), 4250**	3500/(3700), 4250**	4250
Permissible GCW (Gross Combined Weight)	5500	5500	6000
Unladen weight (+/- 5 %)	3190	3190	3750
Overall length (m)	7,39	7,39	7,99
Overall width (m)	2,35	2,35	2,35
Overall "garage" width (m) with rear view mirrors open	2,76	2,76	2,76
Overall height (m) - (Tolerance +/- 3 %)	2,86 <sup>a</sup>	2,86 <sup>a</sup>	2,89
Capacity of fresh water tank (litres)	120 <sup>b</sup> /50	120 <sup>b</sup> /50	190
Number of seatbelts	4	4	5
Number of seats (vehicle certificate)	3 (2) <sup>c</sup>	3 (2) <sup>c</sup>	5
Number of dining seats	5	5	7
Possible sleeping spaces	4	4	4+2
Type of heating (make and model)	Truma Combi 6 / (option ALDE)	Truma Combi 6 / (option ALDE)	ALDE
Refrigerator capacity (litres)	160	160	160
Battery capacity (Ah)	100	100	100
<b>BED SIZES (mm)</b>			
Rear bed	1930 x 1380	1930 x 1380	1930 x 1380
Dinette bed	-	-	-
Overcab drop-down bed	1900 x 1400	1900 x 1400	1900 x 1400

b : Fresh water tank can be filled up to 120 l, which results in a lower payload.

c : 9066/9090/9092 : 3 registered seats without towing capability / 2 registered seats with towing capability

d : 9083 : 4 registered seats without towing capability / 3 registered seats with towing capability

# Serie 90dF-FH

EQUIPMENT  
AND COMFORT

Fiat AL-KO A-Class / double floor models with extra-wide rear track  
and independent wheel suspension

## A-CLASS

	Serie 90dF AL-KO double floor					
	9048dF	9066dF	9083dF	9090dF	9092dF	9002dFH
<b>BODYWORK AND OPENINGS</b>						
Hail-resistant polyester roof covering all edges	●	●	●	●	●	●
Panels all reinforced polyester	●	●	●	●	●	●
Polyurethane body structure (walls / roof / floor)	●	●	●	●	●	●
Polyester sub-floor	●	●	●	●	●	●
Champagne grey colour skirts and rear pillars	●	●	●	●	●	●
Double glazing bays with "blind / fly-screen" combination	●	●	●	●	●	●
Panoramic bay in the bedroom (800 x 1000)	-	-	-	●	●	-
Cab door(s) with electric windows	●	●	●	●	●	●
Transparent skylights with fly-screen and blind	●	●	●	●	●	●
Fixed bay on living area entrance door	●	●	●	●	●	●
Central locking of opening bays (except bay 800 x 1000)	●	●	●	●	●	●
Skylight double fold blind with interior wood trim	●	●	●	●	●	●
<b>LIVING SPACE</b>						
Permanent bed(s) with slat bed-frame and BULTEX® foam mattress	-	●	●	●	●	●
Permanent bed mechanically height-adjustable from inside (= 17 cm)	-	-	●	-	-	-
Permanent bed with tilt-adjustable head sections	-	●	-	●	●	●
Jack-assisted foldaway cab bed with slatted frame and BULTEX® foam mattress	●	●	●	●	●	●
Electric cab bed with electric sunshade	-	-	-	-	-	●
Choice of high or low bed (except for ALDE = low beds)	-	●	-	-	-	-
130mm-thick BULTEX® mattress with memory foam top	-	-	-	●	●	●
DELUX bed head ("Design Edition" model)	-	-	-	Design	Design	-
Living room table with fixed foot, movable forwards, backwards, sideways and rotation (except for 9048dF, 9002dFH with double telescopic feet)	-	●	●	●	●	-
Bedroom netting / ship blinds with living room bays	●	●	●	●	●	●
Specific bedroom trim (netting, door and furniture coverings)	-	-	-	●	●	●
Dividing door	-	●	-	●	-	-
Rigid partition	-	●	●	●	●	●
Styrofoam insulation (walls + roof + floor)	●	●	●	●	●	●
3-point safety belt(s) in the living space	2	2	2	2	2	3
15-inch flat screen TV unit (TV not supplied)	●	●	●	●	●	●
ELEGANCE furniture with solid maple moulding and back-lit cubby (storage compartments)	●	●	●	●	●	●
ELEGANCE DELUX furniture ("Design Edition" model) with varnished maple doors	-	-	-	Design	Design	-
DELUX trim ("Design Edition" model series) (option on other models)	○	○	○	Design	Design	○
<b>DOUBLE FLOOR WITH INTERIOR AND EXTERIOR ACCESS</b>						
3rd level locker	●	●	●	●	●	●
<b>KITCHEN</b>						
Embossed stainless steel sink	●	●	●	●	●	●
Embossed stainless steel 3-burner cooking hob with 2 covers and piezzo ignition	●	●	●	●	●	●
2-burner hob	○	○	○	○	○	○
2nd sink with waste bin and drainer	●	●	●	●	●	●
Laminated work top with solid wood moulding	●	●	●	●	●	●
Window surround	●	●	●	●	●	●
Window surround with ambience lighting ("Design Edition" model)	-	-	-	Design	Design	-
Refrigerator with freezer compartment (160-litre AES automatic energy selection)	●	●	●	●	●	●
Extraction hood above the kitchen	●	●	●	●	●	●
Refrigerator grill covers (for winter use)	●	●	●	●	●	●
External inspection hatch (drain access, maintenance)	●	●	●	●	●	●
<b>BATHROOM</b>						
Bathroom with wooden furnishings	●	●	●	●	●	●
Independent shower	-	●	●	●	●	●
New bathroom with double partition door	-	●	-	●	-	-
Wooden grating	-	-	-	-	●	●
Laundry line	●	●	●	●	-	-
Chrome finish bathroom accessories	●	●	●	●	●	●
Stainless steel basin	●	●	●	●	●	●
Camping toilet with removable tank, telescopic handle and castors	●	●	●	●	●	●
<b>WATER</b>						
Capacity of freshwater tank (litres)	50/120	50/120	50/120	50/120	50/120	190
Capacity of waste water tank (litres)	100	100	100	100	100	100
External shower with hot and cold water and mixer tap	●	●	●	●	●	●
<b>HEATING</b>						
TRUMA Combi 6 EH combined water - air heating (UK Pack : Gas + Electric)	●	●	●	●	●	-
"ALDE Comfort Plus Arctic" central heating with FROST Control + bedroom temperature control	-	○ / Low beds	-	○	○	●

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.  
Fresh water tank can be filled up to 120 l, which results in a lower payload.

○ = Option, ● = Original, - = Not available



# Serie 90dF-FH

EQUIPMENT  
AND COMFORT

Fiat AL-KO A-Class double floor models with extra-wide rear track and independent wheel suspension

## A-CLASS

		Serie 90dF AL-KO double floor					
		9048dF	9066dF	9083dF	9090dF	9092dF	9002dFH
<b>ENERGY</b>							
Semi-stationary auxiliary battery with coupler and separator (100 Ah)		•	•	•	•	•	•
Compartment and 3rd battery		○	○	○	○	○	•
Pre-cabling for fuel cell		-	-	-	-	-	•
Cutting transformer - charger		16A	16A	16A	16A	16A	16A
Two-pole magneto - thermal circuit breaker		•	•	•	•	•	•
Digital control panel with instant consumption measuring		•	•	•	•	•	•
Centralised Fuse box with protected "accessories" exits		•	•	•	•	•	•
External 230 V connection - internal 230 V plug		•	•	•	•	•	•
5V USB port in the bedroom		•	•	•	•	•	•
Flat screen TV space with 12 V - coaxial pre-cabling+ satellite and video (TV not supplied)		•	•	•	•	•	•
Pre-cabling for 2nd TV in the bedroom		-	-	-	-	-	•
Speakers in the living area		•	•	•	•	•	•
LED external lighting above the living area door		•	•	•	•	•	•
LED living area lighting		•	•	•	•	•	•
Garage lighting with portable LED light		-	•	•	•	•	•
Lighting inside the wardrobe		•	•	•	•	•	•
Ambience LED lighting in the bedroom and living room ("Design Edition" model)		-	-	-	Design	Design	•
Automatic inverter, enabling you to travel with the heating on		•	•	•	•	•	•
<b>CARRIER AND CAB EQUIPMENT</b>							
Cruise control		•	•	•	•	•	•
Engine cold start assistance (Blow-by)		•	•	•	•	•	•
Engine immobiliser		•	•	•	•	•	•
Passenger + Driver's air bag		•	•	•	•	•	•
ABS braking		•	•	•	•	•	•
Original rotating cab seats with fabric to match the living area and built-in seat belts		•	•	•	•	•	•
Cab door with automobile handle		•	•	•	•	•	•
Cab air-conditioning		•	•	•	•	•	•
Tinted windows		•	•	•	•	•	•
Cab door(s) with electric windows		•	•	•	•	•	•
Reversing camera control screen built into dashboard		•	•	•	•	•	•
PIONEER® Multimedia car radio 2DIN DVD DIVX MP3		•	•	•	•	•	•
Dashboard with walnut burr effect ("Design Edition" model) (option on other models)		○	○	○	Design	Design	○
Carpeted floor in cab		•	•	•	•	•	•
Electric, external rear view, de-icing double view mirrors		•	•	•	•	•	•
Heat-insulating blind on rails in front cab		•	•	•	•	•	•
Mechanical wind-down sunshade / electric on the 9002dFH		•	•	•	•	•	•
Wheel repair kit		•	•	•	•	•	•
Fog lights + LED design daytime running lighting		•	•	•	•	•	•
Alloy wheels 15" ("Design Edition" model) (16" 9002dFH)		○	○	○	Design	Design	○
<b>LIVING AREA EQUIPMENT</b>							
Reversing camera		•	•	•	•	•	•
Living area door mosquito screen		•	•	•	•	•	•
Electric retractable step		•	-	-	-	-	-
Insulated step		•	•	•	•	•	•
Rear stabilising jacks		•	•	•	•	•	•
Remote control locking and unlocking of doors (2 PLIPS)		•	•	•	•	•	•
<b>UK PACK 2013</b>		<b>WEIGHT (KG)</b>					
28-litre oven with grill	14,5	PACK	PACK	PACK	PACK	PACK	PACK
Living area carpet kit	9	PACK	PACK	PACK	PACK	PACK	PACK
TRUMA Combi 6 "EH" (electrical resistance hot water and heating)	0,6	PACK	PACK	PACK	PACK	PACK	PACK
<b>LIVING AREA OPTIONS - AT EXTRA COST</b>		<b>WEIGHT (KG)</b>					
2-burner hob	-	○	○	○	○	○	○
Compartment and cabling for 3rd battery (battery not supplied)	2,6	○	○	○	○	○	•
A-class without cab bed, with table leg retractable for bed position	0	-	-	-	-	-	○
Electric bed and electric sunshade	2,5 + 2	○	○	○	○	○	•
Ladder and cross-beams for roof rack	10	○	○	○	○	○	○
GPS navigation	5	○	○	○	○	○	○
Double-glazed side bays in cab	10	○	○	○	○	○	○
ALDE heating + Floor heating in living area	67	-	○ / Low beds	-	○	○	-
Floor heating in living area (ALDE heating standard)	7	-	-	-	-	-	○
Additional cab heating	6,5	○	○	○	○	○	○
Winter exterior insulation	5	○	○	○	○	○	○
Dashboard with walnut burr effect ("Design Edition" series)	-	○	○	○	○	○	○
FASHION furniture (varnished, with solid maple wood)	-	○	○	○	○	○	○
GENEVA ambience (ALCANTARA®)	-	○	○	○	○	○	○
BOSTON ambience (beige colour), MIAMI (chocolate/beige) - (LEATHER/Top polyamide fabric)	-	○	○	○	○	○	○
<b>CARRIER OPTIONS - AT EXTRA COST</b>		<b>WEIGHT (KG)</b>					
E S P with "Traction+"	1	○	○	○	○	○	-
2,3-litre 150 hp engine (Weight 150 hp / 130 hp)	3	○	○	○	○	○	S
3,0-litre 180 hp engine (requires Heavy model) (Weight 180 hp / 150 hp)	55	○	○	○	○	○	○
Fiat MTA robotised automatic gearbox (130 HP / 150 HP / 180 HP)	10	○	○	○	○	○	○
AIR PREMIUM suspension (Heavy version 4,2 T only)	42	○	○	○	○	○	○
Suspensions ALC AL-KO	19	○	○	○	○	○	○
Alloy wheels 15" (16" in Heavy version)	-	○	○	○	○	○	○
Motorcycle carrier* (weight option ± 5kg)	-	45	65	65	65	65	45
Tow bar* (90dF = 2000 kg) (9002dFH/Heavy 42H = 1750 kg)	-	33	53	53	53	53	33
Motorcycle carrier + Tow bar* (weight option ± 5kg)	-	75	95	95	95	95	75
Chassis 35L: possibility for GVW 3.7 T	-	•	•	•	•	•	-
Chassis 42H providing a GVW of 4.250 T	-	○	○	○	○	○	•

\*Please note : possible reduction in registered seats.

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

○ = Option, ● = Original, - = Not available, PACK = UK PACK (RHD)

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.



# Serie 10


## CHARACTERISTICS AND CARRIERS BY MODEL

Fiat AL-KO A-Class models with tag axle (GVW = 5T and GCW 6T) with ALDE as standard and independent wheel suspension

### REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of camping-cars is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75kg), the gas bottle, fresh water (depending on model: 50 l) and fuel tanks up to 90 % of their capacity with a tolerance of +/- 5 % (in accordance with European Directive EC 92/21).

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



Engine equipment/chassis	FIAT 2,3*	FIAT 2,3*	FIAT 2,3*
Number of cylinders	4	4	4
Cubic capacity (cm <sup>3</sup> )	2287	2287	2287
Maximum power (kw CEE)	109	109	109
DIN power (HP)	148	148	148
At RPM	3600	3600	3600
Maximum torque (Nm)	350	350	350
Maximum torque rate (RPM)	1500-2500	1500-2500	1500-2500
Anti-pollution standard	Euro 5	Euro 5	Euro 5
Wheelbase (m)	4,3 / 0,8	4,3 / 0,8	4,3 / 0,8
Wider rear track (m)	1,98	1,98	1,98
Gross vehicle weight	5000	5000	5000
Permissible GCW (Gross Combined Weight)	6000	6000	6000
Unladen weight (+/- 5 %)	4300	4380	4360
Overall length (m)	8,49	8,49	8,49
Overall width (m)	2,35	2,35	2,35
Overall "garage" width (m) with rear view mirrors open	2,76	2,76	2,76
Overall height (m) - (Tolerance +/- 3 %)	2,89	2,89	2,89
Capacity of fresh water tank (litres)	300	300	300
Number of seatbelts	6	6	6
Number of seats (vehicle certificate)	6	6	6
Number of dining seats	8	8	8
Possible sleeping spaces	4+2	4+2	4+2
Type of heating	ALDE	ALDE	ALDE
Refrigerator capacity (litres)	160	160	160
Battery capacity (Ah)	2 x 100	2 x 100	2 x 100
<b>BED SIZES (mm)</b>			
Rear bed	1930 x 1380	1930 x 1380	1980 x 800
Dinette bed	2000 x 1450	2000 x 1450	2000 x 1450
Overcab drop-down bed	1900 x 1400	1900 x 1400	1900 x 1400

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers

\*OPTION (option at additional cost): Fiat 3,0 - Cubic capacity (cm<sup>3</sup>) : 2999, Maximum power (kw CEE) : 130, DIN power : 177, Maximum torque (Nm) : 400, Standard EURO 5

# Serie 10

EQUIPMENT  
AND COMFORT

Fiat AL-KO A-Class models with tag axle (GVW = 5T and GCW 6T) with ALDE as standard and independent wheel suspension

A-CLASS	Serie 10		
	10000	10001	10066
<b>BODYWORK AND OPENINGS</b>			
Hail-resistant polyester roof covering all edges	•	•	•
Polyurethane body structure (walls / roof / floor)	•	•	•
Polyester sub-floor	•	•	•
Panels all reinforced polyester	•	•	•
Heavy Design rear end	•	•	•
Double glazing bays with "blind / fly-screen" combination	•	•	•
Panoramic bay in the bedroom (800 x 1000)	-	•	-
Cab door(s) with electric windows	•	•	•
Transparent skylights with fly-screen and blind	•	•	•
Fixed bay on living area entrance door	•	•	•
Living room entrance door with window and 2-point locking	•	•	•
Skylight double fold blind with interior wood trim	•	•	•
<b>LIVING SPACE</b>			
Permanent bed(s) with slat bed-frame and BULTEX® foam mattress	•	•	•
130mm-thick BULTEX® mattress with memory foam top	•	•	•
Permanent bed height-adjustable (30cm on and 10001)	-	•	-
Permanent bed with tilt-adjustable head sections	•	•	•
Jack-assisted unlockable electric cab bed	•	•	•
Cab bed with slatted frame and BULTEX® foam mattress	•	•	•
Living room table with telescopic foot, movable forwards, backwards, sideways and rotation	•	•	•
Bedroom netting / ship blinds with living room bays	•	•	•
Specific bedroom trim (netting, door and furniture coverings)	•	•	-
Dividing door	•	•	•
Styrofoam insulation (walls + roof + floor)	•	•	•
3-point safety belt(s) in the living space	4 + 2	4 + 2	4 + 2
15-inch flat screen TV unit (TV not supplied)	•	•	•
ELEGANCE furniture with solid maple moulding and back-lit cubby (storage compartments)	•	•	•
ELEGANCE DELUX furniture ("Design Edition" model) with varnished maple doors	Design	Design	-
MIAMI trim ("Design Edition" model series) (option on other models)	Design	Design	O
<b>KITCHEN</b>			
Embossed stainless steel sink	•	•	•
Embossed stainless steel 3-burner cooking hob with 2 covers and piezzo ignition	•	•	•
2-burner hob	O	O	O
2nd sink with waste bin and drainer	•	•	•
Laminated work top	•	•	•
DELUX resin work top ("Design Edition" model)	Design	Design	-
Window surround	•	•	•
Window surround with ambience lighting ("Design Edition" model)	Design	Design	-
TECHTOWER: refrigerator with freezer compartment (160 litres AES) + 28-litre oven	•	•	•
Extraction hood above the kitchen	•	•	•
Refrigerator grill covers (for winter use)	•	•	•
External inspection hatch (drain access, maintenance)	•	•	•
<b>BATHROOM</b>			
Bathroom with wooden furnishings	•	•	•
Independent shower with glass door	-	•	-
Wooden grating	•	•	•
Chrome finish bathroom accessories	•	•	•
Chrome laundry line	•	•	•
Stainless steel basin / designer glass basin	steel	glass	steel
Double cassette WC	•	•	•
Ventilated cassette WC with SOG system	•	•	•
<b>WATER</b>			
Capacity of freshwater tank (litres)	300	300	300
Capacity of waste water tank (litres)	150	150	150
Reeled water hose (15m long)	•	•	•
External shower with hot and cold water and mixer tap	•	•	•
<b>HEATING</b>			
"ALDE Comfort Plus Arctic" central heating with FROST Control + bedroom temperature control	•	•	•

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

O = Option, • = Original, - = Not available

# Serie 10

EQUIPMENT  
AND COMFORT

Fiat AL-KO A-Class models with tag axle (GVW = 5T and GCW 6T) with ALDE as standard and independent wheel suspension

## A-CLASS

		Serie 10		
		10000	10001	10066
<b>ENERGY</b>				
Semi-stationary auxiliary battery with coupler and separator (100 Ah)		•	•	•
Compartment and 3rd battery		•	•	•
Pre-cabing for fuel cell		•	•	•
Cutting transformer - charger		16A	16A	16A
Two-pole magneto - thermal circuit breaker		•	•	•
Digital control panel with instant consumption measuring		•	•	•
Centralised Fuse box with protected "accessories" exits		•	•	•
External 230 V connection - internal 230 V plug		•	•	•
5V USB port in the bedroom		•	•	•
Flat screen TV space with 12 V - coaxial pre-cabing+ satellite and video (TV not supplied)		•	•	•
Pre-cabing for 2nd TV in the bedroom		•	•	•
Speakers in the living area		•	•	•
LED external lighting above the living area door		•	•	•
LED living area lighting		•	•	•
LED ambiance lighting with dimmer		•	•	•
Garage lighting with portable LED light		•	•	•
Lighting inside the wardrobe		•	•	•
Electric extension (15m long)		•	•	•
Automatic inverter, enabling you to travel with the heating on		•	•	•
<b>CARRIER AND CAB EQUIPMENT</b>				
Cruise control		•	•	•
Engine cold start assistance (Blow-by)		•	•	•
Engine immobiliser		•	•	•
Passenger + Driver's air bag		•	•	•
ABS braking		•	•	•
Original rotating cab seats with fabric to match the living area and built-in seat belts		•	•	•
Cab door with electric windows		•	•	•
Cab air-conditioning		•	•	•
Tinted windows		•	•	•
Reversing camera control screen built into dashboard		•	•	•
PIONEER® Multimedia car radio 2DIN DVD DIVX MP3		•	•	•
Dashboard with walnut burr effect ("Design Edition" model) (option on other models)		Design	Design	○
Carpeted floor in cab		•	•	•
Electric de-frosting side mirrors		•	•	•
Heat-insulating blind on rails in front cab		•	•	•
Sunshade with electric winder		•	•	•
Wheel repair kit		•	•	•
Fog lights + LED design daytime running lights		•	•	•
Alloy wheels 16" ("Design Edition" model) (option on other models)		Design	Design	○
Tag axle with independent wheel suspension		•	•	•
<b>LIVING AREA EQUIPMENT</b>				
Reversing camera		•	•	•
Living area door mosquito screen		•	•	•
Insulated step		•	•	•
Electric retractable step		•	•	•
Stabilising jacks Heavy model specifics		•	•	•
Remote control locking and unlocking of doors ( 2 PLIPS)		•	•	•
<b>UK PACK 2013</b>		<b>WEIGHT (kg)</b>		
Living area and cab carpet kit		9	PACK	PACK
<b>LIVING AREA OPTIONS - AT EXTRA COST</b>		<b>WEIGHT (kg)</b>		
A-class without cab bed		-	○	○
Ladder and cross-beams for roof rack		10	○	○
GPS navigation		5	○	○
Double-glazed side bays in cab		10	○	○
Additional cab heating		6,5	○	○
Floor heating in living area		7	○	○
Winter exterior insulation		5	○	○
Dashboard with walnut burr effect		-	○ / Standard on Design	○ / Standard on Design
FASHION furniture (varnished, with solid maple wood)		-	○	○
GENEVA ambiance (ALCANTARA®)		-	○	○
MIAMI ambiance (chocolate/beige) as standard on the "Design Edition" - (LEATHER/Tep polyamide fabric)		-	○ / Standard on Design	○ / Standard on Design
BOSTON trim (beige colour) - (LEATHER/Tep polyamide fabric)		-	○	○
Sable Nappa leather trim		-	○	○
<b>CARRIER OPTIONS - AT EXTRA COST</b>		<b>WEIGHT (kg)</b>		
E S P		-	-	-
3,0-litre 180 hp engine (Weight 180 hp / 150 hp)		55	○	○
Fiat MTA robotised automatic gearbox (150 hp / 180 hp)		10	○	○
AIR PREMIUM suspension		80	○	○
16" alloy wheels		-	○	○
Motorcycle carrier (option weight ± 5kg)		45	○	○
Tow bar (1500 kg) (option weight ± 5kg) Max Gross combined weight = 6 T		33	○	○
Motorcycle carrier + Tow bar (option weight ± 5kg)		75	○	○

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers. ○ = Option, ● = Original, - = Not available, PACK = UK PACK (RHD)

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.



# Serie 9M-MH


## CHARACTERISTICS AND CARRIERS BY MODEL

Mercedes A-class Heavy models with ALDE as standard

### REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of camping-cars is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75kg), the gas bottle, fresh water (depending on model: 50 l) and fuel tanks up to 90 % of their capacity with a tolerance of +/-5 % (in accordance with European Directive EC 92/21).

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



Engine equipment/chassis	MB 2,2*	MB 2,2*	MB 2,2*
Number of cylinders	4	4	4
Cubic capacity (cm <sup>3</sup> )	2143	2143	2143
Maximum power (kw CEE)	120	120	120
DIN power (HP)	163	163	163
At RPM	3800	3800	3800
Maximum torque (Nm)	360	360	360
Maximum torque rate (RPM)	1400-2400	1400-2400	1400-2400
Anti-pollution standard	Euro 5/EEV	Euro 5/EEV	Euro 5/EEV
Wheelbase (m)	4,33	4,33	4,33
Gross vehicle weight	3880**	3880**	3880**
Permissible GCW (Gross Combined Weight)	5680	5680	5680
Unladen weight (+/- 5 %)	3270	3270	3260
Overall length (m)	7,44	7,44	7,44
Overall width (m)	2,37	2,37	2,37
Overall "garage" width (m) with rear view mirrors open	2,75	2,75	2,75
Overall height (m) - (Tolerance +/- 3 %)	2,86	2,86	2,86
Capacity of fresh water tank (litres)	120	120	90
Number of seatbelts	4	4	4
Number of seats (vehicle certificate)	4	4	4
Number of dining seats	5	5	6
Possible sleeping spaces	4	4	4
Type of heating (make and model)	ALDE	ALDE	ALDE
Refrigerator capacity (litres)	160	160	160
Battery capacity AGM (Ah)	100	100	100
<b>BED SIZES (mm)</b>			
Rear bed	(1980 x 800) + (1920 x 800)	1930 x 1380	2100 x 1410
Overcab drop-down bed	1920 x 1400	1920 x 1400	1920 x 1400

Mercedes chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers


\* OPTION: MERCEDES 3.0 l - V6 - 190 HP

\*\* GVW 3880 kg = 4 registered seats

# Serie 9M-MH

## CHARACTERISTICS AND CARRIERS BY MODEL

Mercedes A-class Heavy models with ALDE as standard



Engine equipment/chassis	MB 2,2*	MB 2,2*	MB 2,2*	MB 2,2*
Number of cylinders	4	4	4	4
Cubic capacity (cm <sup>3</sup> )	2143	2143	2143	2143
Maximum power (kw CEE)	120	120	120	120
DIN power (HP)	163	163	163	163
At RPM	3800	3800	3800	3800
Maximum torque (Nm)	360	360	360	360
Maximum torque rate (RPM)	1400-2400	1400-2400	1400-2400	1400-2400
Anti-pollution standard	Euro 5/EEV	Euro 5/EEV	Euro 5/EEV	Euro 5/EEV
Wheelbase (m)	4,325	4,325	4,325	4,325
Gross vehicle weight	4600/(5 t option)	4600/(5 t option)	4600/(5 t option)	4600/(5 t option)
Permissible GCW (Gross Combined Weight)	6000	6000	6000	6000
Unladen weight (+/- 5 %)	3870	3870	3820	4020
Overall length (m)	7,45	7,45	7,45	7,95
Overall width (m)	2,37	2,37	2,37	2,37
Overall "garage" width (m) with rear view mirrors open	2,75	2,75	2,75	2,75
Overall height (m) - (Tolerance +/- 3 %)	2,96	2,96	2,96	2,96
Capacity of fresh water tank (litres)	200	200	170***	200
Number of seatbelts	4	4	4	5
Number of seats (vehicle certificate)	4	4	4	5
Number of dining seats	5	5	6	6
Possible sleeping spaces	4	4	4	4+1
Type of heating (make and model)	ALDE	ALDE	ALDE	ALDE
Refrigerator capacity (litres)	160	160	160	160
Battery capacity AGM (Ah)	2 x 100	2 x 100	2 x 100	2 x 100
<b>BED SIZES (mm)</b>				
Rear bed	(1980 x 800) + (1920 x 800)	1930 x 1380	2100 x 1410	1940 x 1440
Overcab drop-down bed	1920 x 1400	1920 x 1400	1920 x 1400	1920 x 1400

\*\*\* Fresh water for 996MH: the water tank must be emptied completely by gravity and by the pump for winter storage

# Serie 9M-MH

EQUIPMENT  
AND COMFORT

Mercedes A-class Heavy models with ALDE as standard

## A-CLASS

	Serie 9M MERCEDES						
	966M	992M	996M	966MH	992MH	996MH	990MH
<b>BODYWORK AND OPENINGS</b>							
Coated hail-resistant polyester roof	•	•	•	•	•	•	•
Aluminium structure (walls / roof / floor)	•	•	•	•	•	•	•
Polyester sub-floor	•	•	•	•	•	•	•
Panels all reinforced polyester	•	•	•	•	•	•	•
Storage drawer(s) integrated in the skirts	•	•	•	•	•	•	•
Metallic colour skirt belt (ABS/PMMA); gray colour polyester panel	•	•	•	•	•	•	•
Double glazing bays with "blind / fly-screen" combination	•	•	•	•	•	•	•
Cab door(s) with electric windows	•	•	•	•	•	•	•
Transparent skylights with fly-screen and blind	•	•	•	•	•	•	•
Fixed bay on living area entrance door	•	•	•	•	•	•	•
Living room entrance door with window and 2-point locking	•	•	•	•	•	•	•
Skylight double fold blind with interior wood trim (950 x 600)	•	•	•	•	•	•	•
Rear pillars	•	•	•	-	-	-	-
Heavy Design rear end	-	-	-	•	•	•	•
<b>LIVING SPACE</b>							
Permanent bed(s) with slat bed-frame and BULTEX® foam mattress	•	•	•	•	•	•	•
Permanent bed electrically height-adjustable (= 17cm)	-	-	•	-	-	-	-
Permanent bed(s) with tilt-adjustable head sections	•	•	-	•	•	-	•
Jack-assisted foldaway cab bed with slatted frame and BULTEX® foam mattress	•	•	•	•	•	•	•
130mm-thick BULTEX® mattress with memory foam top	•	•	•	•	•	•	•
DELUX bed head ("Design Edition" model)	-	-	-	-	-	-	Design
Fold-out living room table with fixed foot, movable forwards, backwards, sideways and rotation	•	•	•	•	•	•	•
Bedroom netting / ship blinds with living room bays	•	•	•	•	•	•	•
Specific bedroom trim (netting, door and furniture coverings)	•	•	-	•	•	-	•
Dividing door	-	-	-	-	-	-	•
Rigid Japanese partition	•	•	•	•	•	•	-
Styrofoam insulation (walls + roof + floor)	•	•	•	•	•	•	•
3-point safety belt(s) in the living space	2	2	2	2	2	2	3
15-inch flat screen TV unit (TV not supplied)	•	•	•	•	•	•	•
MAJESTY furniture with back-lit storage compartments	•	•	•	•	•	•	•
MAJESTY DELUX furniture ("Design Edition" model) with varnished chestnut doors living room and kitchen	-	-	-	-	-	-	Design
MIAMI trim (LEATHER/Tep) ("Design Edition" model series)	○	○	○	○	○	○	Design
<b>KITCHEN</b>							
Embossed stainless steel sink	•	•	•	•	•	•	•
Embossed stainless steel 3-burner cooking hob with 2 covers and piezzo ignition	•	•	•	•	•	•	•
2-burner hob	○	○	○	○	○	○	○
2nd sink	•	•	•	•	•	•	•
Double waste bin for selective sorting	•	•	•	•	•	•	•
Laminated work top with solid wood moulding	•	•	•	•	•	•	•
DELUX resin work top ("Design Edition" model)	-	-	-	-	-	-	Design
Built-in window with ambience lighting	•	•	•	•	•	•	•
Kitchen with space for coffee machine (not supplied)	•	•	•	•	•	•	•
Refrigerator with freezer compartment (160-litre AES automatic energy selection)	•	•	•	•	•	•	•
Extraction hood above the kitchen	•	•	•	•	•	•	•
Refrigerator grill covers (for winter use)	•	•	•	•	•	•	•
External inspection hatch (drain access, maintenance)	•	•	•	•	•	•	•
<b>BATHROOM</b>							
Bathroom with wooden furnishings	•	•	•	•	•	•	•
Independent shower	•	-	•	•	-	•	•
Wooden grating	•	•	•	•	•	•	•
Chrome finish bathroom accessories	•	•	•	•	•	•	•
Chrome laundry line	-	-	-	-	-	-	•
Frosted mirror in the bathroom	•	•	•	•	•	•	•
Back-lit frosted mirror	•	•	•	•	•	•	•
Back-lit soap holder	•	•	•	•	•	•	•
Designer glass basin	•	•	•	•	•	•	•
Camping toilet with removable tank, telescopic handle and castors	•	•	•	•	•	•	•
<b>WATER</b>							
Capacity of freshwater tank (litres)	120	120	90	200	200	170	200
Capacity of waste water tank (litres)	100	100	100	100	100	100	100
External shower with hot and cold water and mixer tap	•	•	•	•	•	•	•
<b>HEATING</b>							
Central heating "ALDE Comfort Arctic Plus"	•	•	•	•	•	•	•

Mercedes chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

○ = Option, ● = Original, - = Not available

# Serie 9M-MH

EQUIPMENT  
AND COMFORT

Mercedes A-class Heavy models with ALDE as standard

## A-CLASS

### Serie 9M MERCEDES

		966M	992M	996M	996MH	992MH	996MH	990MH
<b>ENERGY</b>								
Semi-stationary AGM auxiliary battery with coupler and separator (100 Ah)		•	•	•	•	•	•	•
Compartment and 3rd battery		-	-	-	•	•	•	•
Battery cut-out B1		•	•	•	•	•	•	•
Pre-cabing for fuel cell		•	•	•	•	•	•	•
Cutting transformer - charger		20A	20A	20A	20A	20A	20A	20A
Two-pole magneto - thermal circuit breaker		•	•	•	•	•	•	•
Digital multiplex control panel with instant consumption measuring		•	•	•	•	•	•	•
Centralised Fuse box with protected "accessories" exits		•	•	•	•	•	•	•
External 230 V connection - internal 230 V plug		•	•	•	•	•	•	•
5V USB port in the bedroom		•	•	•	•	•	•	•
Flat screen TV space with 12 V - coaxial pre-cabing+ satellite and video (TV not supplied)		•	•	•	•	•	•	•
Pre-cabing for 2nd TV in the bedroom		•	•	-	•	•	-	•
Speakers in the living area		•	•	•	•	•	•	•
LED external lighting above the living area door		•	•	•	•	•	•	•
LED living area lighting		•	•	•	•	•	•	•
LED ambiance lighting		•	•	•	•	•	•	•
Garage lighting with portable LED light		•	•	•	•	•	•	•
Lighting inside the wardrobe		•	•	•	•	•	•	•
Automatic inverter, enabling you to travel with the heating on		•	•	•	•	•	•	•
<b>CARRIER AND CAB EQUIPMENT</b>								
Tempomat		•	•	•	•	•	•	•
Engine immobiliser		•	•	•	•	•	•	•
Passenger + Driver's air bag		•	•	•	•	•	•	•
Particle filter		•	•	•	•	•	•	•
Reinforced rear suspension		•	•	•	•	•	•	•
ABS - ASR - ESP		•	•	•	•	•	•	•
Grand Confort rotating cab seats with fabric to match the living area and built-in seat belts		•	•	•	•	•	•	•
Dashboard with walnut burr effect and real varnished wood		•	•	•	•	•	•	•
Cab door(s) with electric windows		•	•	•	•	•	•	•
Cab air-conditioning		•	•	•	•	•	•	•
Tinted windows		•	•	•	•	•	•	•
Reversing camera with control screen built into dashboard		•	•	•	•	•	•	•
PIONEER® Multimedia car radio 2DIN DVD DIVX MP3		•	•	•	•	•	•	•
Carpeted floor in cab		•	•	•	•	•	•	•
Electric, external rear view, de-icing double view mirrors		•	•	•	•	•	•	•
Heat-insulating blind on rails in front cab		•	•	•	•	•	•	•
Sunshade with electric winder		•	•	•	•	•	•	•
Wheel repair kit		•	•	•	•	•	•	•
Fog lights + LED design daytime driving lighting		•	•	•	•	•	•	•
Chrome hubcaps ("Design Edition" model)		-	-	-	○	○	○	Design
Twin wheels		-	-	-	•	•	•	•
<b>LIVING AREA EQUIPMENT</b>								
Reversing camera		•	•	•	•	•	•	•
Living area door mosquito screen		•	•	•	•	•	•	•
Insulated step		•	•	•	•	•	•	•
Electric external living area entrance step		•	•	•	•	•	•	•
Rear stabilising jacks		•	•	•	•	•	•	•
Remote control locking and unlocking of doors (2 PLIPS)		•	•	•	•	•	•	•
<b>UK PACK 2013</b>								
	<b>WEIGHT (KG)</b>							
22-litre oven with grill	14,5	PACK	PACK	PACK	PACK	PACK	PACK	PACK
Living area and cab carpet kit	9	PACK	PACK	PACK	PACK	PACK	PACK	PACK
<b>LIVING AREA OPTIONS - AT EXTRA COST</b>								
	<b>WEIGHT (KG)</b>							
2-burner hob	-	○	○	○	○	○	○	○
Compartment and cabling for 3rd battery (battery not supplied)	2	○	○	○	•	•	•	•
A-class without cab bed, with table leg retractable for bed position	-	○	○	○	○	○	○	○
Ladder and cross-beams for roof rack	10	○	○	○	○	○	○	○
GPS navigation	5	○	○	○	○	○	○	○
Double-glazed side bays in cab	10	○	○	○	○	○	○	○
Additional cab heating	6,5	○	○	○	○	○	○	○
Floor heating in living area	7	○	○	○	○	○	○	○
Winter exterior insulation	5	○	○	○	○	○	○	○
GENEVA ambiance (ALCANTARA®)	-	○	○	○	○	○	○	○
MIAMI ambiance (chocolate/beige) as standard on the "Design Edition" - (LEATHER/Tep polyamide fabric)	-	○	○	○	○	○	○	○
BOSTON trim (beige colour) - (LEATHER/Tep polyamide fabric)	-	○	○	○	○	○	○	○
Sable Nappa leather trim	-	○	○	○	○	○	○	○
<b>CARRIER OPTIONS - AT EXTRA COST</b>								
	<b>WEIGHT (KG)</b>							
3,0-litre V6 190 hp engine	6	○	○	○	○	○	○	○
Mercedes automatic gearbox	40	○	○	○	○	○	○	○
Alloy wheels	32	○	○	○	-	-	-	-
Motorcycle carrier (option weight ± 5kg)	-	73	73	73	50	50	50	50
Tow bar (1800 kg) (option weight ± 5kg)	-	51	51	51	28	28	28	28
Motorcycle carrier + Tow bar (option weight ± 5kg)	-	93	93	93	70	70	70	70
Chassis 5 T	-	-	-	-	○	○	○	○

○ = Option, ● = Original, - = Not available, PACK = UK PACK (RHD)

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.



# RAPIDO Pack

## ▶ RAPIDO PACK: SERIE 6 / 8F

---

Passenger air bag

Electric de-frosting mirrors

Cruise control

Height-adjustable cab seats

Car radio PIONEER® + loudspeakers

Extraction hood

Gas inverter

## ▶ RAPIDO PACK: SERIE 8M

---

Reinforced rear suspension (possibility GVW 3,88T)

Cruise control

Passenger air bag

Autoradio PIONEER® + loudspeakers

Extraction hood

Electric de-frosting mirrors

Gas inverter

## ▶ RAPIDO PACK: SERIE 7FF / 7DF / 9DF

---

Cab blinds (standard on the 9dF)

Passenger air bag

Cruise control

Autoradio PIONEER® + loudspeakers

External shower





[www.rapido.fr](http://www.rapido.fr)

B.P. 19 - 53101 MAYENNE CEDEX - FRANCE - Tél. +33 2 43 30 10 70 - Fax +33 2 43 30 10 71

Some models presented in this catalogue may be shown with optional equipment. Non-contractual photos: stylistic elements, décor and accessories not included. Since part of RAPIDO production is intended for export, the characteristics of the models may vary from one country to another; for an exact definition of the models marketed, we request you to consult your dealer. RAPIDO reserves the right to make modifications to its models without notice. Despite the care taken in the production of this catalogue, it cannot be taken as a contractual document. Your dealer will be happy to give you any further information you may require.