



PART OF THE SWIFT GROUP
Cottingham · East Yorkshire · United Kingdom

WWW.SWIFTGROUP.CO.UK

This brochure does not constitute an offer by Swift Group Limited (Swift). Swift reserves the right to alter specifications and prices at any time as materials and conditions demand. Distributors and dealers sell Swift products on their own account and not as agents of Swift. Accordingly, they have no authority to bind Swift or to make any representation or undertaking whatsoever on behalf of Swift. All props are for photographic purposes only and are not included in the specification. Issued August 2013.

Selected lifestyle images are courtesy of The Camping and Caravanning Club
www.campingandcaravanningclub.co.uk



STERLING CARAVANS
MADE TO MAKE YOU SMILE

WWW.SWIFTGROUP.CO.UK

2014 MODEL RANGE



A DISTINCTIVE SMILE

Sterling Caravans are even more distinctive for 2014 with styling cues taken from today's modern homes.

The Eccles Sport and SE ranges reflect this style the most strongly with textured contrasts and colours, instead of wood, used to create a relaxing area with a feeling of light and space.

The Elite range retains a more classic, luxury feel with gloss 'Italian Ash' locker doors.




05
ECCLES SPORT
Outstanding value at weights that can be towed by most family cars.



15
ECCLES SE
Luxury meets affordability in this popular mid range.



25
ELITE
Exterior and interior refinement for 5 star touring.



35
FEATURES



TECHNICAL INNOVATION

A SMART MOVE WITH MODERN CONSTRUCTION

As the UK's leading leisure vehicle manufacturer, the Swift Group undertakes what is probably the most extensive research and testing program in the industry and we are constantly looking at new and better ways to construct our products. SMART is our new intelligent construction system that is being launched across our entire touring caravan range.


SMART is based on proven technology and provides a Strong timber-less body frame with Modern desirable looks and a leading Aerodynamic shape that is highly Resilient to moisture, all wrapped up in a caravan that has undergone the most comprehensive Testing.



Carefully developed, the new system has only been introduced once we were satisfied that it was truly fit for purpose.

Computer numerically controlled (CNC) cutting is used in the manufacturing process to provide accuracy and consistency time after time, to produce a high quality engineered product designed to give you a lifetime of SMILES.

For more details see Swift TV or the website.



AERODYNAMIC

We continue to lead the way in Aerodynamics using Computational Fluid Dynamics to help shape the bodysell for better fuel consumption and safer towing.



RESILIENT

All fixings are made into the 'PURE' material to a pre-defined depth. 'PURE' is totally impervious to water and has no veins. This means there is no passage for water from the outer skin to the inner wallboard, making the caravan highly Resilient to moisture.



TESTED

Extensive safety and durability Testing at the Millbrook track, and cold chamber Testing down to minus 15°C and beyond puts prototypes through conditions most products will never have to experience in a lifetime; all part of the Swift Ethos to deliver the best products to you.



MODERN

The SMART construction system uses Modern materials and also has been developed to ensure the exterior profiles maintain the Modern desirable looks our caravans are renowned for.



STRONG

The new Strong timberless body frame uses 'PURE', a tough, hard polyurethane based product, that is totally impervious to water and has been proven through use.



ECCLES SPORT

With up-to-the-minute style and sporty exterior looks the Eccles Sport range provides outstanding value at weights that can be towed by most family cars.

Whether you want to kick back and relax or explore the great outdoors, the Eccles Sport comes with a choice of six models including a new twin axle model with front and rear parallel seating, the 640, so there is sure to be a layout to suit you.

Models

6

Min Berth



Max Berth



Heating





Light and airy, professional designers have taken modern day influences to lift the interior with hessian effect furniture, matt white locker doors and textured wall coverings.

The new 'Pareto' soft furnishing scheme has seating fabric in a grey/brown woven texture with bright teal and matt gold cushions and complementary curtains. Loose rugs and sectioned removable carpets give you the flexibility to partially, or fully, expose the French Oak vinyl flooring.





A choice of flexible seating and sleeping arrangements are combined with well equipped kitchens and washrooms.


The Truma Combi boiler has been upgraded to a more powerful model to provide faster more efficient heat up and a new 40W solar panel fitted as standard gives greater independence. Another practical addition is the Ecocamel shower head and hose which cleverly injects air directly into the water stream so you use less water while experiencing a more powerful shower.







FIND A MODEL







To locate a specific model visit
www.SWIFTGROUP.CO.UK



ECCLES SPORT SPECIFICATION



	442 	514 	554 
			
Berths	2	4	4
Number of Axles	1	1	1
Internal Length (at bed box height)	4.40m / 14'5"	5.23m / 17'2"	5.60m / 18'4"
Overall Width**	2.25m / 7'4½"	2.25m / 7'4½"	2.25m / 7'4½"
Overall Height (inc. TV Aerial)**	2.64m / 8'8"	2.65m / 8'8"	2.65m / 8'8"
Maximum Internal Headroom	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"
Overall Length**	6.06m / 19'11"	6.88m / 22'7"	7.25m / 23'9"
Awning A/A Dimension	8.79m / 28'10"	9.62m / 31'7"	9.99m / 32'9"
Mass in Running Order (inc. tolerance)	1123kg / 22.1cwt	1239kg / 24.4cwt	1284kg / 25.3cwt*
Maximum Technical Permissible Laden Mass	1244kg / 24.5cwt	1389kg / 27.3cwt	1437kg / 28.3cwt*
Total User Payload	121kg / 2.4cwt	150kg / 3.0cwt	153kg / 3.0cwt
Personal Effects Payload	121kg / 2.4cwt	150kg / 3.0cwt	153kg / 3.0cwt
Tyre Size	185 R14C 102Q	185 R14C 102Q	185 R14C 102Q
Thermal Insulation Grade	Three	Three	Three
BED SIZES			
Front Double	202cm x 180cm / 6'8" x 5'11"	202cm x 153cm / 6'8" x 5'0"	202cm x 159cm / 6'8" x 5'3"
Or Front Nearside Single	190cm x 72cm / 6'3" x 2'4"	153cm x 72cm / 5'0" x 2'4"	160cm x 72cm / 5'3" x 2'4"
And Front Offside Single	180cm x 72cm / 5'11" x 2'4"	160cm x 72cm / 5'3" x 2'4"	160cm x 72cm / 5'3" x 2'4"
Rear Double		198cm x 133cm / 6'6" x 4'4"	191cm x 133cm / 6'3" x 4'4"
Side Single Offside			
Side Single Nearside			
Side Bunk Offside			
Side Bunk Nearside			
Side Fixed Lower Bunk			
Side Fixed Upper Bunk			

	584 	586 	640 
			
Berths	4	6	6
Number of Axles	1	1	2
Internal Length (at bed box height)	5.83m / 19'2"	5.83m / 19'2"	6.27m / 20'7"
Overall Width**	2.25m / 7'4½"	2.25m / 7'4½"	2.25m / 7'4½"
Overall Height (inc. TV Aerial)**	2.65m / 8'8"	2.65m / 8'8"	2.62m / 8'7"
Maximum Internal Headroom	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"
Overall Length**	7.48m / 24'6"	7.48m / 24'6"	7.93m / 26'0"
Awning A/A Dimension	10.22m / 33'6"	10.22m / 33'6"	10.66m / 35'0"
Mass in Running Order (inc. tolerance)	1300kg / 25.6cwt	1367kg / 26.9cwt	1547kg / 30.5cwt
Maximum Technical Permissible Laden Mass	1456kg / 28.7cwt	1550kg / 30.5cwt	1750kg / 34.4cwt
Total User Payload	156kg / 3.1cwt	183kg / 3.6cwt	203kg / 4.0cwt
Personal Effects Payload	156kg / 3.1cwt	176kg / 3.5cwt	180kg / 3.5cwt
Tyre Size	185 R14C 102Q	185 R14C 102Q	185/70 R14 88T
Thermal Insulation Grade	Three	Three	Three
BED SIZES			
Front Double	202cm x 159cm / 6'8" x 5'3"	202cm x 180cm / 6'8" x 5'11"	202cm x 180cm / 6'8" x 5'11"
Or Front Nearside Single	160cm x 72cm / 5'3" x 2'4"	190cm x 72cm / 6'3" x 2'4"	190cm x 72cm / 6'3" x 2'4"
And Front Offside Single	160cm x 72cm / 5'3" x 2'4"	180cm x 72cm / 5'11" x 2'4"	180cm x 72cm / 5'11" x 2'4"
Rear Double	185cm x 133cm / 6'1" x 4'4"		202cm x 133cm / 6'8" x 4'4"
Side Single Offside			186cm x 64cm / 6'1" x 2'1"
Side Single Nearside		180cm x 62cm / 5'11" x 2'0"	176cm x 64cm / 5'9" x 2'1"
Side Bunk Offside			173cm x 59cm / 5'8" x 1'11"
Side Bunk Nearside		176cm x 59cm / 5'9" x 1'11"	163cm x 59cm / 5'4" x 1'11"
Side Fixed Lower Bunk		183cm x 57cm / 6'0" x 1'10"	
Side Fixed Upper Bunk		183cm x 57cm / 6'0" x 1'10"	

WEIGHTS: The method of calculating the Mass in Running Order (MRO) and user payload figures has changed in order to bring it in line with European Vehicle Directives.

Allowances for essential equipment (e.g. gas cylinders) previously allowed for in the user payload are now contained within the MRO. A provision for a leisure battery which used to be within the essential equipment payload has now been included within the personal effects payload allowance.

Although the method of calculation has changed, the overall effect is that the amount of payload available to the customer has remained the same, it is just calculated in a different manner.

BED SIZES: Please note that the front double bed sizes quoted are for seating configurations without a chest of drawers. The front double bed width for a layout with a chest of drawers fitted, will be reduced by 0.4m (1'4") from that stated.

AWNING SIZES: Due to varying awning designs and sizes the awning sizes given are approximate only. Specific awning sizes must be confirmed by your dealer or awning manufacturer prior to purchase.

* Estimated

** The dimensions given are approximate due to slight variations in suspension ride heights, loading conditions and tyre pressures.

Customers should verify the actual dimensions of their touring caravan before committing to anything that could be impacted by these dimensions

JOIN US ONLINE
Social Network for Caravan Enthusiasts
www.swiftgroup.co.uk



ECCLES SE

Luxury meets affordability in this popular mid-range that offers a perfect combination of style and specification at weights that fall within a wide range of towing cars.

With three twin axle layouts in the eight model line up it also offers the ultimate in space. There is a new layout with L-shaped front seating in the 6 berth, twin axle Coral model which also has a fixed bed with large rear washroom.

Models

8

Min Berth



Max Berth



Heating





Eccles interiors enjoy all the benefits that quality, modern design and attention to detail can bring with a striking new 'Laval' soft furnishing scheme.

An exceptionally high specification includes Alde radiator central heating with a touch screen control, an uprated 40W solar panel and new exclusive Duvalay Duvalite mattress, with lightweight memory fibre technology in fixed bed models, for an ultra comfortable nights sleep.





Pleated blinds and low energy lighting throughout including low level night lights, kitchen splash back and under worktop lighting lets you set the mood.



A wide choice of seating layouts combine with well equipped kitchens and an external BBQ point allows for alfresco cooking. Washrooms have separate shower cubicles with powerful Ecocamel shower head, a handy hanging rail, back lit mirror and the luxury of an Alde heated towel radiator.

FIND A MODEL


To locate a specific model visit
www.SWIFTGROUP.CO.UK



ECCLES SE SPECIFICATION



	TOPAZ	MOONSTONE	SOLITAIRE	RUBY
Berths	2	4	4	4
Number of Axles	1	1	1	1
Internal Length (at bed box height)	4.40m / 14'5"	5.29m / 17'4"	5.60m / 18'4"	5.60m / 18'4"
Overall Width**	2.25m / 7'4½"	2.25m / 7'4½"	2.25m / 7'4½"	2.25m / 7'4½"
Overall Height (inc. TV Aerial)**	2.64m / 8'8"	2.65m / 8'8"	2.65m / 8'8"	2.65m / 8'8"
Maximum Internal Headroom	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"
Overall Length**	6.06m / 19'11"	6.94m / 22'9"	7.25m / 23'9"	7.25m / 23'9"
Awning A/A Dimension	8.77m / 28'9"	9.65m / 31'8"	9.96m / 32'8"	9.96m / 32'8"
Mass in Running Order (inc. tolerance)	1171kg / 23.1cwt	1336kg / 26.3cwt	1365kg / 26.9cwt	1335kg / 26.3cwt
Maximum Technical Permissible Laden Mass	1292kg / 25.4cwt	1486kg / 29.3cwt	1518kg / 29.9cwt	1488kg / 29.3cwt
Total User Payload	121kg / 2.4cwt	150kg / 3.0cwt	153kg / 3.0cwt	153kg / 3.0cwt
Personal Effects Payload	121kg / 2.4cwt	150kg / 3.0cwt	153kg / 3.0cwt	153kg / 3.0cwt
Tyre Size	185 R14C 102Q	185 R14C 102Q	185 R14C 102Q	185 R14C 102Q
Thermal Insulation Grade	Three	Three	Three	Three
BED SIZES				
Front Double	202cm x 176cm / 6'8" x 5'9"	202cm x 176cm / 6'8" x 5'9"	202cm x 156cm / 6'8" x 5'1"	202cm x 156cm / 6'8" x 5'1"
Or Front Nearside Single	186cm x 72cm / 6'1" x 2'4"	176cm x 72cm / 5'9" x 2'4"	156cm x 72cm / 5'1" x 2'4"	156cm x 72cm / 5'1" x 2'4"
And Front Offside Single	176cm x 72cm / 5'9" x 2'4"	186cm x 72cm / 6'1" x 2'4"	156cm x 72cm / 5'1" x 2'4"	156cm x 72cm / 5'1" x 2'4"
Rear Double				192cm x 130cm / 6'4" x 4'3"
Side Single Offside		180cm x 62cm / 5'11" x 2'0"	192cm x 68cm / 6'4" x 2'3"	
Side Single Nearside			183cm x 73cm / 6'0" x 2'5"	
Side Bunk Offside		176cm x 59cm / 5'9" x 1'11"		



	QUARTZ	AMEYTHST	CORAL	WAYFARER
Berths	4	6	6	4
Number of Axles	1	2	2	2
Internal Length (at bed box height)	5.83m / 19'2"	6.27m / 20'7"	6.27m / 20'7"	6.27m / 20'7"
Overall Width**	2.25m / 7'4½"	2.25m / 7'4½"	2.25m / 7'4½"	2.25m / 7'4½"
Overall Height (inc. TV Aerial)**	2.65m / 8'8"	2.62m / 8'7"	2.62m / 8'7"	2.62m / 8'7"
Maximum Internal Headroom	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"
Overall Length**	7.48m / 24'6"	7.93m / 26'0"	7.93m / 26'0"	7.93m / 26'0"
Awning A/A Dimension	10.19m / 33'5"	10.64m / 34'11"	10.64m / 34'11"	10.64m / 34'11"
Mass in Running Order (inc. tolerance)	1365kg / 26.9cwt	1608kg / 31.7cwt*	1569kg / 30.9cwt	1580kg / 31.1cwt
Maximum Technical Permissible Laden Mass	1521kg / 29.9cwt	1800kg / 35.4cwt*	1800kg / 35.4cwt	1800kg / 35.4cwt
Total User Payload	156kg / 3.1cwt	192kg / 3.8cwt	231kg / 4.5cwt	220kg / 4.3cwt
Personal Effects Payload	156kg / 3.1cwt	180kg / 3.5cwt	180kg / 3.5cwt	160kg / 3.1cwt
Tyre Size	185 R14C 102Q	185/70 R14 88T	185/70 R14 88T	185/70 R14 88T
Thermal Insulation Grade	Three	Three	Three	Three
BED SIZES				
Front Double	202cm x 156cm / 6'8" x 5'1"	202cm x 176cm / 6'8" x 5'9"	203cm x 131cm / 6'8" x 4'4"	202cm x 156cm / 6'8" x 5'1"
Or Front Nearside Single	156cm x 72cm / 5'1" x 2'4"	176cm x 72cm / 5'9" x 2'4"		156cm x 72cm / 5'1" x 2'4"
And Front Offside Single	156cm x 72cm / 5'1" x 2'4"	186cm x 72cm / 6'1" x 2'4"		156cm x 72cm / 5'1" x 2'4"
Rear Double	185cm x 133cm / 6'1" x 4'4"	192cm x 130cm / 6'4" x 4'3"	192cm x 130cm / 6'4" x 4'3"	185cm x 133cm / 6'1" x 4'4"
Side Single Offside		180cm x 69cm / 5'11" x 2'3"	180cm x 62cm / 5'11" x 2'0"	
Side Single Nearside				
Side Bunk Offside		176cm x 59cm / 5'9" x 1'11"	176cm x 59cm / 5'9" x 1'11"	

WEIGHTS: The method of calculating the Mass in Running Order (MRO) and user payload figures has changed in order to bring it in line with European Vehicle Directives.

Allowances for essential equipment (e.g. gas cylinders) previously allowed for in the user payload are now contained within the MRO. A provision for a leisure battery which used to be within the essential equipment payload has now been included within the personal effects payload allowance.

Although the method of calculation has changed, the overall effect is that the amount of payload available to the customer has remained the same, it is just calculated in a different manner.

BED SIZES: Please note that the front double bed sizes quoted are for seating configurations without a chest of drawers. The front double bed width for a layout with a chest of drawers fitted, will be reduced by 0.4m (1'4") from that stated.

AWNING SIZES: Due to varying awning designs and sizes the awning sizes given are approximate only. Specific awning sizes must be confirmed by your dealer or awning manufacturer prior to purchase.

* Estimated

** The dimensions given are approximate due to slight variations in suspension ride heights, loading conditions and tyre pressures.

Customers should verify the actual dimensions of their touring caravan before committing to anything that could be impacted by these dimensions

JOIN US ONLINE
Social Network for Caravan Enthusiasts
www.swiftgroup.co.uk



ELITE

In a class of its own, this top range enjoys an abundance of innovative features and enhancements for the ultimate in style and comfort.

Its distinctive aerodynamic exterior styling with sweeping front, imposing sunroof and rain water diverter has new classic white sides. Available in both single and twin axle layouts they are quite simply the best all year round caravans that money can buy.

Models

3

Min Berth



Max Berth



Heating





Touring is about freedom and relaxation and Sterling designers have worked hard to ensure the Elite can provide just that.

New furniture styling has curved upper locker doors in gloss 'Italian Ash' with beige infills and chrome handles and there is a decorative inlay in the washroom door along with new design chrome kitchen and vanity mixer taps. All subtle details that enhance the luxury feel.

For the ultimate nights sleep, a new exclusive Duvalay Duvalite mattress, with lightweight memory fibre technology comes fitted in all fixed bed models.



Model fitted with optional 'Impala' scheme





With class leading width and headroom they house everything you need for 5 star touring with a list of luxury, safety and practical features that is almost endless.


Detailed changes along with an already impressive specification including Alde radiator central heating system, 40W solar panel, luxury double width curtains, low energy LED lighting and external shower point, provide the highest possible level of comfort linked to cutting edge design.







FIND A MODEL

To locate a specific model visit
www.SWIFTGROUP.CO.UK



ELITE SPECIFICATION



	AMBER 	SEARCHER 	EXPLORER 
			
Berths	4	4	4
Number of Axles	1	2	2
Internal Length (at bed box height)	5.60m / 18'4"	6.27m / 20'7"	6.27m / 20'7"
Overall Width**	2.31m / 7'7"	2.31m / 7'7"	2.31m / 7'7"
Overall Height (inc. TV Aerial)**	2.67m / 8'9"	2.62m / 8'7"	2.62m / 8'7"
Maximum Internal Headroom	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"
Overall Length**	7.32m / 24'0"	7.99m / 26'3"	7.99m / 26'3"
Awning A/A Dimension	9.98m / 32'9"	10.65m / 34'11"	10.65m / 34'11"
Mass in Running Order (inc. tolerance)	1521kg / 29.9cwt*	1672kg / 32.9cwt	1663kg / 32.7cwt
Maximum Technical Permissible Laden Mass	1675kg / 33.0cwt*	1900kg / 37.4cwt	1900kg / 37.4cwt
Total User Payload	154kg / 3.0cwt	228kg / 4.5cwt	237kg / 4.7cwt
Personal Effects Payload	154kg / 3.0cwt	160kg / 3.1cwt	160kg / 3.1cwt
Tyre Size	195/70 R15C 104R	185/70 R14 88T	185/70 R14 88T
Thermal Insulation Grade	Three	Three	Three
BED SIZES			
Front Double	207cm x 156cm / 6'9" x 5'1"	207cm x 156cm / 6'9" x 5'1"	207cm x 156cm / 6'9" x 5'1"
Or Front Nearside Single	156cm x 72cm / 5'1" x 2'4"	156cm x 72cm / 5'1" x 2'4"	156cm x 72cm / 5'1" x 2'4"
And Front Offside Single	156cm x 72cm / 5'1" x 2'4"	156cm x 72cm / 5'1" x 2'4"	156cm x 72cm / 5'1" x 2'4"
Rear Double	192cm x 134cm / 6'4" x 4'5"	192cm x 134cm / 6'4" x 4'5"	185cm x 133cm / 6'1" x 4'4"

WEIGHTS: The method of calculating the Mass in Running Order (MRO) and user payload figures has changed in order to bring it in line with European Vehicle Directives.

Allowances for essential equipment (e.g. gas cylinders) previously allowed for in the user payload are now contained within the MRO. A provision for a leisure battery which used to be within the essential equipment payload has now been included within the personal effects payload allowance.

Although the method of calculation has changed, the overall effect is that the amount of payload available to the customer has remained the same, it is just calculated in a different manner.

BED SIZES: Please note that the front double bed sizes quoted are for seating configurations without a chest of drawers. The front double bed width for a layout with a chest of drawers fitted, will be reduced by 0.4m (1'4") from that stated.

AWNING SIZES: Due to varying awning designs and sizes the awning sizes given are approximate only. Specific awning sizes must be confirmed by your dealer or awning manufacturer prior to purchase.

* Estimated

** The dimensions given are approximate due to slight variations in suspension ride heights, loading conditions and tyre pressures.

Customers should verify the actual dimensions of their touring caravan before committing to anything that could be impacted by these dimensions.

BUILD QUALITY

All Swift Group caravans come with a market leading 10 year bodyshell integrity warranty which is backed by Swift Group to give you extra peace of mind.

They are also NCC and European Whole Vehicle Type approved, which means they have been built to comply with strict weight, dimension and safety regulations.

Finally, all Swift Group caravans meet the Grade 3 standard for heating and thermal insulation, which means the interior warms up from minus 15°C to 20°C in under 4 hours and the water system still works. Crucially Swift Group proves this by using cold chamber testing, not just by mathematical calculation as many manufacturers do.



SWIFT TV







JOIN US ONLINE

Social Network for Caravan Enthusiasts
WWW.SWIFT-TALK.CO.UK

See product videos · developments and interviews at swifttv.co.uk

FEATURES

All Sterling Caravans come with an impressive array of features.



01. Shock absorbers for a smoother towing experience
02. AL-KO ATC trailer control system for an enhanced towing experience
03. Step on hitch cover for easy cleaning of the front windows
04. 40W roof mounted solar panel for greater independence
05. External 230V socket (Except Sport models)
06. BBQ point for alfresco cooking (Except Sport models)
07. Ventilated microwave oven with digital control and built in at an easily accessible level
08. Dual fuel hob with 800W electric hotplate and 3 gas burners combined with a separate grill and glass fronted oven
09. Stylish and practical granite effect sink with removable drainer
10. Eocamel shower head and hose which cleverly injects air directly into the water stream so you use less water while experiencing a more powerful shower
11. Omnivert three speed, two way roof fan (Except Sport models)
12. Pull out chest of drawers with convenient front shelf pod
13. Seat bases with spaceframe construction, full front access and space for larger items
14. Bed make up system with slats retained on track
15. Positive locker catches for secure storage on the move
16. Low energy lighting system featuring:
 - Over locker lights and LED task lights (pictured)
 - LED kitchen splash back panel and worktop drip lighting (Except Sport models)
 - LED low level night lighting (Except Sport models)
 - LED back lights in washroom mirrors (Except Sport models)
17. Alde towel radiator in washroom (Except Sport models)
18. Exterior locks with one key operation
19. 30 litre internal water tank with additional pump for tank filling or direct feed to taps (Except Sport and single axle SE models)

FEATURES

You can be reassured when you buy a Sterling Caravan that they all come with the following market leading features.

ECCLES SPORT

Exterior

- European Whole Vehicle Type Approval ensures compliance with strict weight, dimension and safety regulations
- EN1645 Grade 3 classification for heating and thermal insulation
- Overall body width 2.25m/7'4½"
- AL-KO galvanised steel chassis with Euro-axle
- New** SMART construction with Strong, moisture proof 'PURe' Polyurethane timberless framed body shell
- One-piece, 5000 Series marine grade aluminium sidewalls
- New** graphic scheme
- 25mm 'sandwich' sidewall construction with polystyrene insulation core
- Aerodynamic front in closed-mould GRP with wide front door
- New** Graphite gas locker door, hitch cover, skirts and wheel arches
- Full height moulded rear panel
- Fully bonded 32mm 'sandwich' roof for extra strength and flatness with polystyrene insulation core
- 44mm 'sandwich' floor with high rigidity Styrofoam core
- AL-KO Euro overrun device with two-way assisted handbrake
- Six twin spoke 'Storm' alloy wheels
- Steel spare wheel and carrier
- Higher tyre rating - a minimum of 150kg extra load margin at 130kph (law permitting)
- Shock absorbers for a smoother towing experience
- New** Higher payloads on twin axle models
- Semi-recessed body colour awning rail both sides
- Step-on hitch cover for easy cleaning of front windows
- New** High security locks with convenient one key operation for all locks
- 13-pin 'Jaeger' 12V car connector
- Bulkhead mounted regulator suitable for use with either propane or butane bottles
- Fully double-glazed opening windows (no single-glazed cold areas)
- LED awning light
- Exterior two-part door with interior moulded liner, window and blind
- Exterior access battery box with mains electric inlet (battery not included)
- Aerial point in battery box for portable satellite dish connection
- Entrance step

Interior

- 1.95m (6'5") headroom
- Panoramic front sunroof
- New** 'Hessian' effect furniture with matt white locker doors and chrome effect fittings

- New** 'Pareto' soft furnishing scheme with four scatter cushions
- Two bolster cushions
- Twin curtain track for improved hanging and ease of use
- New** Sectioned removable carpets and floor rugs for flexibility
- New** French Oak effect, high impact, scratch resistant floor lino
- New** Round edge wall mirror in lounge (with textured back panel in specific models)
- Beech slat seat and bed bases with sprung hinged tops for extra comfort and easy access
- Seat bases with spaceframe construction, full front access and space for larger items
- Bed make-up system with slats retained on track
- Sprung interior mattresses in fixed bed models
- Fixed beds with steel bed frames to maximise strength and storage space
- Areas under beds and seats warmed by blown air system and underfloor ducting insulated to minimise heat loss
- Front chest of drawers with convenient slide-out extending top
- Large dining table for full-size place settings
- Positive overhead locker catches for secure storage on the move
- Overhead locker doors with injection moulded spaceframe construction
- New** Granite effect kitchen sink to complement new work surfaces
- Removable drainer with dedicated storage
- Food grade nylon chopping board with dedicated storage
- New** Design white and chrome kitchen and vanity mixer taps
- Kitchen worktop extensions (except 524, 636 & 640 models)
- Cutlery drawer on smooth-action steel runners
- Two pull-out wire baskets in kitchen cupboard
- Midi-Heki roof window with flynet and adjustable concertina blind
- Door flyscreen with easy concertina action
- Cassette flyscreens and blinds on all windows
- Multi-directional clear roof lights in kitchens, bedrooms and washrooms
- Seat and backrest ventilation boards
- Retained embroidered entrance mat
- Lined washroom cubicle in all separate washrooms
- Thick washroom doors with domestic style locks and handles

Equipment

- Upgraded** dual fuel heating with Truma Combi 4 Boiler 1.8kW electric/4kW gas/3.8kW combined (Combi 6 1.8kW electric/6kW gas/5.8kW combined in 544, 554, 564, 584, 586, 636, 640)
- Blown air ducted to living, sleeping and washroom areas
- Large capacity (15 litre) waste bin on lower door
- Dual fuel hob with 800W electric hotplate and 3 gas burners with electronic ignition
- Glass hob lid with safety cut-out feature
- Thetford thermostatic oven and separate grill
- Ventilated microwave oven with digital controls built at an easily accessible level
- Thetford 113ltr fridge/freezer with electronic ignition, LED controls and a black effect finish
- New** Ecocamel shower hose and head uses less water while giving a powerful shower
- Thetford C260 toilet with electric flush and 18 litre wheeled waste tank
- High flow rate in-board pump with chrome finish brass taps for reliable, high performance water supply
- Inboard semi-rigid fresh water pipes
- Large bore underslung rigid waste pipes
- Isolation taps for gas appliances
- User-friendly large 12V control panel with battery selection, battery state meter and water pump circuit control
- Fully protected mains electric system
- 25 Amp switchmode charger/transformer
- TV station with 230V, 12V and aerial sockets (two in selected models)
- Radio/CD/MP3 player with iPod connection with upgraded premium radio speakers
- Status 550 directional Digital / Analogue TV/FM aerial and booster
- New** 40W solar panel fitted as standard
- Low energy LED locker lighting in seating and bedroom areas
- Low energy LED lights in main habitation area (not washrooms)
- Four 230V chrome sockets including twin in front shelf pod
- 25 metre mains hook-up cable

Safety and Security

- Thatcham approved TRACKER Retrieve fitted as standard
- AL-KO ATC trailer stability control fitted as standard
- AKS 3004 Stabiliser
- Receiver for optional AL-KO Secure wheel lock
- Smoke alarm
- Carbon monoxide detector
- Concealed security data chip within caravan construction
- CRiS indentity number etched to windows and caravan chassis

ECCLES SE

Additional/Upgrade to Eccles Sport

Exterior

- Wheel arches insulated with high density foam to prevent cold spots in storage areas
- Five spoke alloy wheels in glitter silver finish
- Heavy duty corner steadies on twin axle models
- BBQ point
- External 230v socket
- Exterior two part door with interior moulded liner window and blind (45mm / 2" wider and 50mm / 3" taller than standard size)
- External access door under front nearside seat
- Large external access door under fixed beds (model specific)
- Key fob control to LED awning light

Interior

- New** 'Laval' Soft furnishings
- Granite effect kitchen sink with larger integrated drainer and removable extension drainer
- Kitchen worktop extensions (except Moonstone, Trekker & Amethyst)
- Second moulded cutlery drawer on smooth steel runner above fridge
- Midi Heki over fixed beds
- Pleated blinds and fly nets to all windows
- New** Sectioned removable wear resistant harewood quality carpet with additional front rugs (Rear rugs model specific)
- New** Exclusive 'Duvalay Duvalite' mattress with lightweight memory fibre technology - hypoallergenic, excellent pressure relief, dustmite resistant and 100% recyclable (Fixed bed models only)
- Access flaps in fixed bed surrounds and day seat ends
- Luxury curtains with double width fabric on all side and centre windows
- Washroom hanging rail
- Fabric blinds to washroom window (model specific)

Equipment

- ALDE radiator central heating and water heating with daily programming with LCD touch screen control and choice of 1KW, 2KW or 3KW setting
- ALDE towel radiator in all models
- 8-Series Dometic 110 litre, electronic ignition fridge with removable freezer compartment, black effect finish and digital controls
- Omnivent three speed, two way roof fan
- 30 litre internal fresh water tank (Twin Axles Only) with additional external pump for filling or direct feed to taps
- User friendly 12V control panel with battery selection, battery state meter, lighting, water tank level (Twin Axle models) and water pump circuit controls, set in new decorative housing
- Low energy LED lighting system throughout with over-locker lights, task lights and low level night lights
- LED back-lit acrylic sink splash back and kitchen under worktop lighting
- LED backlights in washroom mirrors
- LED downlighters set in plinth over kitchen locker
- Light in wardrobe
- Six 230V chrome effect sockets including two in compact front shelf pod

Safety and Security

- Passive infra-red alarm system with tilt sensor and key fob operation

ELITE

Additional/Upgrade to Eccles Sport and SE

Exterior

- 2.31m (7'7") overall width for more spacious interior
- Roof capping rails integrating with front and rear panels for improved aerodynamic styling
- Exclusive shape double-glazed opening windows with night ventilation position
- Rain water deflector over front windows incorporating brand badge
- Imposing rear panel wraparound rear light clusters
- Extra strong, thermally efficient 32mm thick fully bonded walls and roof
- Profiled side skirts in tough self coloured uPVC with integrated awning channel
- White gas locker door, hitch cover, skirts and wheel arches
- External shower point
- AL-KO side-mounted jack

Interior

- New** High gloss curved upper locker doors in 'Italian Ash' with beige infill's and new positive locking handle design
- New** Chrome effect handles throughout
- 'Loretta' Soft furnishings
- Automotive style roof locker system surrounding front panoramic roof window
- Square edge wall mirror in lounge
- New** Decorative inlay to washroom door

- New** Design chrome kitchen and vanity mixer taps
- New** Sectioned removable wear resistant harewood quality carpet (no rugs)

Equipment

- 30 litre internal fresh water tank with additional external pump for filling or direct feed to taps in all models
- Locker mounted eye level power supply unit & power management for easy access
- User friendly 12V control panel with battery selection, battery state meter, lighting, water tank level (All models) and water pump circuit controls set in decorative housing
- 8-Series Dometic 190 litre, electronic ignition fridge incorporating 35 litre freezer compartment, black effect finish and digital controls in twin axles
- Premium speakers in washrooms

OPTIONS

FACTORY OPTIONS	ECCLES SPORT	ECCLES SE	ELITE
Alternative fabric scheme including the 'Impala' stain-resistant, easy-clean seating fabric with soft nubuck texture	Option	Option	Option
DEALER FIT OPTIONS			
Alarm system (infra-red with tilt sensor and key-fob operation)	Option	Standard	Standard
AL-KO Secure wheel lock	Option	Option	Option
Wrap-around seating in addition to drawer chest	Option	Option	Option
Roof-mounted air conditioner	Option	Option	Option
Supagard™ Glamour Shield protection	Option	Option	Option

FABRIC OPTIONS

Within the Sterling range fabric options are interchangeable, however this will effect seating and cushion make ups, please ask you dealer for full details and clarification.



'Pareto' upholstery scheme
Eccles Sport standard fabric



'Laval' upholstery scheme
Eccles SE standard fabric




'Loretto' upholstery scheme
Elite standard fabric

impala

just wipe it

'Impala' is a luxury upholstery fabric that combines a soft velvet feel with outstanding cleaning results and exceptional durability.

'Impala' is Exclusive to the Swift Group.



'Impala' upholstery scheme




FABRIC OPTIONS	ECCLES SPORT	ECCLES SE	ELITE
'Pareto' upholstery scheme	Standard	Option	Option
'Laval' upholstery scheme	Option	Standard	Option
'Loretto' upholstery scheme	Option	Option	Standard
'Impala' upholstery scheme (Elite seating cushion make up)	Option	Option	Option

EXCLUSIVE TO SWIFT GROUP

In addition to the 'Impala' fabric option, also exclusive to the Swift Group are the following market leading features.



An exciting new addition for 2014 and exclusive to the Swift Group, is the fitting of a 'Duvalay Duvalite' mattress in fixed bed layouts in both the SE and Conqueror ranges. Brought to recognition on Dragon's Den and now backed by Hilary Devey, the 'Duvalay Duvalite' is a new innovative mattress made with lightweight memory fibre technology. This hypoallergenic fibre remains as comfortable as memory foam but has many other benefits. Helping eliminate heat retention it gives superior temperature harmony, excellent pressure relief and is durable and resilient. It is resistant to dust-mite and is 100% recyclable. Being ultra light weight it also contributes to significant weight savings.



EXCLUSIVE TO
SWIFT GROUP



All Swift Group Caravans are fitted with the self-powered Thatcham approved TRACKER Retrieve system. This is one of the most effective tracking systems available, recognized by all police forces. Powered by its own battery, it is ideal while the caravan is in use or in storage. Activation of the system is via a specially negotiated annual subscription.



All 2014 Swift Group Caravans are fitted with DMACK EcoXtra tyres. As one of only two suppliers to the FIA World Rally Championship, DMACK motorsport tyres have been tested to the limit across some of the world's toughest road conditions. This technical expertise has been transferred across the range of road tyres with a focus on quality, durability and safety. The EcoXtra tread pattern is specifically designed to provide low rolling resistance and delivers greater fuel economy for environmentally aware motorists.



VALUE ADDED PARTNERSHIPS

Swift Group work in close partnership with the following companies to ensure vital elements of their caravans are the best they can be.



Swift Group work in partnership with Truma and Alde, the manufacturers of the heating systems installed in their touring caravans. This partnership sees both teams challenging each other to deliver the best kit/equipment at the best price for the caravan ranges. Truma and Alde also carry out cold chamber testing of the products to prove they meet the Grade 3 standard for heating and insulation.



All Swift Group Caravans are built on AL-KO galvanised steel chassis and come with the AL-KO ATC trailer control system and the AL-KO AKS 3004 stabiliser to enhance the towing experience and provide extra safety while towing at higher speeds.

ADDED PROTECTION



Glamour Shield is the UK's official provider of Supagard™ paint and fabric protection solutions to the leisure vehicle industry and the only provider recommended by Swift Group.

Supagard™ professional paint sealant has been professionally applied to vehicles for over 20 years and is guaranteed to protect your caravans exterior from acid rain, UV rays, atmospheric pollutants, road salt and other causes of exterior fading and degradation.

Supagard™ InteriorGuard prevents spills of coffee, soft drinks, juices and other liquids from permanently staining your fabrics and carpets, protecting your interior against those occasional mishaps.

Supagard™ is only available as an optional extra. Ask your dealer for details.