



PART OF THE SWIFT GROUP
Cottingham · East Yorkshire · United Kingdom

WWW.SWIFTGROUP.CO.UK

This brochure does not constitute an offer by Swift Group Limited (Swift). Swift reserves the right to alter specifications and prices at any time as materials and conditions demand. Distributors and dealers sell Swift products on their own account and not as agents of Swift. Accordingly, they have no authority to bind Swift or to make any representation or undertaking whatsoever on behalf of Swift. All props are for photographic purposes only and are not included in the specification. Issued August 2013.

Selected lifestyle images are courtesy of The Camping and Caravanning Club
www.campingandcaravanningclub.co.uk



WWW.SWIFTGROUP.CO.UK

SWIFT CARAVANS
MADE TO MAKE YOU SMILE

2014 MODEL RANGE



A SMILE BEHIND EVERY CARAVAN

Determined to deliver exceptional value for money, Swift Group continue to drive significant increases in specification, ensuring prices remain competitive and boosting overall energy efficiency.

Whatever model you are considering, there has never been a more compelling time to choose Swift. With three ranges to suit different budget levels we have a model to suit you.



FREE Swift Group Backed Warranty
10 YEAR Bodyshell integrity warranty
subject to terms and conditions

05

CHALLENGER SPORT

Outstanding value at weights that can be towed by most family cars.



15

CHALLENGER SE

Luxury meets affordability in this popular mid range.



25


CONQUEROR

Exterior and interior refinement for five star touring.



35

FEATURES





TECHNICAL INNOVATION

A SMART MOVE WITH MODERN CONSTRUCTION

As the UK's leading leisure vehicle manufacturer, the Swift Group undertakes what is probably the most extensive research and testing program in the industry and we are constantly looking at new and better ways to construct our products. SMART is our new intelligent construction system that is being launched across our entire touring caravan range.


SMART is based on proven technology and provides a Strong timber-less body frame with Modern desirable looks and a leading Aerodynamic shape that is highly Resilient to moisture, all wrapped up in a caravan that has undergone the most comprehensive Testing.



Carefully developed, the new system has only been introduced once we were satisfied that it was truly fit for purpose.

Computer numerically controlled (CNC) cutting is used in the manufacturing process to provide accuracy and consistency time after time, to produce a high quality engineered product designed to give you a lifetime of SMILES.

For more details see Swift TV or the website.



AERODYNAMIC

We continue to lead the way in Aerodynamics using Computational Fluid Dynamics to help shape the bodysell for better fuel consumption and safer towing.



RESILIENT

All fixings are made into the 'PURE' material to a pre-defined depth. 'PURE' is totally impervious to water and has no veins. This means there is no passage for water from the outer skin to the inner wallboard, making the caravan highly Resilient to moisture.



TESTED

Extensive safety and durability Testing at the Millbrook track, and cold chamber Testing down to minus 15°C and beyond puts prototypes through conditions most products will never have to experience in a lifetime; all part of the Swift Ethos to deliver the best products to you.



MODERN

The SMART construction system uses Modern materials and also has been developed to ensure the exterior profiles maintain the Modern desirable looks our caravans are renowned for.



STRONG

The new Strong timberless body frame uses 'PURE', a tough, hard polyurethane based product, that is totally impervious to water and has been proven through use.



CHALLENGER SPORT

With modern styling and cutting edge interiors the Challenger Sport range provides outstanding value at weights that can be towed by most family cars.

Whether you want to kick back and relax or explore the great outdoors, the Challenger Sport comes with a choice of ten models including a new twin axle model with front and rear parallel seating, the 640, so there is sure to be a layout to suit you.

- Models 10
- Min Berth
- Max Berth
- Heating



Comfortable and relaxed, professional designers have carefully coordinated the interior, which is flooded with light from the panoramic sun roof.

The new 'Maldives' soft furnishing scheme has seating fabric in a grey hue with a warm thread running through the heavy weave of the fabric that links in closely with the colour of the 'Mali Acacia' wood grain. The curtain and scatter cushions incorporate colour through a random abstract design.





A choice of flexible seating and sleeping arrangements are combined with well equipped kitchens and washrooms.


The Truma Combi boiler has been upgraded to a more powerful model to provide faster more efficient heat up and a new 40W solar panel fitted as standard gives greater independence. Another practical addition is the Ecocamel shower head and hose which cleverly injects air directly into the water stream so you use less water while experiencing a more powerful shower.

FIND A MODEL

To locate a specific model visit
www.SWIFTGROUP.CO.UK



CHALLENGER SPORT SPECIFICATION



	442	514	524	544	554
Berths	2	4	4	4	4
Number of Axles	1	1	1	1	1
Internal Length (at bed box height)	4.40m / 14'5"	5.23m / 17'2"	5.29m / 17'4"	5.60m / 18'4"	5.60m / 18'4"
Overall Width*	2.25m / 7'4½"	2.25m / 7'4½"	2.25m / 7'4½"	2.25m / 7'4½"	2.25m / 7'4½"
Overall Height (inc. TV Aerial)*	2.64m / 8'8"	2.65m / 8'8"	2.65m / 8'8"	2.65m / 8'8"	2.65m / 8'8"
Maximum Internal Headroom	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"
Overall Length*	6.06m / 19'11"	6.88m / 22'7"	6.94m / 22'9"	7.25m / 23'9"	7.25m / 23'9"
Awning A/A Dimension	8.79m / 28'10"	9.62m / 31'7"	9.68m / 31'9"	9.99m / 32'9"	9.99m / 32'9"
Mass in Running Order (inc. tolerance)	1118kg / 22.0cwt	1234kg / 24.3cwt	1258kg / 24.8cwt	1292kg / 25.4cwt	1279kg / 25.2cwt
Maximum Technical Permissible Laden Mass	1239kg / 24.4cwt	1384kg / 27.2cwt	1408kg / 27.7cwt	1445kg / 28.4cwt	1432kg / 28.2cwt
Total User Payload	121kg / 2.4cwt	150kg / 3.0cwt	150kg / 3.0cwt	153kg / 3.0cwt	153kg / 3.0cwt
Personal Effects Payload	121kg / 2.4cwt	150kg / 3.0cwt	150kg / 3.0cwt	153kg / 3.0cwt	153kg / 3.0cwt
Tyre Size	185 R14C 102Q	185 R14C 102Q	185 R14C 102Q	185 R14C 102Q	185 R14C 102Q
Thermal Insulation Grade	Three	Three	Three	Three	Three
BED SIZES					
Front Double	202cm x 180cm / 6'8" x 5'11"	202cm x 153cm / 6'8" x 5'0"	202cm x 180cm / 6'8" x 5'11"	202cm x 159cm / 6'8" x 5'3"	202cm x 159cm / 6'8" x 5'3"
Or Front Nearside Single	190cm x 72cm / 6'3" x 2'4"	153cm x 72cm / 5'0" x 2'4"	180cm x 72cm / 5'11" x 2'4"	160cm x 72cm / 5'3" x 2'4"	160cm x 72cm / 5'3" x 2'4"
And Front Offside Single	180cm x 72cm / 5'11" x 2'4"	160cm x 72cm / 5'3" x 2'4"	190cm x 72cm / 6'3" x 2'4"	160cm x 72cm / 5'3" x 2'4"	160cm x 72cm / 5'3" x 2'4"
Rear Double		198cm x 133cm / 6'6" x 4'4"		191cm x 133cm / 6'3" x 4'4"	191cm x 133cm / 6'3" x 4'4"
Side/Rear Single Offside			180cm x 62cm / 5'11" x 2'0"		
Side/Rear Single Nearside					
Side Bunk Offside			176cm x 59cm / 5'9" x 1'11"		
Side Bunk Nearside					
Side Fixed Bunks					
Side Fixed Upper Bunk					

	564	584	586	636	640
Berths	4	4	6	6	6
Number of Axles	1	1	1	2	2
Internal Length (at bed box height)	5.60m / 18'4"	5.83m / 19'2"	5.83m / 19'2"	6.27m / 20'7"	6.27m / 20'7"
Overall Width*	2.25m / 7'4½"	2.25m / 7'4½"	2.25m / 7'4½"	2.25m / 7'4½"	2.25m / 7'4½"
Overall Height (inc. TV Aerial)*	2.65m / 8'8"	2.65m / 8'8"	2.65m / 8'8"	2.62m / 8'7"	2.62m / 8'7"
Maximum Internal Headroom	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"
Overall Length*	7.25m / 23'9"	7.48m / 24'6"	7.48m / 24'6"	7.93m / 26'0"	7.93m / 26'0"
Awning A/A Dimension	9.99m / 32'9"	10.22m / 33'6"	10.22m / 33'6"	10.66m / 35'0"	10.66m / 35'0"
Mass in Running Order (inc. tolerance)	1290kg / 25.4cwt	1295kg / 25.5cwt	1361kg / 26.8cwt	1508kg / 29.7cwt	1542kg / 30.4cwt
Maximum Technical Permissible Laden Mass	1443kg / 28.4cwt	1451kg / 28.6cwt	1550kg / 30.5cwt	1750kg / 34.4cwt	1750kg / 34.4cwt
Total User Payload	153kg / 3.0cwt	156kg / 3.1cwt	189kg / 3.7cwt	242kg / 4.8cwt	208kg / 4.1cwt
Personal Effects Payload	153kg / 3.0cwt	156kg / 3.1cwt	176kg / 3.5cwt	180kg / 3.5cwt	180kg / 3.5cwt
Tyre Size	185 R14C 102Q	185 R14C 102Q	185 R14C 102Q	185/70 R14 88T	185/70 R14 88T
Thermal Insulation Grade	Three	Three	Three	Three	Three
BED SIZES					
Front Double	202cm x 159cm / 6'8" x 5'3"	202cm x 159cm / 6'8" x 5'3"	202cm x 180cm / 6'8" x 5'11"	202cm x 180cm / 6'8" x 5'11"	202cm x 180cm / 6'8" x 5'11"
Or Front Nearside Single	160cm x 72cm / 5'3" x 2'4"	160cm x 72cm / 5'3" x 2'4"	190cm x 72cm / 6'3" x 2'4"	180cm x 72cm / 5'11" x 2'4"	190cm x 72cm / 6'3" x 2'4"
And Front Offside Single	160cm x 72cm / 5'3" x 2'4"	160cm x 72cm / 5'3" x 2'4"	180cm x 72cm / 5'11" x 2'4"	190cm x 72cm / 6'3" x 2'4"	180cm x 72cm / 5'11" x 2'4"
Rear Double					202cm x 133cm / 6'8" x 4'4"
Side/Rear Single Offside	192cm x 71cm / 6'4" x 2'4"				186cm x 64cm / 6'1" x 2'11"
Side/Rear Single Nearside	183cm x 75cm / 6'0" x 2'6"		180cm x 62cm / 5'11" x 2'0"	180cm x 82cm / 5'11" x 2'8"	176cm x 64cm / 5'9" x 2'11"
Side Bunk Offside					173cm x 59cm / 5'8" x 1'11"
Side Bunk Nearside			176cm x 59cm / 5'9" x 1'11"	176cm x 59cm / 5'9" x 1'11"	163cm x 59cm / 5'4" x 1'11"
Side Fixed Bunks			183cm x 57cm / 6'0" x 1'10"	181cm x 57cm / 5'11" x 1'10"	
Side Fixed Upper Bunk			183cm x 57cm / 6'0" x 1'10"	181cm x 57cm / 5'11" x 1'10"	

WEIGHTS: From the 2012 Season, the method of calculating the Mass in Running Order (MRO) and user payload figures was changed in order to bring it in line with European Vehicle Directives.

Allowances for essential equipment (e.g. gas cylinders) previously allowed for in the user payload are now contained within the MRO. A provision for a leisure battery which used to be within the essential equipment payload has now been included within the personal effects payload allowance.

Although the method of calculation has changed, the overall effect is that the amount of payload available to the customer has remained the same, it is just calculated in a different manner.

BED SIZES: Please note that the front double bed sizes quoted are for seating configurations without a chest of drawers. The front double bed width for a layout with a chest of drawers fitted, will be reduced by 0.4m (1'4") from that stated.

AWNING SIZES: Due to varying awning designs and sizes the awning sizes given are approximate only. Specific awning sizes must be confirmed by your dealer or awning manufacturer prior to purchase.

* The dimensions given are approximate due to slight variations in suspension ride heights, loading conditions and tyre pressures.

Customers should verify the actual dimensions of their touring caravan before committing to anything that could be impacted by these dimensions

JOIN US ONLINE
Social Network for Caravan Enthusiasts
www.SWIFT-TALK.CO.UK



CHALLENGER SE

Luxury meets affordability in this popular mid-range that offers a perfect combination of style and specification at weights that fall within a wide range of towing cars.

With five twin axle layouts in the 10 model line up it also offers the ultimate in space. There is a new layout with L-shaped front seating in the 6 berth, twin axle 630 model which also has a fixed bed with large rear washroom.

- Models **10**
- Min Berth
- Max Berth
- Heating



Challenger interiors enjoy all the benefits that quality, advanced design and attention to detail can bring.

An exceptionally high specification includes Alde radiator central heating with a touch screen control, an uprated 40W solar panel and new exclusive Duvalay Duvalite mattress, with lightweight memory fibre technology in fixed bed models, for an ultra comfortable nights sleep.







Pleated blinds and low energy lighting throughout including low level night lights, kitchen splash back and under worktop lighting, lets you set the mood.



A wide choice of seating layouts combine with well equipped kitchens and an external BBQ point allows for alfresco cooking. Washrooms have separate shower cubicles with powerful Eocamel shower head, a handy hanging rail, back lit mirror and the luxury of an Alde heated towel radiator.

FIND A MODEL


To locate a specific model visit
www.SWIFTGROUP.CO.UK



CHALLENGER SE SPECIFICATION



	480	530	565	570	580
Berths	2	4	4	4	4
Number of Axles	1	1	1	1	1
Internal Length (at bed box height)	4.40m / 14'5"	5.29m / 17'4"	5.60m / 18'4"	5.60m / 18'4"	5.83m / 19'2"
Overall Width*	2.25m / 7'4½"	2.25m / 7'4½"	2.25m / 7'4½"	2.25m / 7'4½"	2.25m / 7'4½"
Overall Height (inc. TV Aerial)*	2.64m / 8'8"	2.65m / 8'8"	2.65m / 8'8"	2.65m / 8'8"	2.65m / 8'8"
Maximum Internal Headroom	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"
Overall Length*	6.06m / 19'11"	6.94m / 22'9"	7.25m / 23'9"	7.25m / 23'9"	7.48m / 24'6"
Awning A/A Dimension	8.77m / 28'9"	9.65m / 31'8"	9.96m / 32'8"	9.96m / 32'8"	10.19m / 33'5"
Mass in Running Order (inc. tolerance)	1166kg / 23.0cwt	1331kg / 26.2cwt	1360kg / 26.8cwt	1330kg / 26.2cwt	1360kg / 26.8cwt
Maximum Technical Permissible Laden Mass	1287kg / 25.3cwt	1481kg / 29.2cwt	1513kg / 29.8cwt	1483kg / 29.2cwt	1516kg / 29.8cwt
Total User Payload	121kg / 2.4cwt	150kg / 3.0cwt	153kg / 3.0cwt	153kg / 3.0cwt	156kg / 3.1cwt
Personal Effects Payload	121kg / 2.4cwt	150kg / 3.0cwt	153kg / 3.0cwt	153kg / 3.0cwt	156kg / 3.1cwt
Tyre Size	185 R14C 102Q	185 R14C 102Q	185 R14C 102Q	185 R14C 102Q	185 R14C 102Q
Thermal Insulation Grade	Three	Three	Three	Three	Three
BED SIZES					
Front Double	202cm x 176cm / 6'8" x 5'9"	202cm x 176cm / 6'8" x 5'9"	202cm x 156cm / 6'8" x 5'1"	202cm x 156cm / 6'8" x 5'1"	202cm x 156cm / 6'8" x 5'1"
Or Front Nearside Single	186cm x 72cm / 6'1" x 2'4"	176cm x 72cm / 5'9" x 2'4"	156cm x 72cm / 5'1" x 2'4"	156cm x 72cm / 5'1" x 2'4"	156cm x 72cm / 5'1" x 2'4"
And Front Offside Single	176cm x 72cm / 5'9" x 2'4"	186cm x 72cm / 6'1" x 2'4"	156cm x 72cm / 5'1" x 2'4"	156cm x 72cm / 5'1" x 2'4"	156cm x 72cm / 5'1" x 2'4"
Rear Double				192cm x 130cm / 6'4" x 4'3"	185cm x 133cm / 6'1" x 4'4"
Side Single Offside		180cm x 62cm / 5'11" x 2'0"	192cm x 68cm / 6'4" x 2'3"		
Side Single Nearside			183cm x 73cm / 6'0" x 2'5"		
Side Bunk Offside		176cm x 59cm / 5'9" x 1'11"			
Side Bunk Nearside					
Side Fixed Lower Bunk					
Side Fixed Upper Bunk					



	590	620	625	630	645
Berths	6	4	6	6	4
Number of Axles	2	2	2	2	2
Internal Length (at bed box height)	6.27m / 20'7"	6.27m / 20'7"	6.27m / 20'7"	6.27m / 20'7"	6.27m / 20'7"
Overall Width*	2.25m / 7'4½"	2.25m / 7'4½"	2.25m / 7'4½"	2.25m / 7'4½"	2.25m / 7'4½"
Overall Height (inc. TV Aerial)*	2.62m / 8'7"	2.62m / 8'7"	2.62m / 8'7"	2.62m / 8'7"	2.62m / 8'7"
Maximum Internal Headroom	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"
Overall Length*	7.93m / 26'0"	7.93m / 26'0"	7.93m / 26'0"	7.93m / 26'0"	7.93m / 26'0"
Awning A/A Dimension	10.64m / 34'11"	10.64m / 34'11"	10.64m / 34'11"	10.64m / 34'11"	10.64m / 34'11"
Mass in Running Order (inc. tolerance)	1615kg / 31.8cwt	1579kg / 31.1cwt	1603kg / 31.6cwt	1564kg / 30.8cwt	1575kg / 31.0cwt
Maximum Technical Permissible Laden Mass	1850kg / 36.4cwt	1800kg / 35.4cwt	1800kg / 35.4cwt	1800kg / 35.4cwt	1800kg / 35.4cwt
Total User Payload	235kg / 4.6cwt	221kg / 4.4cwt	197kg / 3.9cwt	236kg / 4.6cwt	225kg / 4.4cwt
Personal Effects Payload	180kg / 3.5cwt	160kg / 3.1cwt	180kg / 3.5cwt	180kg / 3.5cwt	160kg / 3.1cwt
Tyre Size	185/70 R14 88T	185/70 R14 88T	185/70 R14 88T	185/70 R14 88T	185/70 R14 88T
Thermal Insulation Grade	Three	Three	Three	Three	Three
BED SIZES					
Front Double	202cm x 176cm / 6'8" x 5'9"	202cm x 176cm / 6'8" x 5'9"	202cm x 176cm / 6'8" x 5'9"	203cm x 131cm / 6'8" x 4'4"	202cm x 156cm / 6'8" x 5'1"
Or Front Nearside Single	186cm x 72cm / 6'1" x 2'4"	176cm x 72cm / 5'9" x 2'4"	176cm x 72cm / 5'9" x 2'4"		156cm x 72cm / 5'1" x 2'4"
And Front Offside Single	176cm x 72cm / 5'9" x 2'4"	186cm x 72cm / 6'1" x 2'4"	186cm x 72cm / 6'1" x 2'4"		156cm x 72cm / 5'1" x 2'4"
Rear Double	202cm x 133cm / 6'8" x 4'4"		192cm x 130cm / 6'4" x 4'3"	192cm x 130cm / 6'4" x 4'3"	185cm x 133cm / 6'1" x 4'4"
Side Single Offside	186cm x 64cm / 6'1" x 2'1"	192cm x 68cm / 6'4" x 2'3"	180cm x 69cm / 5'11" x 2'3"	180cm x 62cm / 5'11" x 2'0"	
Side Single Nearside	176cm x 64cm / 5'9" x 2'1"	183cm x 73cm / 6'0" x 2'5"			
Side Bunk Offside	173cm x 59cm / 5'8" x 1'11"		176cm x 59cm / 5'9" x 1'11"	176cm x 59cm / 5'9" x 1'11"	
Side Bunk Nearside	163cm x 59cm / 5'4" x 1'11"				

WEIGHTS: From the 2012 Season, the method of calculating the Mass in Running Order (MRO) and user payload figures was changed in order to bring it in line with European Vehicle Directives.

Allowances for essential equipment (e.g. gas cylinders) previously allowed for in the user payload are now contained within the MRO. A provision for a leisure battery which used to be within the essential equipment payload has now been included within the personal effects payload allowance.

Although the method of calculation has changed, the overall effect is that the amount of payload available to the customer has remained the same, it is just calculated in a different manner.

BED SIZES: Please note that the front double bed sizes quoted are for seating configurations without a chest of drawers. The front double bed width for a layout with a chest of drawers fitted, will be reduced by 0.4m (1'4") from that stated.

AWNING SIZES: Due to varying awning designs and sizes the awning sizes given are approximate only. Specific awning sizes must be confirmed by your dealer or awning manufacturer prior to purchase.

* The dimensions given are approximate due to slight variations in suspension ride heights, loading conditions and tyre pressures.

Customers should verify the actual dimensions of their touring caravan before committing to anything that could be impacted by these dimensions

JOIN US ONLINE
Social Network for Caravan Enthusiasts
www.swiftgroup.co.uk



CONQUEROR

Synonymous with impressive style, this top range enjoys an enviable combination of comfort, practicality and design innovation.

Its distinctive aerodynamic exterior styling with sweeping front, imposing sunroof and rain water diverter has new classic white sides. Available in both single and twin axle layouts they are quite simply the best all year round tourers that money can buy.

Models

6

Min Berth



Max Berth



Heating





Touring is about freedom and relaxation and Swift designers have worked hard to ensure the Conqueror can provide just that.

New furniture styling has curved upper locker doors in gloss 'Mali Acacia' with cream infills and chrome handles, and there is a decorative inlay in the washroom door along with new design chrome kitchen and vanity mixer taps. All subtle details that enhance the luxury feel.

For the ultimate nights sleep, a new exclusive Duvalay Duvalite mattress, with lightweight memory fibre technology comes fitted in all fixed bed models.





Model fitted with optional 'Impala' scheme





With class leading width and headroom they house everything you need for 5 star touring with an extensive list of luxury, safety and practical features.


Detailed changes along with an already impressive specification including Alde radiator central heating system, 40W solar panel, luxury double width curtains, low energy LED lighting and external shower point, provide the highest possible level of comfort linked to cutting edge design.

FIND A MODEL

To locate a specific model visit
www.SWIFTGROUP.CO.UK



CONQUEROR SPECIFICATION



	480	530	565	570	630	645
Berths	2	4	4	4	4	4
Number of Axles	1	1	1	1	2	2
Internal Length (at bed box height)	4.74m / 15'7"	5.50m / 18'1"	5.60m / 18'4"	5.60m / 18'4"	6.27m / 20'7"	6.27m / 20'7"
Overall Width**	2.31m / 7'7"	2.31m / 7'7"	2.31m / 7'7"	2.31m / 7'7"	2.31m / 7'7"	2.31m / 7'7"
Overall Height (inc. TV Aerial**)	2.62m / 8'7"	2.67m / 8'9"	2.67m / 8'9"	2.67m / 8'9"	2.62m / 8'7"	2.62m / 8'7"
Maximum Internal Headroom	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"
Overall Length**	6.46m / 21'2"	7.22m / 23'8"	7.32m / 24'0"	7.32m / 24'0"	7.99m / 26'3"	7.99m / 26'3"
Awning A/A Dimension	9.12m / 29'11"	9.88m / 32'5"	9.98m / 32'9"	9.98m / 32'9"	10.65m / 34'11"	10.65m / 34'11"
Mass in Running Order (inc. tolerance)	1348kg / 26.5cwt	1535kg / 30.2cwt	1521kg / 29.9cwt	1521kg / 29.9cwt*	1672kg / 32.9cwt	1663kg / 32.7cwt
Maximum Technical Permissible Laden Mass	1473kg / 29.0cwt	1688kg / 33.2cwt	1675kg / 33.0cwt	1675kg / 33.0cwt*	1900kg / 37.4cwt	1900kg / 37.4cwt
Total User Payload	125kg / 2.5cwt	153kg / 3.0cwt	154kg / 3.0cwt	154kg / 3.0cwt	228kg / 4.5cwt	237kg / 4.7cwt
Personal Effects Payload	125kg / 2.5cwt	153kg / 3.0cwt	154kg / 3.0cwt	154kg / 3.0cwt	160kg / 3.1cwt	160kg / 3.1cwt
Tyre Size	185 R14C 102Q	195/70 R15C 104R	195/70 R15C 104R	195/70 R15C 104R	185/70 R14 88T	185/70 R14 88T
Thermal Insulation Grade	Three	Three	Three	Three	Three	Three
BED SIZES						
Front Double	207cm x 186cm / 6'9" x 6'1"	207cm x 176cm / 6'9" x 5'9"	207cm x 156cm / 6'9" x 5'1"	207cm x 156cm / 6'9" x 5'1"	207cm x 156cm / 6'9" x 5'1"	207cm x 156cm / 6'9" x 5'1"
Or Front Nearside Single	186cm x 72cm / 6'1" x 2'4"	176cm x 72cm / 5'9" x 2'4"	156cm x 72cm / 5'1" x 2'4"	156cm x 72cm / 5'1" x 2'4"	156cm x 72cm / 5'1" x 2'4"	156cm x 72cm / 5'1" x 2'4"
And Front Offside Single	186cm x 72cm / 6'1" x 2'4"	186cm x 72cm / 6'1" x 2'4"	156cm x 72cm / 5'1" x 2'4"	156cm x 72cm / 5'1" x 2'4"	156cm x 72cm / 5'1" x 2'4"	156cm x 72cm / 5'1" x 2'4"
Rear Double				192cm x 134cm / 6'4" x 4'5"	192cm x 134cm / 6'4" x 4'5"	185cm x 133cm / 6'1" x 4'4"
Side Single Offside		180cm x 69cm / 5'11" x 2'3"	192cm x 72cm / 6'4" x 2'4"			
Side Single Nearside			183cm x 73cm / 6'0" x 2'5"			
Side Bunk Offside		176cm x 59cm / 5'9" x 1'11"				
Side Bunk Nearside						
Side Fixed Lower Bunk						
Side Fixed Upper Bunk						

WEIGHTS: From the 2012 Season, the method of calculating the Mass in Running Order (MRO) and user payload figures was changed in order to bring it in line with European Vehicle Directives.

Allowances for essential equipment (e.g. gas cylinders) previously allowed for in the user payload are now contained within the MRO. A provision for a leisure battery which used to be within the essential equipment payload has now been included within the personal effects payload allowance.

Although the method of calculation has changed, the overall effect is that the amount of payload available to the customer has remained the same, it is just calculated in a different manner.


BED SIZES: Please note that the front double bed sizes quoted are for seating configurations without a chest of drawers. The front double bed width for a layout with a chest of drawers fitted, will be reduced by 0.4m (1'4") from that stated.

AWNING SIZES: Due to varying awning designs and sizes the awning sizes given are approximate only. Specific awning sizes must be confirmed by your dealer or awning manufacturer prior to purchase.

* Estimated

** The dimensions given are approximate due to slight variations in suspension ride heights, loading conditions and tyre pressures.

Customers should verify the actual dimensions of their touring caravan before committing to anything that could be impacted by these dimensions



4
2
6.27m / 20'7"
2.31m / 7'7"
2.62m / 8'7"
1.95m / 6'5"
7.99m / 26'3"
10.65m / 34'11"
1663kg / 32.7cwt
1900kg / 37.4cwt
237kg / 4.7cwt
160kg / 3.1cwt
185/70 R14 88T
Three
207cm x 156cm / 6'9" x 5'1"
156cm x 72cm / 5'1" x 2'4"
156cm x 72cm / 5'1" x 2'4"
185cm x 133cm / 6'1" x 4'4"

JOIN US ONLINE
Social Network for Caravan Enthusiasts
WWW.SWIFT-TALK.CO.UK

BUILD QUALITY

All Swift Group caravans come with a market leading 10 year bodyshell integrity warranty which is backed by Swift Group to give you extra peace of mind.

They are also NCC and European Whole Vehicle Type approved, which means they have been built to comply with strict weight, dimension and safety regulations.

Finally, all Swift Group caravans meet the Grade 3 standard for heating and thermal insulation, which means the interior warms up from minus 15°C to 20°C in under 4 hours and the water system still works. Crucially Swift Group proves this by using cold chamber testing, not just by mathematical calculation as many manufacturers do.

FREE
Swift Group
Backed
Warranty

10 YEAR
Bodyshell integrity
warranty

subject to terms and conditions

www.thencc.org.uk

Grade 3
Insulation

For year round comfort
BS EN 1645-1


European
Community
Whole Vehicle
Type Approved

SWIFT TV

See product videos · developments and interviews at swifttv.co.uk

FEATURES

All Swift Caravans come with an impressive array of features.



01. Shock absorbers for a smoother towing experience
02. AL-KO ATC trailer control system for an enhanced towing experience
03. Step on hitch cover for easy cleaning of the front windows
04. 40W roof mounted solar panel for greater independence
05. External 230V socket (Except Sport models)
06. BBQ point for alfresco cooking (Except Sport models)
07. Ventilated microwave oven with digital control and built in at an easily accessible level
08. Dual fuel hob with 800W electric hotplate and 3 gas burners combined with a separate grill and glass fronted oven
09. Stylish and practical granite effect sink with removable drainer
10. Eocamel shower head and hose which cleverly injects air directly into the water stream so you use less water while experiencing a more powerful shower
11. Omnivent three speed, two way roof fan (Except Sport models)
12. Pull out chest of drawers with convenient front shelf pod
13. Seat bases with spaceframe construction, full front access and space for larger items
14. Bed make up system with slats retained on track
15. Positive locker catches for secure storage on the move
16. Low energy lighting system featuring:
 - Over locker lights and LED task lights (pictured)
 - LED kitchen splash back panel and worktop drip lighting (Except Sport models)
 - LED low level night lighting (Except Sport models)
 - LED back lights in washroom mirrors (Except Sport models)
17. Alde towel radiator in washroom (Except Sport models)
18. Exterior locks with one key operation
19. 30 litre internal water tank with additional pump for tank filling or direct feed to taps (Except Sport and single axle SE models)

FEATURES

You can be reassured when you buy a Swift Caravan that they come with the following market leading features.

CHALLENGER SPORT

Exterior

- European Whole Vehicle Type Approval ensures compliance with strict weight, dimension and safety regulations
- EN1645 Grade 3 classification for heating and thermal insulation
- Overall body width 2.25m/7'4½"
- AL-KO galvanised steel chassis with Euro-axle
- New** SMART construction with strong, moisture proof 'PURe' Polyurethane timberless framed body shell
- One-piece, 5000 Series marine grade aluminium sidewalls
- 25mm 'sandwich' sidewall construction with polystyrene insulation core
- Aerodynamic front in closed-mould GFRP with wide front door
- Full height moulded rear panel
- Fully bonded 32mm 'sandwich' roof for extra strength and flatness with with polystyrene insulation core
- 44mm 'sandwich' floor with high rigidity Styrofoam core
- AL-KO Euro overrun device with two-way assisted handbrake
- Six twin spoke 'Storm' alloy wheels
- Steel spare wheel and carrier
- Higher tyre rating - a minimum of 150kg extra load margin at 130kph (law permitting)
- Shock absorbers for a smoother towing experience
- New** Higher payload on twin axle models
- Semi-recessed body colour awning rail both sides
- Step-on hitch cover for easy cleaning of front windows
- New** High security locks with convenient one key operation for all locks
- 13-pin 'Jaeger' 12V car connector
- Bulkhead mounted regulator suitable for use with either propane or butane bottles
- Fully double-glazed opening windows (no single-glazed cold areas)
- LED awning light
- Exterior two-part door with interior moulded liner, window and blind
- Exterior access battery box with mains electric inlet (battery not included)

- Aerial point in battery box for portable satellite dish connection

Entrance step

Interior

- 1.95m (6'5") headroom
- Panoramic front sunroof
- New** 'Maldives' soft furnishing scheme
- 'Mali Acacia' woodgrain with rich colour and defined woodgrain texture with complementary fabrics
- Two scatter cushions
- Two bolster arms either side of front chest

- Twin curtain track for improved hanging and ease of use
- New** Sectioned removable carpets for flexibility
- New** French Oak effect, high impact, scratch resistant floor lino
- Beech slat seat and bed bases with sprung hinged tops for extra comfort and easy access
- Seat bases with spaceframe construction, full front access and space for larger items
- Bed make-up system with slats retained on track
- Sprung interior mattresses in fixed bed models
- Fixed beds with steel bed frames to maximise strength and storage space
- Areas under beds and seats warmed by blown air system and underfloor ducting insulated to minimise heat loss
- Front chest of drawers with convenient slide-out extending top
- Large dining table for full-size place settings
- Positive overhead locker catches for secure storage on the move
- Overhead locker doors with injection moulded space frame construction
- Granite effect kitchen sink
- Removable drainer with dedicated storage
- Food grade nylon chopping board with dedicated storage
- Kitchen worktop extensions (except 524, 636 & 640 models)
- Cutlery drawer on smooth-action steel runners
- Two pull-out wire baskets in kitchen cupboard
- Midi-Heki roof window with flynet and adjustable concertina blind
- Door flyscreen with easy concertina action
- Cassette flyscreens and blinds on all windows
- Multi-directional clear roof lights in kitchens, bedrooms and washrooms
- Seat and backrest ventilation boards
- Retained embroidered entrance mat
- Lined washroom cubicle in all separate washrooms
- Thick washroom doors with domestic style locks and handles

Equipment

- Upgraded** dual fuel heating with Truma Combi 4 Boiler 1.8kW electric/4kW gas/3.8kW combined (Combi 6 1.8kW electric/6kW gas/5.8kW combined in 544, 554, 564, 584, 586, 636, 640)
- Blown air ducted to living, sleeping and washroom areas
- Large capacity (15 litre) waste bin on lower door
- Dual fuel hob with 800W electric hotplate and 3 gas burners with electronic ignition
- Glass hob lid with safety cut-out feature
- Thetford thermostatic oven and separate grill

- Ventilated microwave oven with digital controls built at an easily accessible level
- Thetford 113ltr fridge/freezer with electronic ignition, LED controls and a black effect finish
- New** Ecocamel shower hose and head uses less water while giving a powerful shower
- Thetford C260 toilet with electric flush and 18 litre wheeled waste tank
- High flow rate in-board pump with chrome finish brass taps for reliable, high performance water supply
- Inboard semi-rigid fresh water pipes
- Large bore underslung rigid waste pipes
- Isolation taps for gas appliances
- User-friendly large 12V control panel with battery selection, battery state meter and water pump circuit control
- Fully protected mains electric system
- 25 Amp switchmode charger/transformer
- TV station with 230V, 12V and aerial sockets (two in selected models)
- Radio/CD/MP3 player with iPod connection with upgraded premium radio speakers
- Status 550 directional Digital / Analogue TV/FM aerial and booster
- New** 40W solar panel fitted as standard
- Low energy LED over-locker lighting in seating and bedroom areas
- Low energy LED lights in main habitation area (not washrooms)
- Four 230V sockets including twin in front shelf pod
- 25 metre mains hook-up cable

Safety and Security

- Thatcham approved TRACKER Retrieve fitted as standard
- AL-KO ATC trailer stability control fitted as standard
- AKS 3004 Stabiliser
- Receiver for optional AL-KO Secure wheel lock
- Smoke alarm
- Carbon monoxide detector
- CRiS identity number etched to windows and caravan chassis
- Concealed security data chip within caravan construction
- High security entrance lock

CHALLENGER SE

Additional/Upgrade to Challenger Sport

Exterior

- Wheel arches insulated with high density foam to prevent cold spots in storage areas
- Five spoke alloy wheels in glitter silver finish
- Heavy duty corner steadies on twin axle models
- BBQ point
- External 230v socket
- Exterior two part door with interior moulded liner window and blind (45mm / 2" wider and 50mm / 3" taller than standard size)
- External access door under front nearside seat
- Large external access door under fixed beds (model specific)
- Key fob control to LED awning light

Interior

- 'Kitami' Soft furnishings scheme
- Overhead lockers with cream infill and chrome effect handles
- Granite effect kitchen sink with larger integrated drainer and removable extension drainer
- Second moulded cutlery drawer on smooth steel runner above fridge
- Kitchen worktop extensions (except 530, 590 & 625)
- Midi Heki over fixed beds
- Pleated blinds and fly nets to all windows
- New** Sectioned removable wear resistant harewood quality carpet
- New** Exclusive 'Duvalay Duvalite' mattress with lightweight memory fibre technology – hypoallergenic, excellent pressure relief, dustmite resistant and 100% recyclable (Fixed bed models only)
- Access flaps in fixed bed surrounds and day seat ends
- Luxury curtains with double width fabric on all side & centre front windows
- Washroom hanging rail
- Fabric blinds to washroom window (model specific)

Equipment

- ALDE radiator central heating and water heating with daily programming with LCD touch screen control and choice of 1KW, 2KW or 3KW setting
- ALDE towel radiator in all models
- 8-Series Dometic 110 litre, electronic ignition fridge with removable freezer compartment, black effect finish and digital controls
- Omnivent three speed, two way roof fan
- 30 litre internal fresh water tank (Twin Axles Only) with additional external pump for filling or direct feed to taps
- User friendly 12V control panel with battery selection, battery state meter, lighting, water tank level (Twin Axle models) and water pump circuit controls, set in new decorative housing
- Low energy LED lighting system throughout with over-locker lights, task lights and low level night lights
- LED back-lit acrylic sink splash back and kitchen under worktop lighting
- LED backlights in washroom mirrors
- LED downlighters set in plinth over kitchen locker
- Light in wardrobe
- Six 230V sockets including two in compact front shelf pod

Safety and Security

- Passive infra-red alarm system with tilt sensor and key fob operation

CONQUEROR

Additional/Upgrade to Challenger Sport and SE

Exterior

- 2.31m (7'7") overall width for more spacious interior
- Extra strong, thermally efficient 32mm thick fully bonded walls and roof
- Roof capping rails integrating with front and rear panels for improved aerodynamic styling
- Exclusive shape double-glazed opening windows with night ventilation position
- Rain water deflector over front windows incorporating brand badge
- Imposing rear panel wrap around rear light clusters
- Profiled side skirts in tough self coloured uPVC with integrated awning channel
- External shower point
- AL-KO side-mounted jack

Interior

- 'Kieran' Soft furnishings
- Automotive style roof locker system surrounding front panoramic roof window
- New** High gloss curved upper locker doors with cream infill's and new locking handle design
- New** Chrome effect handles throughout
- New** Design chrome kitchen and vanity mixer taps
- New** Decorative inlay to washroom door

OPTIONS

FACTORY OPTIONS	CHALLENGER SPORT	CHALLENGER SE	CONQUEROR
Alternative fabric scheme including the 'Impala' stain-resistant, easy-clean seating fabric with soft nubuck texture	Option	Option	Option
DEALER FIT OPTIONS			
Alarm system (infra-red with tilt sensor and key-fob operation)	Option	Standard	Standard
AL-KO Secure wheel lock	Option	Option	Option
Wrap-around seating in addition to drawer chest	Option	Option	Option
Roof-mounted air conditioner	Option	Option	Option
Supagard™ Glamour Shield protection	Option	Option	Option

FABRIC OPTIONS

Within the Swift range fabric options are interchangeable, however this will effect seating and cushion make ups, please ask you dealer for full details and clarification.



'Maldives' upholstery scheme
Challenger Sport standard fabric



'Kitami' upholstery scheme
Challenger SE standard fabric



'Kieran' upholstery scheme
Conqueror standard fabric



'Impala' upholstery scheme



impala
just wipe it

'Impala' is a luxury upholstery fabric that combines a soft velvet feel with outstanding cleaning results and exceptional durability.

'Impala' is Exclusive to the Swift Group.


FABRIC OPTIONS	CHALLENGER SPORT	CHALLENGER SE	CONQUEROR
'Maldives' upholstery scheme	Standard	Option	Option
'Kitami' upholstery scheme	Option	Standard	Option
'Kieran' upholstery scheme	Option	Option	Standard
'Impala' upholstery scheme (Conqueror seating cushion make up)	Option	Option	Option

EXCLUSIVE TO SWIFT GROUP

In addition to the 'Impala' fabric option, also exclusive to the Swift Group are the following market leading features.



An exciting new addition for 2014 and exclusive to the Swift Group, is the fitting of a 'Duvalay Duvalite' mattress in fixed bed layouts in both the SE and Conqueror ranges. Brought to recognition on Dragon's Den and now backed by Hilary Devey, the 'Duvalay Duvalite' is a new innovative mattress made with lightweight memory fibre technology. This hypoallergenic fibre remains as comfortable as memory foam but has many other benefits. Helping eliminate heat retention it gives superior temperature harmony, excellent pressure relief and is durable and resilient. It is resistant to dust-mite and is 100% recyclable. Being ultra light weight it also contributes to significant weight savings.



EXCLUSIVE TO
SWIFT GROUP



All Swift Group Caravans are fitted with the self-powered Thatcham approved TRACKER Retrieve system. This is one of the most effective tracking systems available, recognised by all police forces. Powered by its own battery, it is ideal while the caravan is in use or in storage. Activation of the system is via a specially negotiated annual subscription.



All 2014 Swift Group Caravans are fitted with DMACK EcoXtra tyres. As one of only two suppliers to the FIA World Rally Championship, DMACK motorsport tyres have been tested to the limit across some of the world's toughest road conditions. This technical expertise has been transferred across the range of road tyres with a focus on quality, durability and safety. The EcoXtra tread pattern is specifically designed to provide low rolling resistance and delivers greater fuel economy for environmentally aware motorists.



VALUE ADDED PARTNERSHIPS

Swift Group work in close partnership with the following companies to ensure vital elements of their caravans are the best they can be.



Swift Group work in partnership with Truma and Alde, the manufacturers of the heating systems installed in their touring caravans. This partnership sees both teams challenging each other to deliver the best kit/equipment at the best price for the caravan ranges. Truma and Alde also carry out cold chamber testing of the products to prove they meet the Grade 3 standard for heating and insulation.



All Swift Group Caravans are built on AL-KO galvanised steel chassis and come with the AL-KO ATC trailer control system and the AL-KO AKS 3004 stabiliser to enhance the towing experience and provide extra safety while towing at higher speeds.

ADDED PROTECTION



Glamour Shield is the UK's official provider of Supagard™ paint and fabric protection solutions to the leisure vehicle industry and the only provider recommended by Swift Group.

Supagard™ professional paint sealant has been professionally applied to vehicles for over 20 years and is guaranteed to protect your caravans exterior from acid rain, UV rays, atmospheric pollutants, road salt and other causes of exterior fading and degradation.

Supagard™ InteriorGuard prevents spills of coffee, soft drinks, juices and other liquids from permanently staining your fabrics and carpets, protecting your interior against those occasional mishaps.

Supagard™ is only available as an optional extra. Ask your dealer for details.