



Highbridge Caravan Centre is your first choice for new caravans, used caravans, new motorhomes, used motorhomes, new trailer tents, used trailer tents, new folding campers, used folding campers, awnings, and thousands of accessories lines!

Highbridge Caravan Centre is a family business developed over 50 years. As one of the largest outdoor leisure dealerships in the Country we owe our success to an emphasis on exceeding customer expectations.

Customer care is the backbone of the company and the continuous commitment to customers long after they have picked up their purchase has resulted in numerous awards and a very loyal customer base.

Providing you with wider variety has been Highbridge's aim from the beginning and now you can choose from a huge selection of leading manufacturers awnings, trailer tents, folding campers, caravans and motorhomes...all at one site.

So before you plan your holiday this year, make sure that you plan a visit to Highbridge.



#### Highbridge Caravan Centre Ltd.

HIGHBRIDGE

caravans | motorhomes | camping

A38 Bristol Road, Highbridge Somerset, TA9 4EX United Kingdom Telephone: 01278 782725 Fax: 01278 764810 Email: info@highbridgecaravans.co.uk

www.highbridgecaravans.co.uk













# 2017 SPECIAL EDITION SPRITE ESPRIT AND SWIFT EVOLUTION RANGES



# **SPRITE ESPRIT**

With modern styling and inviting interiors, the stunning special edition Sprite Esprit range is exclusive to Highbridge Caravans.

Built using Swift Group's enhanced SMART Plus intelligent construction system, models provide outstanding value at weights that be towed by most family cars.

In addition to an already high specification, all models come with an impressive list of special edition features including exclusive soft furnishings, fitted microwave and alloy wheels.

For 2017 the Sprite Esprit range also benefits from the new Swift Command system which gives you more control of your caravan. With a choice of six models there is sure to be a layout to suit you.













# **SPRITE ESPRIT EXCLUSIVE FEATURES**





Panoramic front sunroof and blind with Esprit logo













Alarm with key fob awning light control





#### **PLUS:**

- Exclusive soft furnishingsSpare steel wheel

- AL-KO Secure wheel lock receiver
  AL-KO AKS 3004 Stabiliser
  Four scatter cushions
  2nd TV point (in Q6DD and Q6EW)

- Unique design logo on lounge mirror
  Unique embroidered door way mat with logo
  Illuminated washroom mirror
  Exclusive graphics
  Double width curtains

For additional features visit www.highbridgecaravans.co.uk

# **SWIFT EVOLUTION**

Swift Group, Britain's leading manufacturer in partnership with Highbridge Caravans, are delighted to introduce the desirable and exclusive Swift Evolution Range.

Built using Swift Group's award winning SMART Plus intelligent construction system, the five model Evolution range has been significantly enhanced for 2017.

With a stunning exterior profile, luxurious interior and a premium range specification, the Evolution benefits from a fantastic selection of new and exclusive features including Alde central heating. In addition, this year sees the introduction of the Swift Command system with Thatcham 6 category approved pro-active tracker option.













# **SWIFT EVOLUTION EXCLUSIVE FEATURES**



Alde central heating with



100W Solar panel



Omnivent 3-speed fan



BBQ point and external 230V mains socket



New Double USB charging



New Truma Duo comfort crash sensor change over regulator





New External entertainment hatch (TV not included)





New AL-KO manoeuvring handle

#### PLUS:

- Exclusive upholstery scheme
- Alarm system for added security
- External access locker door
- Side lift jack and brackets Heavy duty corner steadies
- 100W Solar panel
- Exclusive special edition graphics
- Illuminated washroom mirror
- Illuminated kitchen splashback
- Side panel window pads (model specific)
- Dimmable spotlights

- Washroom hanging rail (model specific)
- Upholstered shark fins to front lounge
- Unique embroidered doorway mat with logo
- Acrylic facia with Evolution logo to sunroof surround
- (Fixed bed models)
- Unique logo on lounge mirror
- New LED strip lights in lounge

For additional features visit www.highbridgecaravans.co.uk

























Models	A2	M4EB	M4SB	M6TD	Q6EW	Q6DD
Berths	2	4	4	6	6	6
Number of Axles	1	1	1	1	2	2
Internal Length (at bed box height)	4.34m/14'3"	5.83m/19'2"	5.83m/19'2"	5.83m/19'2"	6.27m/20'7"	6.27m/20'7"
Overall Width*	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"
Overall Height (inc. TV Aerial)*	2.67m/8'9"	2.68m/8'9"	2.68m/8'9"	2.68/8'9"	2.65m/8'8"	2.65m/8'8"
Maximum Internal Headroom	1.95m/6'5"	1.95m/6'5"	1.95m/6'5"	1.95m/6'5"	1.95m/6'5"	1.95m/6'5"
Overall Length*	5.99m/19'8"	7.48m/24'6"	7.48m/24'6"	7.48m/24'6"	7.92m/26'0"	7.92m/26'0"
Mass in Running Order (inc. tolerance)	1083kg/21.3cwt	1303kg/25.6cwt	1279kg/25.2cwt	1339kg/26.4cwt	1425kg/28.1cwt	1466kg/28.9cwt**
Maximum Technical Permissible Laden Mass	1204kg/23.7cwt	1459kg/28.7cwt	1435kg/28.2cwt	1515kg/29.8cwt	1605kg/31.6cwt	1646kg/32.4cwt**
Total User Payload	121kg/2.4cwt	156kg/3.1cwt	156kg/3.1cwt	176kg/3.5cwt	180kg/3.5cwt	180kg/3.5cwt
Personal Effects Payload	121kg/2.4cwt	156kg/3.1cwt	156kg/3.1cwt	176kg/3.5cwt	180kg/3.5cwt	180kg/3.5cwt
Awning A/A Dimension	8.73m/28'8"	10.22m/33'6"	10.22m/33'6"	10.22m/33'6"	10.66m/35'0"	10.66m/35'0"
Tyre size	185 R14C 102 Q	185 R14C 102 Q	185 R14C 102 Q	185C R14C 102 Q	185/70 R14 88 T	185/70 R14 88 T
Thermal Insulation Grade	THREE	THREE	THREE	THREE	THREE	THREE
Bed sizes						
Front Double	202cm x 180cm/ 6'8" x 5'11"	202cm x 159cm/ 6'8" x 5'3"	202cm x 159cm/ 6'8" x 5'3"	202cm x 180cm/ 6'8" x 5'11"	206cm x 134cm/ 6'9" x 4'5"	202cm x 180cm/ 6'8" x 5'11"**
Or Front Nearside Single	190cm x 72cm/ 6'3" x 2'4"	159cm x 72cm/ 5'3" x 2'4"	159cm x 72cm/ 5'3" x 2'4"	190cm x 72cm/ 6'3" x 2'4"		190cm x 72cm/ 6'3" x 2'4"**
And Front Offside Single	180cm x 72cm/ 5'11" x 2'4"	159cm x 72cm/ 5'3" x 2'4"	159cm x 72cm/ 5'3" x 2'4"	180cm x 72cm/ 5'11" x 2'4"		180cm x 72cm/ 5'11" x 2'4"**
Rear Double		190cm x 133cm/ 6'2" x 4'4"	185cm x 133cm/ 6'1" x 4'4"		194cm x 132cm/ 6'4" x 4'4"	202cm x 133cm/ 6'8" x 4'4"**
Side Single Offside					180cm x 62cm/ 5'11" x 2'0"	186cm x 64cm/ 6'1" x 2'1"**
Side Single Nearside				180cm x 67cm/ 5'11" x 2'2"		176cm x 64cm/ 5'9" x 2'1"**
Side Bunk Offside					176cm x 59cm/ 5'9" x 1'11"	173cm x 59cm/ 5'8" x 1'11"**
Side Bunk Nearside				176cm x 59cm/ 5'9" x 1'11"		163cm x 59cm/ 5'4" x 1'11"**

Weights: The masses are calculated in accordance to EU regulation 1230/2012 and NCC code of practice 304. The Mass in Running Order (MRO) comprises:

Side Fixed Lower Bunk

Side Fixed Upper Bunk

- 1. The mass of the empty caravan as supplied by Swift including loose items such as the hook-up cable, kit bag, entrance step, manuals etc

  2. 10kg allowance for LPG
- The MRO is calculated with the fresh water tank, toilet

flush tank and water heater empty. If you travel with water in the fresh water tank, toilet flush tank and the water heater the payload will reduce accordingly.

The personal effects is based on the number of berths and the length of the caravan and includes an allowance of 20kg for a leisure battery, The Maximum Technical Laden Mass (MTPLM) is the maximum mass allowed when the caravan is fully laden.

WARNING: Under no circumstances should the MTPLM

payload available to the user of the caravan. If you require additional payload it is possible to upgrade the MTPLM to the upper limit. Please contact your Swift

caravan dealer for more information.

quoted are for seating configurations without a chest of drawers. The front double bed width for a layout with a chest of drawers fitted, will be reduced by 0.4m (1'4") from that stated.

Awning Sizes: Due to varying awning designs and sizes the awning sizes given are approximate only. Specific awning sizes must be confirmed by your dealer or awning manufacturer prior to purchase.

6'0" x 1'10" 183cm x 57cm/

6'0" x 1'10"

- \* The dimensions given are approximate due to slight variations in suspension ride heights, loading conditions and tyre pressures.
- \*\* Estimated weights and bed sizes
- Customers should verify the actual dimensions of their touring caravan before committing to anything that could be impacted by these dimensions.

LED Road Lights: Certain vehicles may require a secondary fuse box when towing models fitted with LED road lighting.







Swift Command technology For even greater peace of mind features a smart LCD control panel you can subscribe to the newly that has enhanced functions. downloadable 'app' that links to are with the convenience of your

incorporated Thatcham Category 6 extra security to your vehicle.

For more information please visit www.swiftcommand.co.uk




### **SWIFT EVOLUTION**
















Models	530	565	580	635	645
Berths	4	4	4	4	4
Number of Axles	1	1	1	2	2
Internal Length (at bed box height)	5.29m/17'4"	5.60m/18'4"	5.83m/19'2"	6.27m/20'7"	6.27m/20'7"
Overall Width*	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"
Overall Height (inc. TV Aerial)*	2.61m/8'7"	2.61m/8'7"	2.61/8'7"	2.61m/8'7"	2.61m/8'7"
Maximum Internal Headroom	1.95m/6'5"	1.95m/6'5"	1.95m/6'5"	1.95m/6'5"	1.95m/6'5"
Overall Length*	7.00m/23'0"	7.31m/24'0"	7.54m/24'9"	7.98m/26'2"	7.98m/26'2"
Mass in Running Order (inc. tolerance)	1328kg/26.1cwt	1363kg/26.8cwt	1373kg/27.0cwt	1555kg/30.6cwt	1510kg/29.7cwt
Maximum Technical Permissible Laden Mass	1479kg/29.1cwt	1517kg/29.9cwt	1529kg/30.1cwt	1715kg/33.8cwt	1670kg/32.9cwt
Total User Payload	151kg/3.0cwt	154kg/3.0cwt	156kg/3.1cwt	160kg/3.1cwt	160kg/3.1cwt
Personal Effects Payload	151kg/3.0cwt	154kg/3.0cwt	156kg/3.1cwt	160kg/3.1cwt	160kg/3.1cwt
Awning A/A Dimension	9.66m/31'8"	9.97m/32'9"	10.20m/33'6"	10.64m/34'11"	10.64m/34'11"
Tyre size	185 R14C 102 Q	185 R14C 102 Q	185 R14C 102 Q	185/70 R14 88 T	185/70 R14 88 T
Thermal Insulation Grade	THREE	THREE	THREE	THREE	THREE

Bed sizes					
Front Double	202cm x 176cm/ 6'8" x 5'9"	202cm x 156cm/ 6'8" x 5'1"			
Or Front Nearside Single	176cm x 72cm/ 5'9" x 2'4"	156cm x 72cm/ 5'1" x 2'4"			
And Front Offside Single	186cm x 72cm/ 6'1" x 2'4"	156cm x 72cm/ 5'1" x 2'4"			
Rear Double			185cm x 133cm/ 6'1" x 4'4"	185cm x 133cm/ 6'1" x 4'4"	185cm x 133cm/ 6'1" x 4'4"
Side Single Offside	180cm x 62cm/ 5'11" x 2'0"	192cm x 68cm/ 6'4" x 2'3"			
Side Single Nearside		183cm x 73cm/ 6'0" x 2'5"			
Side Bunk Offside	176cm x 59cm/ 5'9" x 1'11"				

Weights: The masses are calculated in accordance to EU regulation 1230/2012 and NCC code of practice 304. The Mass in Running Order (MRO) comprises:

- 1. The mass of the empty caravan as supplied by Swift including loose items such as the hook-up cable, kit bag, entrance step, manuals etc

  2. 10kg allowance for LPG
- The MRO is calculated with the fresh water tank, toilet flush tank and water heater empty. If you travel with water in the fresh water tank, toilet flush tank and the

The personal effects is based on the number of berths and the length of the caravan and includes an allowance of 20kg for a leisure battery, The Maximum Technical Laden Mass (MTPLM) is the maximum mass allowed when the caravan is fully laden.

WARNING: Under no circumstances should the

water heater the payload will reduce accordingly.

overall payload available to the user of the caravan

If you require additional payload it is possible to upgrade the MTPLM to the upper limit. Please contact your Swift caravan dealer for more information.

quoted are for seating configurations without a chest of drawers. The front double bed width for a layout with a chest of drawers fitted, will be reduced by 0.4m (1'4") from that stated.

Awning Sizes: Due to varying awning designs and sizes the awning sizes given are approximate only. Specific awning sizes must be confirmed by your dealer or awning manufacturer prior to purchase.

\* The dimensions given are approximate due to slight variations in suspension ride heights, loading conditions and tyre pressures. touring caravan before committing to anything that could be impacted by these dimensions.

secondary fuse box when towing models fitted with LED

LED Road Lights: Certain vehicles may require a



INTOSMART+ CONSTRUCTION

- Unique enhanced SMART Plus construction system with New balanced panel side walls with greater resilience.
  - Rigorous safety testing at down to minus 15°C and beyond, put prototypes through conditions most products will never have to
- experience in a life time, all part of the Swift ethos to deliver the best product possible to you
- Assured build construction with a manufacturer backed, free 10 year bodyshell warranty standard

To find out more about SMART visit www.swiftgroup.co.uk/smart