



**SWIFT**

CREATING SMILES FOR LIFE

*love life*























LOVE SWIFT

*2022  
Caravans*


TECHNICAL  
SPECIFICATION

# SPRITE TECHNICAL SPECIFICATION



	COMPACT	ALPINE 2	ALPINE 4	MAJOR 4 SB	MAJOR 4 EB	MAJOR 6TD	QUATTRO EW
	  	 	 	 	 	 	 
							
Berths	2	2	4	4	4	6	6
Number of axles	1	1	1	1	1	1	2
Internal length (at bed box height)	3.66m / 12'0"	4.34m / 14'3"	4.74m / 15'7"	5.83m / 19'2"	5.83m / 19'2"	5.83m / 19'2"	6.27m / 20'7"
Overall width*	2.03m / 6'8"	2.25m / 7'5"	2.25m / 7'5"	2.25m / 7'5"	2.25m / 7'5"	2.25m / 7'5"	2.25m / 7'5"
Overall height (inc. TV Aerial)*	2.59m / 8'6"	2.59m / 8'6"	2.59m / 8'6"	2.59m / 8'6"	2.59m / 8'6"	2.59m / 8'6"	2.59m / 8'6"
Maximum internal headroom	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"
Overall length*	5.37m / 17'7"	6.05m / 19'10"	6.45m / 21'2"	7.54m / 24'9"	7.54m / 24'9"	7.54m / 24'9"	7.98m / 26'2"
Awning A / A dimension	7.95m / 26'1"	8.59m / 28'2"	8.99m / 29'6"	10.08m / 33'1"	10.08m / 33'1"	10.08m / 33'1"	10.52m / 34'6"
Mass in Running Order (inc. tolerance)	980kg / 19.3cwt	1097kg / 21.6cwt	1139kg / 22.4cwt	1286kg / 25.3cwt	1320kg / 26.0cwt	1352kg / 26.6cwt	1430kg / 28.1cwt
Maximum Technical Permissible Laden Mass	1094kg / 21.5cwt	1218kg / 24.0cwt	1284kg / 25.3cwt	1442kg / 28.4cwt	1476kg / 29.1cwt	1528kg / 30.1cwt	1610kg / 31.7cwt
Total user payload	114kg / 2.2cwt	121kg / 2.4cwt	145kg / 2.9cwt	156kg / 3.1cwt	156kg / 3.1cwt	176kg / 3.5cwt	180kg / 3.5cwt
Personal effects payload	114kg / 2.2cwt	121kg / 2.4cwt	145kg / 2.9cwt	156kg / 3.1cwt	156kg / 3.1cwt	176kg / 3.5cwt	180kg / 3.5cwt
Factory fit options	0kg / 0.0cwt	0kg / 0.0cwt	0kg / 0.0cwt	0kg / 0.0cwt	0kg / 0.0cwt	0kg / 0.0cwt	0kg / 0.0cwt
Tyre size	185 R14C 102 Q	185 R14C 102 Q	185 R14C 102Q	185 R14C 102Q	185 R14C 102Q	185 R14C 102Q	185 / 70 R14 88T
Thermal insulation grade	THREE	THREE	THREE	THREE	THREE	THREE	THREE
<b>BED SIZES</b>							
Front double	182cm x 180cm / 6'0" x 5'11"	202cm x 180cm / 6'8" x 5'11"	202cm x 128cm / 6'8" x 4'2"	202cm x 159cm / 6'8" x 5'3"	202cm x 159cm / 6'8" x 5'3"	202cm x 180cm / 6'8" x 5'11"	206cm x 134cm / 6'9" x 4'5"
or front nearside single	180cm x 65cm / 5'11" x 2'2"	190cm x 72cm / 6'3" x 2'4"		159cm x 72cm / 5'3" x 2'4"	159cm x 72cm / 5'3" x 2'4"	190cm x 72cm / 6'3" x 2'4"	
and front offside single	180cm x 65cm / 5'11" x 2'2"	180cm x 72cm / 5'11" x 2'4"		159cm x 72cm / 5'3" x 2'4"	159cm x 72cm / 5'3" x 2'4"	180cm x 72cm / 5'11" x 2'4"	
Rear double			189cm x 132cm / 6'2" x 4'4"	185cm x 133cm / 6'1" x 4'4"	190cm x 133cm / 6'3" x 4'4"		194cm x 132cm / 6'4" x 4'4"
Side single (offside)							180cm x 62cm / 5'11" x 2'0"
Side single (nearside)						180cm x 67cm / 5'11" x 2'2"	
Side bunk (offside)							176cm x 59cm / 5'9" x 1'11"
Side bunk (nearside)						176cm x 59cm / 5'9" x 1'11"	
Side fixed lower bunk						183cm x 57cm / 6'0" x 1'10"	
Side fixed upper bunk						183cm x 57cm / 6'0" x 1'10"	

## QUATTRO FB



## SPRITE SUPER TECHNICAL SPECIFICATION



6
2
6.27m / 20'7"
2.25m / 7'5"
2.59m / 8'6"
1.95m / 6'5"
7.98m / 26'2"
10.52m / 34'6"
1450kg / 28.5cwt
1630kg / 32.1cwt
180kg / 3.5cwt
180kg / 3.5cwt
0kg / 0.0cwt
185 / 70 R14 88T
THREE

BED SIZES
202cm x 180cm / 6'8" x 5'11"
180cm x 72cm / 5'11" x 2'4"
190cm x 72cm / 6'3" x 2'4"
192cm x 132cm / 6'4" x 4'4"
180cm x 62cm / 5'11" x 2'0"
176cm x 59cm / 5'9" x 1'11"


## MAJOR 4 SB



Berths	4
Number of axles	1
Internal length (at bed box height)	5.83m / 19'2"
Overall width*	2.46m / 8'1"
Overall height (inc. TV Aerial)*	2.61m / 8'7"
Maximum internal headroom	1.95m / 6'5"
Overall length*	7.54m / 24'9"
Awning A / A dimension	10.20m / 33'6"
Mass in Running Order (inc. tolerance)	1390kg / 27.4cwt
Maximum Technical Permissible Laden Mass	1546kg / 30.4cwt
Total user payload	156kg / 3.1cwt
Personal effects payload	156kg / 3.1cwt
Factory fit options	0kg / 0.0cwt
Tyre size	195 / 70 R15C 104 R
Thermal insulation grade	THREE

BED SIZES	
Front double	
Or front nearside single	
and front offside single	
Rear double	
Side double offside	
Side fixed lower bunk	
Side fixed upper bunk	


## QUATTRO FB



6
2
6.27m / 20'7"
2.46m / 8'1"
2.59m / 8'6"
1.95m / 6'5"
7.98m / 26'2"
10.56m / 34'8"
1524kg / 30.0cwt
1704kg / 33.5cwt
180kg / 3.5cwt
180kg / 3.5cwt
0kg / 0.0cwt
185 / 70 R14 88T
THREE

225cm x 180cm / 7'4" x 5'11"
180cm x 73cm / 5'11" x 2'5"
180cm x 73cm / 5'11" x 2'5"
196cm x 135cm / 6'5" x 4'5"
190cm x 134cm / 6'3" x 4'5"

## QUATTRO DB



6
2
6.27m / 20'7"
2.46m / 8'1"
2.59m / 8'6"
1.95m / 6'5"
7.98m / 26'2"
10.56m / 34'8"
1530kg / 30.1cwt
1710kg / 33.7cwt
180kg / 3.5cwt
180kg / 3.5cwt
0kg / 0.0cwt
185 / 70 R14 88T
THREE

225cm x 180cm / 7'4" x 5'11"
180cm x 73cm / 5'11" x 2'5"
180cm x 73cm / 5'11" x 2'5"
196cm x 135cm / 6'5" x 4'5"
190cm x 134cm / 6'3" x 4'5"
182cm x 72cm / 6'0" x 2'4"
182cm x 72cm / 6'0" x 2'4"

## SPRITE AND SPRITE SUPER OPTIONAL EXTRAS

### FACTORY FIT

The following optional extras are fitted at the time of manufacture of the caravan (subject to availability). Optional weights are included in the published MTPLM.

AL-KO ATC trailer control

### DEALER FIT

Please note: These options when fitted will reduce the payload that can be carried in your caravan. If a higher payload is required, then the MTPLM can be increased on certain models. Please consult your dealer for further details.

Alarm

AL-KO Secure wheel lock

Wrap around front seating in addition to drawer chest

Weight plate upgrade (model dependent)

Cycle rack (Thule Elite G2 two cycle)

Roof mounted air conditioning (model dependent)

Roof mounted solar panel

Yuasa YBX Active Leisure & Marine L36-100  
NCC Class C (model dependent)

Yuasa YBX Active Leisure & Marine L36-EFB  
NCC Class B (model dependent)


Yuasa YBX Active Leisure & Marine L36-AGM  
NCC Class A (model dependent)

# CHALLENGER TECHNICAL SPECIFICATION



	480	530	560	580	650
Berths	2	4	4	4	4
Number of axles	1	1	1	1	2
Internal length (at bed box height)	4.95m / 16'3"	5.29m / 17'4"	5.83m / 19'2"	5.83m / 19'2"	6.27m / 20'7"
Overall width*	2.23m / 7'4"	2.23m / 7'4"	2.23m / 7'4"	2.23m / 7'4"	2.23m / 7'4"
Overall height (inc. TV Aerial)*	2.61m / 8'7"	2.61m / 8'7"	2.61m / 8'7"	2.61m / 8'7"	2.61m / 8'7"
Maximum internal headroom	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"
Overall length*	6.66m / 21'10"	7.00m / 23'0"	7.54m / 24'9"	7.54m / 24'9"	7.98m / 26'2"
Awning A / A dimension	9.32m / 30'7"	9.66m / 31'8"	10.20m / 33'6"	10.20m / 33'6"	10.52m / 34'6"
Mass in Running Order (inc. tolerance)	1267kg / 24.9cwt	1330kg / 26.2cwt	1394kg / 27.4cwt	1367kg / 26.9cwt	1549kg / 30.5cwt
Maximum Technical Permissible Laden Mass	1394kg / 27.4cwt	1481kg / 29.2cwt	1550kg / 30.5cwt	1523kg / 30.0cwt	1709kg / 33.6cwt
Total user payload	127kg / 2.5cwt	151kg / 3.0cwt	156kg / 3.1cwt	156kg / 3.1cwt	160kg / 3.1cwt
Personal effects payload	127kg / 2.5cwt	151kg / 3.0cwt	156kg / 3.1cwt	156kg / 3.1cwt	160kg / 3.1cwt
Factory fit options	0.0kg / 0.0cwt	0.0kg / 0.0cwt	0.0kg / 0.0cwt	0.0kg / 0.0cwt	0.0kg / 0.0cwt
Tyre size	185 R14C 102Q	185 R14C 102Q	185 R14C 102Q	185 R14C 102Q	185 / 70 R14 88T
Thermal insulation grade	THREE	THREE	THREE	THREE	THREE
<b>BED SIZES</b>					
Front double	202cm x 186cm / 6'8" x 6'1"	202cm x 176cm / 6'8" x 5'9"	202cm x 156cm / 6'8" x 5'1"	202cm x 156cm / 6'8" x 5'1"	202cm x 156cm / 6'8" x 5'1"
or front nearside single	196cm x 72cm / 6'4" x 2'4"	176cm x 72cm / 5'9" x 2'4"	156cm x 72cm / 5'1" x 2'4"	156cm x 72cm / 5'1" x 2'4"	156cm x 72cm / 5'1" x 2'4"
and front offside single	186cm x 72cm / 6'1" x 2'4"	186cm x 72cm / 6'1" x 2'4"	156cm x 72cm / 5'1" x 2'4"	156cm x 72cm / 5'1" x 2'4"	156cm x 72cm / 5'1" x 2'4"
Rear double			190cm x 133cm / 6'3" x 4'4"	185cm x 133cm / 6'1" x 4'4"	185cm x 133cm / 6'1" x 4'4"
Side single (offside)		180cm x 62cm / 5'11" x 2'0"			
Side bunk (offside)		176cm x 59cm / 5'9" x 1'11"			

## CHALLENGER X TECHNICAL SPECIFICATION



Berths	4	4	4	4
Number of axles	1	1	2	2
Internal length (at bed box height)	5.83m / 19'2"	5.83m / 19'2"	6.27m / 20'7"	6.27m / 20'7"
Overall width*	2.45m / 8'0"	2.45m / 8'0"	2.45m / 8'0"	2.45m / 8'0"
Overall height (inc. TV Aerial)*	2.61m / 8'7"	2.61m / 8'7"	2.59m / 8'6"	2.59m / 8'6"
Maximum internal headroom	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"
Overall length*	7.54m / 24'9"	7.54m / 24'9"	7.98m / 26'2"	7.98m / 26'2"
Awning A / A dimension	10.20m / 33'6"	10.20m / 33'6"	10.52m / 34'6"	10.52m / 34'6"
Mass in Running Order (inc. tolerance)	1504kg / 29.6cwt Est	1460kg / 28.7cwt	1621kg / 31.9cwt	1639kg / 32.3cwt
Maximum Technical Permissible Laden Mass	1660kg / 32.7cwt Est	1616kg / 31.8cwt	1781kg / 35.1cwt	1799kg / 35.4cwt
Total user payload	156kg / 3.1cwt	156kg / 3.1cwt	160kg / 3.1cwt	160kg / 3.1cwt
Personal effects payload	156kg / 3.1cwt	156kg / 3.1cwt	160kg / 3.1cwt	160kg / 3.1cwt
Factory fit options	0.0kg / 0.0cwt	0.0kg / 0.0cwt	0.0kg / 0.0cwt	0.0kg / 0.0cwt
Tyre size	195 / 70 R15C 104 R	195 / 70 R15C 104 R	185 / 70 R14 88 T	185 / 70 R14 88 T
Thermal insulation grade	THREE	THREE	THREE	THREE

### BED SIZES

Front double	197cm x 127cm / 6'6" x 4'2"	225cm x 159cm / 7'4" x 5'3"	225cm x 159cm / 7'4" x 5'3"	197cm x 127cm / 6'6" x 4'2"
Or front nearside single and front offside single		159cm x 73cm / 5'3" x 2'5"	159cm x 73cm / 5'3" x 2'5"	
Rear double	187cm x 143cm / 6'2" x 4'8"	187cm x 133cm / 6'2" x 4'4"	187cm x 133cm / 6'2" x 4'4"	187cm x 143cm / 6'2" x 4'8"

## CHALLENGER & CHALLENGER X OPTIONAL EXTRAS

### FACTORY FIT

Please note: Selected upholstery options within the Swift range\* are interchangeable; however this will affect seating and cushion make ups. For full details and clarification please discuss with your dealer. The following optional extras are fitted at the time of manufacture of the caravan (subject to availability). Optional weights are included in the published MTPLM.

\* Excluding Sprite and Sprite Super

AL-KO ATC trailer control

'Zinc' upholstery scheme (standard in Conqueror)

### DEALER FIT

Please note: These options when fitted will reduce the payload that can be carried in your caravan. If a higher payload is required, then the MTPLM can be increased on certain models. Please consult your dealer for further details.

AL-KO Secure wheel lock

Wrap around front seating in addition to drawer chest

Weight plate upgrade (model dependent)

Cycle rack (Thule Elite G2 two cycle)

Roof mounted air conditioning (model dependent)

Yuasa YBX Active Leisure & Marine L36-100 - NCC Class C (model dependent)

Yuasa YBX Active Leisure & Marine L36-EFB - NCC Class B (model dependent)

Yuasa YBX Active Leisure & Marine L36-AGM - NCC Class A (model dependent)

Est = Estimate

# CONQUEROR TECHNICAL SPECIFICATION



	480	560	565	580
Berths	2	4	4	4
Number of axles	1	1	1	1
Internal length (at bed box height)	4.98m / 16'4"	5.93m / 19'5"	5.93m / 19'5"	5.93m / 19'5"
Overall width*	2.28m / 7'6"	2.28m / 7'6"	2.28m / 7'6"	2.28m / 7'6"
Overall height (inc. TV Aerial)*	2.59m / 8'6"	2.61m / 8'7"	2.61m / 8'7"	2.61m / 8'7"
Maximum internal headroom	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"
Overall length*	6.59m / 21'7"	7.54m / 24'9"	7.54m / 24'9"	7.54m / 24'9"
Awning A / A dimension	9.28m / 30'5"	10.30m / 33'10"	10.30m / 33'10"	10.30m / 33'10"
Mass in Running Order (inc. tolerance)	1351kg / 26.6cwt	1558kg / 30.7cwt	1545kg / 30.4cwt	1530kg / 30.1cwt
Maximum Technical Permissible Laden Mass	1477kg / 29.1cwt	1714kg / 33.7cwt	1701kg / 33.5cwt	1686kg / 33.2cwt
Total user payload	126kg / 2.5cwt	156kg / 3.1cwt	156kg / 3.1cwt	156kg / 3.1cwt
Personal effects payload	126kg / 2.5cwt	156kg / 3.1cwt	156kg / 3.1cwt	156kg / 3.1cwt
Factory fit options	0kg / 0.0cwt	0kg / 0.0cwt	0kg / 0.0cwt	0kg / 0.0cwt
Tyre size	185 R14C 102 Q	195 / 70 R15C 104 R	195 / 70 R15C 104 R	195 / 70 R15C 104 R
Thermal insulation grade	THREE	THREE	THREE	THREE
<b>BED SIZES</b>				
Front double	200cm x 186cm / 6'7" x 6'1"	200cm x 158cm / 6'7" x 5'2"	200cm x 168cm / 6'7" x 5'6"	200cm x 168cm / 6'7" x 5'6"
or front nearside single and front offside single	181cm x 67cm / 5'11" x 2'2" 171cm x 67cm / 5'7" x 2'2"			
Rear double		190cm x 133cm / 6'3" x 4'4"		182cm x 133cm / 6'0" x 4'4"
Side single (offside)			172cm x 74cm / 5'8" x 2'5"	
Side single (nearside)			190cm x 73cm / 6'3" x 2'4"	

## CONQUEROR OPTIONAL EXTRAS

### FACTORY FIT

Please note: Selected upholstery options within the Swift range\* are interchangeable; however this will affect seating and cushion make ups. For full details and clarification please discuss with your dealer. The following optional extras are fitted at the time of manufacture of the caravan (subject to availability). Optional weights are included in the published MTPLM.

\* Excluding Sprite and Sprite Super

'Coyote' upholstery scheme (standard in Challenger)

'Ultraleather' upholstery scheme (standard in Elegance)

### DEALER FIT

Please note: These options when fitted will reduce the payload that can be carried in your caravan. If a higher payload is required, then the MTPLM can be increased on certain models. Please consult your dealer for further details.

Wrap around front seating in addition to drawer chest

Swift Command Tracker by Sargent annual subscription

Weight plate upgrade (model dependent)

Cycle rack (Thule Elite G2 two cycle)


Roof mounted air conditioning (model dependent)

Yuasa YBX Active Leisure & Marine L36-100 - NCC Class C (model dependent)

Yuasa YBX Active Leisure & Marine L36-EFB - NCC Class B (model dependent)

Yuasa YBX Active Leisure & Marine L36-AGM - NCC Class A (model dependent)

## ELEGANCE TECHNICAL SPECIFICATION



Berths	4	4	4
Number of axles	2	2	2
Internal length (at bed box height)	6.36m / 20'10"	6.36m / 20'10"	6.36m / 20'10"
Overall width*	2.45m / 8'0"	2.45m / 8'0"	2.45m / 8'0"
Overall height (inc. TV Aerial)*	2.59m / 8'6"	2.59m / 8'6"	2.59m / 8'6"
Maximum internal headroom	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"
Overall length*	7.98m / 26'2"	7.98m / 26'2"	7.98m / 26'2"
Awning A / A dimension	10.49m / 34'5"	10.49m / 34'5"	10.49m / 34'5"
Mass in Running Order (inc. tolerance)	1775kg / 34.9cwt	1740kg / 34.3cwt	1770kg / 34.8cwt
Maximum Technical Permissible Laden Mass	1976kg / 38.9cwt	1941kg / 38.2cwt	1971kg / 38.8cwt
Total user payload	201kg / 4.0cwt	201kg / 4.0cwt	201kg / 4.0cwt
Personal effects payload	160kg / 3.1cwt	160kg / 3.1cwt	160kg / 3.1cwt
Factory fit options	41kg / 0.8cwt	41kg / 0.8cwt	41kg / 0.8cwt
Tyre size	185 / 70 R14 88 T	185 / 70 R14 88 T	185 / 70 R14 88 T
Thermal insulation grade	THREE	THREE	THREE

### BED SIZES

Front double	218cm x 153cm / 7'2" x 5'0"	218cm x 153cm / 7'2" x 5'0"	194cm x 121cm / 6'4" x 4'0"
Or front nearside single	153cm x 70cm / 5'0" x 2'4"	153cm x 70cm / 5'0" x 2'4"	
and front offside single	153cm x 70cm / 5'0" x 2'4"	153cm x 70cm / 5'0" x 2'4"	
Rear double	184cm x 133cm / 6'0" x 4'4"	184cm x 133cm / 6'0" x 4'4"	189cm x 143cm / 6'2" x 4'8"

## ELEGANCE OPTIONAL EXTRAS

### FACTORY FIT

Please note: Selected upholstery options within the Swift range\* are interchangeable; however this will affect seating and cushion make ups. For full details and clarification please discuss with your dealer. The following optional extras are fitted at the time of manufacture of the caravan (subject to availability). Optional weights are included in the published MTPLM.

\* Excluding Sprite and Sprite Super

'Coyote' upholstery scheme (standard in Challenger)

'Zinc' upholstery scheme (standard in Conqueror)

E & P hydraulic auto-levelling system  
(comes with 100Ah Leisure Battery)

### DEALER FIT

Please note: These options when fitted will reduce the payload that can be carried in your caravan. If a higher payload is required, then the MTPLM can be increased on certain models. Please consult your dealer for further details.

Wrap around front seating in addition to drawer chest

Swift Command Tracker by Sargent annual subscription

Weight plate upgrade (model dependent)

Cycle rack (Thule Elite G2 two cycle)

Roof mounted air conditioning (model dependent)

Yuasa YBX Active Leisure & Marine L36-100 - NCC Class C  
(model dependent)

Yuasa YBX Active Leisure & Marine L36-EFB - NCC Class B  
(model dependent)

Yuasa YBX Active Leisure & Marine L36-AGM - NCC Class A  
(model dependent)





**SWIFT**  
CREATING SMILES FOR LIFE



## SPECIFICATION NOTES

**MASSES:** The masses are calculated in accordance with EU regulation 1230 / 2012 and NCC code of practice 304.

The Mass in Running Order (MRO) comprises:

1. The mass of the empty caravan as supplied by Swift including loose items such as the hook-up cable, kit bag, entrance step, manuals etc.
2. 10kg allowance for LPG

The MRO is calculated with the fresh water tank, toilet flush tank and water heater empty. If you travel with water in the fresh water tank, toilet flush tank and the water heater the payload will reduce accordingly.

The personal effects is based on the number of berths and the length of the caravan, and includes an allowance of 20kg for a leisure battery.

The Maximum Technical Laden Mass (MTPLM) is the maximum mass allowed when the caravan is fully laden.

**WARNING:** Under no circumstances should the MTPLM be exceeded.

**BED SIZES:** Please note that the front double bed sizes quoted are for seating configurations without chest of drawers. The front double bed width for a layout with a chest of drawers fitted will be reduced by 0.4m (1'4") from that stated.

**AWNING SIZES:** Due to the varying awning designs and sizes the awning sizes given are approximate only. Specific awning sizes must be confirmed by your dealer or the awning manufacturer prior to purchase.

# The dimensions given are approximate due to slight variations in suspension ride heights, loading conditions and tyre pressures.

Est = Estimated weight or bed size.

Customers should verify the actual dimensions of their touring caravan before committing to anything that could be impacted by these dimensions.

Please note: Any dealer fit options will reduce the overall payload available to the user of the caravan. If you require additional payload it is possible to upgrade the MTPLM to the upper limit. Please contact your caravan dealer for more information.

**LED ROAD LIGHTS:** Certain vehicles may require a secondary fuse box when towing models fitted with LED road lighting.

## DISCLAIMER

This brochure does not constitute an offer by Swift Group Limited (Swift).

Swift reserves the right to alter specifications and prices at any time as materials and conditions demand. Distributors and dealers sell Swift products on their own account and not as agents of Swift. Accordingly, they have no authority to bind Swift or to make any representation or undertaking whatsoever on behalf of Swift.

All props are for photographic purposes only and are not included in the specification.

Issued September 2021.

## VISIT SWIFTGROUP.CO.UK TO...



Configure your model



Watch videos



Download brochure



Find a dealer

## FOLLOW THE SWIFT FAMILY

